

63501
Coms.

56

DEPARTMENT OF COMMERCE

U. S. COAST AND GEODETIC SURVEY

O. H. TITTMANN

SUPERINTENDENT


GEODESY

TRIANGULATION ON THE COAST OF TEXAS, FROM SABINE PASS
TO CORPUS CHRISTI BAY

BY


CHARLES A. MOURHES

Computer, United States Coast and Geodetic Survey



SPECIAL PUBLICATION No. 17

QB
275
.435
no. 17
1913



WASHINGTON
GOVERNMENT PRINTING OFFICE

1913

National Oceanic and Atmospheric Administration

ERRATA NOTICE

One or more conditions of the original document may affect the quality of the image, such as:

Discolored pages

Faded or light ink

Binding intrudes into the text

This has been a co-operative project between the NOAA Central Library and the Climate Database Modernization Program, National Climate Data Center (NCDC). To view the original document, please contact the NOAA Central Library in Silver Spring, MD at (301) 713-2607 x124 or www.reference@nodc.noaa.gov.

LASON

Imaging Contractor

12200 Kiln Court

Beltsville, MD 20704-1387

January 1, 2006

CONTENTS.

	Page.
General statement.....	5
The triangulation.....	5
Adjustment of the triangulation.....	6
The United States Standard Datum.....	6
Tables of positions, azimuths, and lengths.....	8
Descriptions of stations.....	44
Marking of stations.....	44
Notes regarding the sketches.....	81
Sketches.....	82
Index to positions, descriptions, and sketches.....	83

ILLUSTRATIONS.

1. Standard disk triangulation station and reference marks.....	44
2. United States Engineers triangulation station and reference marks.....	45
3. Index map showing general location of the triangulation.....	82
4. Index map showing the limits of each of the following sketches.....	82
5. Triangulation, Lake Sabine and Neches River.....	82
6. Triangulation, Sabine Pass to Salt Bayou.....	82
7. Triangulation, Salt Bayou to East Bay.....	82
8. Triangulation, East Bay to Galveston Bay.....	82
9. Triangulation, Galveston Entrance to West Bay.....	82
10. Triangulation, Galveston Bay.....	82
11. Triangulation, San Jacinto River.....	82
12. Triangulation, West Bay.....	82
13. Triangulation, West Bay to Brazos River.....	82
14. Triangulation, Brazos River to Matagorda Bay.....	82
15. Triangulation, Matagorda Bay.....	82
16. Triangulation, Matagorda Bay and Lavaca Bay to Espiritu Santo Bay.....	82
17. Triangulation, Espiritu Santo Bay and San Antonio Bay.....	82
18. Triangulation, Aransas Bay and Copano Bay.....	82
19. Triangulation, Aransas Bay to Corpus Christi Bay.....	82
20. Triangulation, Corpus Christi Bay.....	82

TRIANGULATION ON THE COAST OF TEXAS, FROM SABINE PASS TO CORPUS CHRISTI BAY.

By CHARLES A. MOURHESS,
Computer, United States Coast and Geodetic Survey.

GENERAL STATEMENT.

The purpose of this publication is to present to the engineering public as complete a record as possible of the triangulation on the coast of Texas, from Sabine Pass to Corpus Christi Bay. The arrangement is such as to give all the available data in the best form for general use.

The triangulation presents no unusual features, is not of a primary degree of accuracy, and consequently offers no material for discussion. It has nevertheless a very great practical value, since it gives the engineer and geographer the positions of a large number of points determined trigonometrically and all correlated to one geodetic datum known as the United States Standard Datum.¹

THE TRIANGULATION.

The observations involved in this triangulation were begun in Galveston Bay in 1850, and the latest work was finished in 1912. Undoubtedly many of the old stations have been lost, and many more still exist that can not be recovered, because of the changes in the topography and the destruction of the surface and reference marks, leaving only the underground marks. The underground mark can be recovered by digging at exactly the proper place, but without the guidance of the surface marks or the topography this may be impossible. Then the point may be found by locating a second point in the vicinity of the old one and determining its position from more distant triangulation. From this new position and the position of the old point, the distance and direction to the old point from the new may be determined. Then by digging at the position indicated it is very probable that the old underground mark will be found.

During the years 1911 and 1912 officers of this Survey visited the localities of most of the stations included in this publication, recovered the old marks where possible, and carried new triangulation through such portions as was necessary to control any topographic or hydrographic surveys that might be undertaken. At present there is new triangulation or old points that have recently been re-marked along all the Texas coast covered by this publication. In every case the new has been connected with at least three stations of the old triangulation.

The results of the United States Army Engineers' triangulation in Galveston Bay, San Jacinto River, Sabine Lake, and the Neches River are included in this publication. It is all well connected with the United States Coast and Geodetic Survey triangulation.

The triangulation from Corpus Christi Bay to Point Isabel was included in Appendix No. 5, Report for 1911. Since then, however, new triangulation has been established along the coast and the primary triangulation along the ninety-eighth meridian has been extended to the Rio Grande River, with a spur running to Point Isabel, thus making it necessary to readjust the coast work. The new positions for the stations between Corpus Christi Bay and Point Isabel are not available for this publication, but will appear with the results of the primary triangulation on the lower ninety-eighth meridian.

¹ After the manuscript for this publication was completed the United States Standard Datum was adopted by the Dominion of Canada and by the Republic of Mexico, and on account of its international character it will hereafter be known as the North American Datum.

ADJUSTMENT OF THE TRIANGULATION.

The primary triangulation along the ninety-eighth meridian was held fixed at Corpus Christi, and stations of the eastern oblique arc of primary triangulation were held at New Orleans. The triangulation along the coasts of Louisiana and Texas closes a loop between the above-mentioned arcs. The discrepancies of this closure were distributed through the coast triangulation. All the observed azimuths and measured lengths were held fixed. It is reasonably certain that the observed azimuths are superior to any that could be computed through the triangulation. Where spurs from the main scheme came together, forming small loop closures, they were adjusted to fit the main chain along the coast. The new triangulation with recovered stations at each end was adjusted in the same manner. The triangulation of the United States Army Engineers was adjusted at this office according to the regular methods and the positions were computed on the United States Standard Datum.¹ The accuracy of the work included in this publication is easily up to the standard of other coast triangulation in the United States. The length of any line in the main scheme is known with an accuracy greater than 1 part in 5,000.

THE UNITED STATES STANDARD DATUM.¹

All of the positions and azimuths have been computed upon the Clarke spheroid of 1866, as expressed in meters, which has been in use in the Coast and Geodetic Survey for many years.

After a spheroid has been adopted and all the angles and lengths in a triangulation have been fully fixed, it is still necessary, before the computation of latitudes, longitudes, and azimuths can be made, to adopt a standard latitude and longitude for a specified station and a standard azimuth of a line from that station. For convenience, the adopted standard position (latitude and longitude) of a given station, together with the adopted standard azimuth of a line from that station, is called the geodetic datum.

The primary triangulation in the United States was commenced at various points, and existed at first as a number of detached portions in each of which the geodetic datum was necessarily dependent only upon the astronomic stations connected with that particular portion. As examples of such detached portions of triangulation there may be mentioned the early triangulation in New England and along the Atlantic coast, a detached portion of the transcontinental triangulation centering on St. Louis and another portion of the same triangulation in the Rocky Mountain region, and three separate portions of triangulation in California, in the latitude of San Francisco, in the vicinity of Santa Barbara Channel, and in the vicinity of San Diego. With the lapse of time these separate pieces have expanded until they have touched or overlapped.

The Transcontinental Triangulation, of which the office computation was completed in 1899, joins all of the detached portions mentioned and makes them one continuous triangulation. As soon as this took place the logical necessity existed of discarding the old geodetic data used in these various pieces and substituting one datum for the whole country, or at least for as much of the country as is covered by continuous triangulation. To do this is a very heavy piece of work, and involved much preliminary study to determine the best datum to be adopted. On March 13, 1901, the Superintendent adopted what is now known as the United States Standard Datum, and it was decided to reduce the positions to that datum as rapidly as possible. The datum adopted was that formerly in use in New England, and therefore its adoption did not affect the positions which had been used for geographic purposes in New England and along the Atlantic coast to North Carolina, nor those in the States of New York, Pennsylvania, New Jersey, and Delaware. The adopted datum does not agree, however, with that used in "The Transcontinental Triangulation" and in "The Eastern Oblique Arc of the United States," publications which deal primarily with the purely scientific problem of the determination of the figure of the earth and which were prepared for publication before the adoption of the new datum.

¹ After the manuscript for this publication was completed the United States Standard Datum was adopted by the Dominion of Canada and by the Republic of Mexico, and on account of its international character it will hereafter be known as the North American Datum.

As the adoption of such a standard datum is a matter of considerable importance, it is in order here to explain the desirability of this step more fully.

The main objects to be attained by the geodetic operations of the Coast and Geodetic Survey are, first, the control of the charts published by the Survey; second, the furnishing of geographic positions (latitudes and longitudes), of accurately determined elevations and of distances and azimuths, to officers connected with the Coast and Geodetic Survey and to other organizations; third, the determination of the figure of the earth. For the first and second objects it is not necessary that the reference spheroid should be accurately that which most closely fits the geoid within the area covered, nor that the adopted geodetic datum should be absolutely the best that can be derived from the astronomic observations at hand. It is simply desirable that the reference spheroid and the geodetic datum adopted shall be, if possible, such a close approximation to the truth that any correction which may hereafter be derived from the observations which are now or may hereafter become available shall not greatly exceed the probable errors of such corrections. It is, however, very desirable that one spheroid and one geodetic datum be used for the whole country. In fact, this is absolutely necessary if a geodetic survey is to perform fully the function of accurately coordinating all surveys within the area which it covers. This is the most important function of a geodetic survey. To perform this function it is also highly desirable that when a certain spheroid and geodetic datum have been adopted for a country they should be rigidly adhered to without change for all time, unless shown to be largely in error.

In striving to attain the third object, the determination of the figure of the earth, the conditions are decidedly different. This problem concerns itself primarily with astronomic observations of latitude, longitude, and azimuth, and with the geodetic positions of the points at which the astronomic observations were made, but it is not concerned with the geodetic positions of other points fixed by the triangulations. The geodetic positions (latitudes and longitudes) of comparatively few points are therefore concerned in this problem. However, in marked contrast to the statements made in preceding paragraphs, it is desirable in dealing with this problem that, with each new important accession of data, a new spheroid fitting the geoid with the greatest possible accuracy, and new values of the geodetic latitudes, longitudes, and azimuths of the highest degree of accuracy, should be derived.

The United States Standard Datum¹ was adopted with reference to positions furnished for geographic positions, but has no reference to the problem of the determination of the figure of the earth. It is adopted with reference to the engineer's problem of furnishing standard positions, and does not affect the scientist's problem of the determination of the figure of the earth.

The principles which guided in the selection of the datum to be adopted were: First, that the adopted datum should not differ widely from the ideal datum for which the sum of the station errors in latitude, longitude, and azimuth should each be zero; second, it was desirable that the adopted datum should produce minimum changes in the publications of the Survey, including its charts; and, third, it was desirable, other things being equal, to adopt that datum which allowed the maximum number of positions already in the office registers to remain unchanged, and therefore necessitated a minimum amount of new computation. These considerations led to the adoption as the United States Standard of the datum which had been in use for many years in the northeastern group of States and along the Atlantic coast as far as North Carolina.

An examination of the station errors available in 1903, on the United States Standard Datum, at 246 latitude stations, 76 longitude stations, and 152 azimuth stations scattered widely over the United States from Maine to Louisiana and to California, indicated that this datum approaches closely the ideal with which the algebraic sum of the station errors of each class would be zero.²

¹ After the manuscript for this publication was completed the United States Standard Datum was adopted by the Dominion of Canada and by the Republic of Mexico, and on account of its international character it will hereafter be known as the North American Datum.

² This is further borne out in the reduction of 765 astronomic stations in connection with the "Supplementary Investigation in 1909 of the figure of the earth and isostasy," by J. F. Hayford, published by the Coast and Geodetic Survey.

The adopted United States Standard Datum,¹ upon which the positions and azimuths given in this publication depend, may be defined in terms of the position of the station Meades Ranch as follows:

$$\begin{aligned} \phi &= 39 \ 13 \ 26.686 \\ \lambda &= 98 \ 32 \ 30.506 \\ \alpha \text{ to Waldo} &= 75 \ 28 \ 14.52 \end{aligned}$$

Points are then said to be upon the United States Standard Datum¹ when they are connected with the station Meades Ranch by a continuous triangulation, through which the corresponding latitudes, longitudes, and azimuths have been computed on the Clarke spheroid of 1866, as expressed in meters, starting from the above data.

The principal lists of geographic positions heretofore published upon the United States Standard Datum throughout the whole United States are contained in the following publications of the Coast and Geodetic Survey and of other organizations:

Appendix 8 of the Report for 1885, positions in Massachusetts and Rhode Island; Appendix 8 of the Report for 1888, positions in Connecticut; Appendix 8 of the Report for 1893, positions in Pennsylvania, Delaware, and Maryland; Appendix 10 of the Report for 1894, positions in Massachusetts; Appendix 6 of the Report for 1901, positions in Kansas and Nebraska; Appendix 3 of the Report for 1902, positions in Kansas, Missouri, Nebraska, and Colorado; Appendix 4 of the Report for 1903, positions in Kansas, Oklahoma, and Texas; Appendix 9 of the Report for 1904, positions in California; Appendix 5 of the Report for 1905, positions in Texas; Appendix 3 of the Report for 1907, positions in California; Appendix 5 of the Report for 1910, positions in California; Appendix 4 of the Report for 1911, positions in Nebraska, Minnesota, North Dakota, and South Dakota; Appendix 5 of the Report for 1911, positions in Texas; Appendix 6 of the Report for 1911, positions in Florida; Special Publication No. 11, positions in Texas, New Mexico, Arizona, and California; Special Publication No. 13, positions in California, Oregon, and Washington; Special Publication No. 16, positions in Florida; Appendix EEE, pages 2905-3031, Annual Report of the Chief of Engineers, 1902, positions of points on and near the Great Lakes; in publications of the Massachusetts Harbor and Land Commission; and in various bulletins of the United States Geological Survey.

TABLES OF POSITIONS.

In the tables of positions the latitude and longitude of each point are given on the United States Standard Datum,¹ also the length and azimuth of each line observed over, whether in one or both ways. This is, in a way, a duplication, as the lengths and azimuths are implicitly contained in the corresponding latitudes and longitudes, while, on the other hand, from the latitude and longitude of a single point all the remaining latitudes and longitudes may be derived by means of the given lengths and azimuths. The amount of computation involved in transforming one of these systems of coordinates into the other is so great that it is necessary to have the double system for the convenient use of the tables. Along with the latitude and longitude of each point the lengths and azimuths are given of lines from that point to other points of the triangulation. No lengths or azimuths are repeated, and for a given line the length and azimuth will generally be found opposite the position of the last mentioned of the two stations involved.

For the convenience of the draftsman a column of "seconds in meters" is given, in which is placed the length (in meters) of each small arc of a meridian or parallel corresponding to the seconds of the given latitude or longitude. To facilitate further the use of the tables, a column is given of the logarithms of the lengths. It must be remembered that it is the logarithm which is derived first in the computation, the lengths given in this table being then derived from the corresponding logarithms.

The rule followed in recent publications of this Office has been to give latitudes and longitudes to thousandths of seconds for all points the positions of which are fixed by fully

¹ After the manuscript for this publication was completed the United States Standard Datum was adopted by the Dominion of Canada and by the Republic of Mexico, and on account of its international character it will hereafter be known as the North American Datum.

adjusted triangulation. Points, the positions of which are given to hundredths of seconds only, are marked by footnotes as being without check or checked by verticals only. These notes mean that the object was pointed on from only two triangulation stations and that therefore an error in either pointing or in the identification of the object from either occupied station would not be detected in the computation, except that where vertical as well as horizontal observations were made on the object, a valuable check is obtained, and only a small error could pass undetected in the computation.

In the columns giving azimuths, distances, and logarithms of distances the accuracy is indicated to a certain extent by the number of decimal places given, it being understood that in each case two doubtful figures are given. In some cases there is very little doubt of the correctness of the second figure from the right, while in a few cases some doubt may be cast on the third figure from the right.

These tables may be easily consulted by using as finders the sketches and index at the end of this publication. In the third column of the index will be found for each point a reference to the page on which its description will be found, and in the fourth column the number of the sketch on which it appears.

For the convenience of those who wish to convert the distances given in the table from meters into feet the following conversion table is here inserted:

Meters	Feet	Feet	Meters
1	3.280833	1	0.3048006
2	6.561667	2	0.6096012
3	9.842500	3	0.9144018
4	13.123333	4	1.2192024
5	16.404167	5	1.5240030
6	19.685000	6	1.8288037
7	22.965833	7	2.1336043
8	26.246667	8	2.4384049
9	29.527500	9	2.7432055
10	32.808333	10	3.0480061

Lake Sabine, Neches River, and Sabine Pass to East Bay.

Station	Latitude and Longitude	Seconds in meters	Azimuth	Back azimuth	To station	Distance	Logarithm
<i>Principal points</i>							
Sabine Pass Lighthouse 1874	29 42 58.678	1806.7	74 12 14.9	254 04 10.7	Scaffold	<i>Meters</i> 27334.1	4.436705
	93 51 00.596	16.0	77 15 31.9	257 10 29.2	Rebecca	16840.5	4.223356
			107 40 27.5	287 32 23.8	Gum	27475.4	4.438944
			127 28 28.6	307 25 47.2	Keith	11009.2	4.041757
Pat Glennon Bayou 1874	29 46 06.204	191.0	330 36 17.7	150 37 17.7	Sabine Pass Light-house	6626.6	3.821291
	93 53 01.606	43.1	10 47 04.5	190 46 53.3	Sabine Pass northeast base	3239.7	3.510511
			99 32 25.8	279 30 44.3	Keith	5563.6	3.745353
Texas (U. S. E.) 1909	29 40 29.724	915.2	153 53 39.5	333 52 55.0	Sabine Pass southwest base	5489.2	3.739508
	93 52 44.738	1203.0	211 23 42.5	31 24 34.1	Sabine Pass Light-house	5373.3	3.730239
Louisiana (U. S. E.) 1909	29 42 19.028	585.9	56 53 41.0	236 52 05.9	Texas (U. S. E.)	6159.6	3.789552
	93 49 32.851	883.1	117 22 21.5	297 21 38.0	Sabine Pass Light-house	2655.8	3.424195
Sabine Pass southwest base 1874	29 43 09.807	301.9	63 57 03.6	243 55 18.9	Johnson 3	6320.5	3.800750
	93 54 14.605	392.6	150 58 10.8	330 57 05.7	Keith	7265.4	3.861258
			273 44 47.8	93 46 24.0	Sabine Pass Light-house	5225.8	3.715151
Sabine Pass northeast base 1874	29 44 22.841	703.2	303 52 33.9	123 53 45.1	Sabine Pass Light-house	4647.9	3.667254
	93 53 24.165	649.4	31 05 09.9	211 04 44.9	Sabine Pass southwest base	2625.68	3.419242
Mud Bayou 1874	29 45 15.885	489.1	242 47 20.2	62 48 15.9	Pat Glennon Bayou	3389.1	3.530086
	93 54 53.800	1445.6	304 08 06.4	124 08 50.9	Sabine Pass northeast base	2910.0	3.463898
			344 49 00.0	164 49 19.5	Sabine Pass southwest base	4022.3	3.604471

Lake Sabine, Neches River, and Sabine Pass to East Bay—Continued.

Station	Latitude and Longitude	Seconds in meters	Azimuth	Back azimuth	To station	Distance	Logarithm
<i>Principal points—Continued.</i>							
Niggerville 1874	29 44 24.282	747.6	89 01 47.2	269 00 59.1	Sabine Pass northeast base	2603.9	3.415822
	93 51 47.279	1270.5	107 36 08.2	287 34 35.6	Mud Bayou	5257.6	3.720790
Texas Point 1874	29 42 25.652	789.8	105 59 29.6	285 58 02.0	Sabine Pass southwest base	4938.6	3.693600
	93 51 17.972	483.1	136 46 52.8	316 45 50.2	Sabine Pass northeast base	4952.0	3.694780
			167 49 58.7	347 49 44.2	Niggerville	3736.6	3.572475
Louisiana Point 1874	29 43 15.710	483.7	97 51 35.2	277 50 54.3	Texas Point	2240.1	3.350268
	93 49 55.420	1489.7	124 55 03.9	304 53 20.4	Sabine Pass northeast base	6840.9	3.835115
			142 47 36.4	322 46 40.9	Niggerville	4970.9	3.696437
Gulf Bayou 1874	29 40 33.589	1034.2	142 08 47.5	322 07 38.5	Sabine Pass southwest base	6092.6	3.784802
	93 51 55.504	1492.5	161 20 58.8	341 20 14.9	Sabine Pass northeast base	7450.1	3.872164
			196 17 54.7	16 18 13.3	Texas Point	3595.0	3.555692
Keith (U. S. E.) 1909	29 46 33.889	1043.4	278 23 49.3	98 25 35.8	Pat Glennon Bayou	5827.2	3.765459
	93 56 36.192	972.2	328 47 51.4	148 49 01.7	Sabine Pass southwest base	7345.6	3.866030
Garrison (U. S. E.) (La.) 1909	29 48 33.814	1041.1	11 29 28.6	191 29 11.5	Pat Glennon Bayou	4637.9	3.666320
	93 52 27.213	730.8	61 06 36.7	241 04 33.0	Keith (U. S. E.)	7638.8	3.883025
Docks (U. S. E.) 1909	29 49 48.296	1487.0	286 01 08.3	106 03 36.0	Garrison (U. S. E.)	8300.2	3.919091
	93 57 24.306	652.6	314 05 16.7	134 07 27.2	Pat Glennon Bayou	9825.3	3.992347
			347 48 57.2	167 49 21.1	Keith (U. S. E.)	6123.7	3.787016
Port Arthur (U. S. E.) 1909	29 53 51.212	1576.9	342 19 27.5	162 20 25.2	Garrison (U. S. E.)	10256.6	4.011005
	93 54 23.184	622.0	33 01 59.9	213 00 29.7	Docks (U. S. E.)	8920.4	3.950384
Johnson Bayou (U. S. E.) (La.) 1909	29 51 08.367	257.6	60 31 04.2	240 28 28.4	Garrison (U. S. E.)	9662.8	3.985102
	93 47 13.974	375.1	113 23 15.3	293 29 41.5	Port Arthur (U. S. E.)	12562.3	4.099068
Pine (U. S. E.) (La.) 1910	29 55 41.572	1280.0	15 15 24.1	195 14 41.5	Johnson Bayou (U. S. E.)	8719.3	3.940480
	93 45 48.495	1300.7	76 12 32.9	256 08 16.2	Port Arthur (U. S. E.)	14218.9	4.152866
Neches (U. S. E.) 1910	29 58 02.590	79.7	294 19 22.1	114 22 20.7	Pine (U. S. E.)	10532.1	4.022515
	93 51 46.314	1241.8	28 32 17.2	208 30 58.9	Port Arthur (U. S. E.)	8800.7	3.944903
Sabine (U. S. E.) 1909	29 59 20.130	619.8	336 03 21.3	156 04 16.9	Pine (U. S. E.)	7362.9	3.867046
	93 47 39.904	1069.6	70 08 44.5	250 06 41.4	Neches (U. S. E.)	7024.0	3.846585
Spur (U. S. E.) 1909	29 56 44.505	1370.4	253 56 14.8	73 58 50.5	Neches (U. S. E.)	8701.1	3.939576
	93 56 58.180	1500.2	322 03 53.0	142 05 10.3	Port Arthur (U. S. E.)	6764.3	3.830223
Grigsby (U. S. E.) 1911	29 59 28.772	883.9	289 15 13.7	109 17 35.1	Neches (U. S. E.)	8039.4	3.905225
	93 56 29.397	788.0	8 40 36.3	188 40 21.9	Spur (U. S. E.)	5116.5	3.708973
Smith (U. S. E.) 1911	30 00 25.549	786.7	285 10 28.4	115 11 37.8	Grigsby (U. S. E.)	4108.4	3.613670
	93 58 48.110	1289.3	336 34 47.8	156 35 42.7	Spur (U. S. E.)	7416.8	3.870219
Nederland (U. S. E.) 1911	29 58 44.280	1363.4	193 41 56.3	13 42 10.5	Smith (U. S. E.)	3309.5	3.506440
	93 59 16.471	441.6	252 58 48.4	73 00 11.9	Grigsby (U. S. E.)	4683.5	3.670567
			314 50 10.7	134 51 19.8	Spur (U. S. E.)	5229.7	3.718478
Sun (U. S. E.) 1911	29 59 32.898	1013.0	237 34 39.6	57 35 27.2	Smith (U. S. E.)	3024.3	3.480621
	94 00 23.364	626.3	309 51 07.9	129 51 41.3	Nederland (U. S. E.)	2335.9	3.368454
Floyd (U. S. E.) ¹ 1911	30 01 57.35	1765.9	323 35 07	143 35 46	Smith (U. S. E.)	3512.4	3.545608
	94 00 05.91	158.3	6 00 15	186 00 06	Sun (U. S. E.)	4472.4	3.650545
McFadden (U. S. E.) ¹ 1911	30 01 13.79	424.6	247 28 48	67 29 48	Floyd (U. S. E.)	3503.3	3.544480
	94 02 06.69	179.3	318 16 43	138 17 35	Sun (U. S. E.)	4161.7	3.619272
Cut Off (U. S. E.) ¹ 1911	30 03 29.91	921.0	313 36 49	133 37 45	Floyd (U. S. E.)	4131.2	3.616980
	94 01 57.54	1541.3	3 20 51	183 20 46	McFadden (U. S. E.)	4198.6	3.623103
Spindle Top (U. S. E.) ¹ 1911	30 02 11.20	344.9	227 38 10	47 39 00	Cut Off (U. S. E.)	3597.4	3.555998
	94 03 36.78	985.4	306 12 37	126 13 22	McFadden (U. S. E.)	2901.8	3.476929
Beaumont (U. S. E.) ¹ 1911	30 04 33.23	1023.2	296 00 17	116 01 32	Cut Off (U. S. E.)	4444.9	3.647865
	94 04 26.68	714.6	342 59 56	163 00 21	Spindle Top (U. S. E.)	4573.1	3.660212
Keith 1882	29 46 36.109	1111.8	36 23 53.9	216 21 32.2	Rebecca	12943.4	4.112047
	93 56 25.857	694.6	51 07 22.5	231 01 59.0	Scaffold	22548.3	4.353114
			95 20 18.9	275 14 56.3	Gum	17518.6	4.243500
Gulf Bayou 2 1882	29 40 33.856	1042.4	92 51 14.2	272 46 39.7	Rebecca	14918.4	4.173721
	93 51 57.351	1542.1	102 13 05.7	282 10 13.0	Johnson 2	9585.5	3.981614
			147 06 59.8	327 04 46.6	Keith	13284.6	4.123347
			198 53 09.3	18 53 37.4	Sabine Pass Light-house	4712.9	3.673284

¹ No check on this position.

TRIANGULATION ON THE COAST OF TEXAS.

Lake Sabine, Neches River, and Sabine Pass to East Bay—Continued.

Station	Latitude and Longitude	Sec-onds in meters	Azimuth	Back azimuth	To station	Distance	Logarithm
<i>Principal points—Continued.</i>							
Johnson 2 1882	29 41 39.615	1216.7	76 51 55.7	256 50 13.8	Rebecca	5678.9	3.754268
	93 57 45.825	1232.0	193 14 27.1	13 15 06.8	Keith	9378.6	3.972136
			257 22 29.5	77 25 50.3	Sabine Pass Light-house	11161.7	4.047730
Fort 1882	29 41 26.955	829.9	77 54 01.1	257 52 43.6	Rebecca	4299.6	3.633425
	93 55 35.155	945.2	200 02 41.7	20 03 45.8	Keith	10133.2	4.005747
			278 39 48.3	98 43 05.3	Gulf Bayou 2	10819.9	4.034225
			71 45 40.3	251 41 21.2	Scaffold	14820.4	4.170867
Rebecca 1882	29 40 57.658	1775.3	69 14 35.0	249 11 33.4	Scaffold	10555.8	4.023491
	94 01 11.514	309.6	108 55 34.3	288 48 56.4	Big Hill	22806.5	4.358059
Gum 1882	29 47 28.003	880.7	320 53 39.1	140 56 39.5	Rebecca	15506.7	4.190519
	94 07 15.291	410.7	0 18 49.9	180 18 48.3	Scaffold	15782.8	4.198184
Scaffold 1882	29 38 56.014	1724.6	66 03 23.3	246 00 12.9	Cross	11341.3	4.054664
	94 07 18.505	497.8	133 32 00.6	313 28 24.7	Big Hill	16156.1	4.208337
			69 56 35.4	249 48 45.3	Highland 2	27276.2	4.435784
Fence 1882	29 40 03.484	107.3	66 22 00.4	246 20 33.1	Scaffold	5179.5	3.714291
	94 04 22.081	593.8	89 38 51.1	269 37 11.1	Salt	5437.2	3.735373
			251 57 22.2	71 58 56.5	Rebecca	5388.8	3.731494
Salt 1882	29 40 02.355	72.5	260 48 49.9	80 52 04.3	Rebecca	10697.2	4.029271
	94 07 44.268	1190.5	341 15 40.1	161 15 52.8	Scaffold	2156.9	3.333834
			55 30 22.5	235 27 24.7	Cross	11735.4	4.069497
Big Hill 1882	29 44 57.233	1762.2	355 02 40.3	175 03 05.4	Cross	15788.3	4.198335
	94 14 34.417	924.8	34 07 11.9	214 02 56.7	Highland 2	24758.8	4.393729
Cross 1882	29 36 26.369	811.9	72 38 52.0	252 34 12.3	Highland 2	15979.5	4.203562
	94 13 43.731	1176.7	92 24 48.0	272 21 52.0	Pierce	9592.6	3.981937
Trueman 1882	29 37 36.085	1111.0	66 39 28.5	246 37 57.1	Cross	5414.7	3.733574
	94 10 38.996	1048.2	110 10 05.2	290 08 06.0	Gap	6903.6	3.839077
			226 12 11.2	46 13 37.6	Salt	6508.5	3.813484
			245 27 15.8	65 28 54.9	Scaffold	5927.3	3.772854
Gap 1882	29 38 53.330	1642.0	269 34 14.9	89 37 53.2	Scaffold	11872.2	4.074531
	94 14 39.903	1073.4	341 31 46.1	161 32 13.9	Cross	4770.5	3.678564
			55 55 45.2	235 51 33.2	Highland 2	16587.5	4.219781
Wolcott 2 1882	29 34 31.299	963.6	80 12 27.5	260 10 16.8	Highland 2	7237.7	3.859600
	04 18 45.380	1221.5	91 25 01.6	271 21 55.1	Northwest Bend	10175.0	4.007533
			159 34 49.3	339 34 22.4	Pierce	4207.2	3.623994
			199 16 58.1	19 19 02.3	Big Hill	20419.8	4.310052
			246 24 04.0	66 26 33.0	Cross	8857.3	3.947299
Flat 1882	29 31 07.364	226.7	209 40 06.8	29 41 01.5	East Bay Bayou	6080.5	3.780355
	94 27 53.912	1451.9	236 31 18.3	56 33 38.1	Highland 2	9151.8	3.961507
			246 48 42.1	66 49 59.7	Sand	4610.6	3.663761
Lad 1882	29 35 33.342	1026.6	246 31 28.1	66 32 37.1	Cross	4100.1	3.612795
	94 16 03.500	94.2	66 20 10.1	246 18 50.2	Wolcott 2	4757.1	3.677345
			74 43 35.0	254 40 04.4	Highland 2	11910.6	4.075932
			200 03 33.6	20 04 14.9	Gap	6555.4	3.816601
Gilbert 1873	29 35 28.681	883.0	66 13 48.3	246 12 33.0	Wolcott	4486.9	3.651942
	94 16 11.765	316.6	75 07 02.7	255 03 36.2	Highland 2	11658.5	4.066641
			111 14 35.7	291 12 52.9	Pierce	6009.4	3.778833
Wolcott 1872	29 34 29.919	921.2	67 27 53.7	247 25 40.0	Hampshire	7897.4	3.897485
	94 18 44.324	1193.1	80 34 35.2	260 32 23.9	Highland 2	7258.7	3.860856
			159 25 16.4	339 24 49.0	Pierce	4257.0	3.629101
Pierce 1873	29 36 39.355	1211.7	47 35 02.9	227 33 19.0	Highland 2	7671.6	3.884886
	94 19 39.936	1074.5	67 00 42.0	246 58 02.3	Northwest Bend	9454.3	3.975631
County Line 1882	29 33 35.832	1087.8	98 48 55.2	278 47 57.2	Highland 2	3199.9	3.505137
	94 21 12.867	346.4	203 48 41.3	23 49 27.2	Pierce	6193.4	3.791927
			246 31 36.1	66 32 48.8	Wolcott 2	4327.8	3.636271
Highland 2 1872	29 33 51.245	1577.8	87 12 25.7	267 09 42.8	Oyster Bayou	8900.5	3.949415
	94 23 10.336	278.2	115 57 53.6	295 56 57.9	Northwest Bend	3381.9	3.529165
Hampshire 1873	29 32 51.539	1586.8	99 06 41.5	279 04 01.1	Oyster Bayou	8869.3	3.947888
	94 23 15.259	410.9	138 46 30.2	318 45 36.9	Northwest Bend	4412.7	3.644707
			184 07 24.0	4 07 26.5	Highland 2	1843.1	3.265540
Midway 2 1873	29 31 15.986	492.2	156 24 43.4	336 24 08.7	Oyster Bayou	4739.2	3.675708
	94 27 30.126	811.3	212 15 27.1	32 16 39.5	Northwest Bend	7404.0	3.869466
			246 46 40.8	66 48 46.4	Hampshire	7466.7	3.873129
Rollover 2 1873	29 30 10.708	329.7	204 19 46.3	24 20 38.9	Oyster Bayou	6972.5	3.843389
	94 30 27.283	734.9	247 08 42.8	67 10 10.1	Midway 2	5177.3	3.714102
Rollover 1849	29 30 13.135	404.4	66 41 39.4	246 38 26.5	Shaw	11498.8	4.060654
	94 30 28.540	768.7	145 49 01.8	325 47 18.3	Robinsons Bayou	10067.5	4.002490
Robinsons Bayou 1860	29 34 43.317	1333.7	20 51 15.3	200 49 45.6	Shaw	13774.3	4.139068
	94 33 58.486	1574.0	69 45 49.1	249 42 51.1	Stevenson	10352.5	4.015045

Lake Sabine, Neches River, and Sabine Pass to East Bay—Continued.

Station	Latitude and Longitude	Seconds in meters	Azimuth	Back azimuth	To station	Distance	Logarithm
<i>Principal points—Continued.</i>							
Shaw 1860	29 27 45.213 94 37 00.485	1392.1 12.5	62 32 40.7 152 36 16.1	242 30 32.5 332 34 48.1	Parrs Grove Stevenson	Meters 7924.6 10462.2	3.898975 4.019625
Northwest Bend 1861	29 34 39.322 94 25 03.305	1210.7 88.9	32 19 23.3 71 51 44.6	212 18 10.8 251 49 57.4	Midway Oyster Bayou	7402.7 6154.6	3.869389 3.789201
East Bay Bayou 1861	29 33 57.539 94 26 03.021	1771.6 81.3	25 18 30.5 81 32 54.7 231 19 23.0 272 22 32.0	205 17 47.6 261 21 37.0 51 19 53.4 92 23 57.2	Midway Oyster Bayou Northwest Bend Highland 2	5497.2 4287.8 2058.8 4652.4	3.740143 3.632239 3.313609 3.667690
Sand 1882	29 32 06.303 94 25 16.514	1944.0 444.7	159 55 18.0 184 18 55.2 226.25 31.9	339 54 55.1 4 19 01.7 46 26 34.1	East Bay Bayou Northwest Bend Highland 2	3646.6 4734.7 4688.2	3.561885 3.674378 3.671010
Midway 1860	29 31 16.123 94 27 30.284	496.4 815.5	68 00 56.2 156 26 19.8	247 59 28.4 336 25 45.1	Rollover Oyster Bayou	5177.8 4753.6	3.714142 3.675195
Oyster Bayou 1860	29 33 37.045 94 28 40.574	1140.6 1092.2	24 51 17.1 103 26 00.2	204 50 23.9 283 23 23.3	Rollover Robinsons Bayou	6918.7 8797.2	3.840022 3.944346
<i>Supplementary points.</i>							
Broussard's house, cupola 1882	29 41 54.195 93 56 53.166	1668.6 1429.5	72 24 36.9 184 49 50.3 258 08 37.5	252 24 10.8 4 50 03.9 78 11 32.2	Johnson 2 Keith Sabine Pass Light- house	1485.1 8711.1 9633.0	3.171767 3.940073 3.986010
Mortar ¹ 1874	29 40 31.20 93 54 05.53	960.6 148.7	177 08 25 268 47 03	357 08 21 88 48 08	Sabine Pass south- west base Gulf Bayou	4889.7 3497.0	3.689284 3.543699
Sabine Pass Methodist Church, spire ¹ 1906	29 43 52.45 93 53 29.10	1615.0 782.2	292 31 15 59 21 42	112 32 28 239 19 34	Sabine Pass Light- house Johnson 2	4321.1 8021.6	3.635590 3.904261
Sabine Pass Baptist Church, spire 1906	29 44 03.205 93 53 31.731	98.8 852.7	35 01 33.0 135 11 30.4 192 03 44.4	215 01 11.7 315 10 03.9 12 03 59.3	Sabine Pass south- west base Keith Pat Glennon Bayou	2007.8 6637.1 3872.6	3.302713 3.821977 3.585001
North 1911	29 44 09.64 93 53 21.65	396.8 581.8	20 42 16	200 42 12	Sabine Pass Methodist Church, spire	566.0	2.75278
West 1911	29 44 08.93 93 53 27.44	275.0 737.4	261 57 28 5 00 54	81 57 31 185 00 53	North Sabine Pass Methodist Church, spire	157.10 509.4	2.19618 2.70704
South 1911	29 44 02.29 93 53 19.42	70.5 521.9	40 37 56 94 47 29 165 10 15	220 37 51 274 47 23 345 10 14	Sabine Pass Methodist Church, spire Sabine Pass Baptist Church, spire North	399.3 332.2 234.165	2.60130 2.52136 2.36952
Sabine longitude station 1911	29 44 09.69 93 53 21.65	298.3 581.8	359 59 45	179 59 45	North	1.68	0.2253
Sabine Pass Jetty Light (U. S. E.) 1909	29 40 03.756 93 49 40.526	115.6 1089.8	99 10 54.4 158 13 09.5 182 50 09.4	279 09 23.2 338 12 29.8 2 50 13.2	Texas (U. S. E.) Sabine Pass Light- house Louisiana (U. S. E.)	5017.6 5800.1 4170.1	3.700496 3.763433 3.620145
Sun pumping station, stack 1906	29 43 10.396 93 54 18.980	597.2 510.1	61 05 28.7 276 48 30.5	241 03 46.2 96 50 08.8	Johnson 2 Sabine Pass Light- house	6352.4 5370.1	3.802937 3.729981
Sabine Bank Lighthouse 1906	29 28 20.212 93 43 31.000	622.3 565.8	129 03 35.9 136 39 32.7 147 26 35.6 155 27 29.5	308 54 47.4 316 32 25.7 327 21 13.6 335 23 42.5	Rebecca Johnson 2 Sun pumping station Sabine Pass Light- house	3708.4 33875.5 32863.1 29741.0	4.569004 4.529886 4.516708 4.473356
Sabine Pass East Jetty Beacon. 1909	29 30 15.119 93 49 29.936	465.5 805.1	113 41 25.4 179 12 25.7	293 39 49.0 359 12 24.3	Texas (U. S. E.) Louisiana (U. S. E.)	5720.1 5663.1	3.757405 3.753051
Entrance Range Front Beacon 1909	29 41 21.214 93 50 13.109	653.2 352.4	211 17 46.0 339 49 36.5 68 45 41.6	31 18 05.9 159 49 52.8 248 44 26.4	Louisiana (U. S. E.) Sabine Pass Jetty Light (U. S. E.) Texas (U. S. E.)	2083.3 2540.7 4374.3	3.318747 3.404954 3.640907
Entrance Range Rear Bea- con 1909	29 41 53.554 93 50 21.711	1648.9 583.6	239 09 10.0 341 51 38.6 56 08 24.3	59 00 34.2 161 51 59.0 236 07 13.5	Louisiana (U. S. E.) Sabine Pass Jetty Light (U. S. E.) Texas (U. S. E.)	1529.8 3557.4 4631.4	3.184643 3.551129 3.665708
Mud Flat ¹ 1874	29 41 15.80 93 51 01.34	486.5 36.0	168 15 34 223 51 07	348 15 26 43 51 40	Texas Point Louisiana Point	2196.6 2558.0	3.341744 3.407895

¹ No check on this position.

Lake Sabine, Neches River, and Sabine Pass to East Bay—Continued.

Station	Latitude and Longitude	Sec-onds in meters	Azimuth	Back azimuth	To station	Distance	Logarithm
<i>Supplementary points—Continued.</i>							
Sabine Pass Life-Saving Station, flagstaff 1909	29 42 21.59	664.8	271 41 58	91 43 47	Louisiana (U. S. E.)	Meters 2649.8	3.423217
	93 51 11.33	305.9	330 04 08	150 04 53	Sabine Pass Jetty Light (U. S. E.)	4896.7	3.689903
Windsor Hotel, flagstaff ¹ 1909	29 43 11.22	345.5	323 24 49	143 26 08	Sabine Pass Jetty Light (U. S. E.)	7187.6	3.856581
	93 52 13.84	533.3	7 40 09	187 39 57	Texas (U. S. E.)	5017.4	3.700483
Inner Range Front Beacon 1909	29 44 00.848	26.1	304 41 24.5	124 42 48.0	Louisiana (U. S. E.)	5506.9	3.740904
	93 52 21.295	572.3	5 32 19.4	185 32 07.8	Texas (U. S. E.)	6531.0	3.814978
			63 42 40.8	242 41 44.6	Sabine Pass southwest base.	3426.9	3.534897
Inner Range Rear Beacon 1909	29 44 27.490	846.4	307 49 34.4	344 19 18.5	Pat Glennon Bayou	4008.8	3.603019
	93 52 42.311	1136.9	0 30 38.0	127 51 08.5	Louisiana (U. S. E.)	6447.8	3.809409
			46 02 48.7	180 30 37.0	Texas (U. S. E.)	7321.1	3.864576
Sabine Pass Channel Beacon 1909	29 44 22.956	706.8	355 31 37.3	226 02 02.9	Sabine Pass southwest base.	3445.7	3.537283
	93 53 05.629	151.3	39 27 38.6	350 19 08.9	Pat Glennon Bayou	3083.3	3.489015
			181 56 49.3	1 56 51.3	Texas (U. S. E.)	7303.1	3.857520
Elevator "A," chimney 1912	29 50 18.790	578.5	264 37 56.6	219 27 04.4	Sabine Pass southwest base	2917.0	3.464935
	93 57 24.029	645.1	292 03 22.2	1 56 51.3	Pat Glennon Bayou	3180.8	3.502543
			349 29 14.9	84 43 00.2	Johnson Bayou (U. S. E.)	16447.1	4.216090
Water tower, docks 1912	29 50 36.050	1110.0	202 03 22.2	112 05 49.8	Garrison (U. S. E.)	8599.9	3.934491
	93 57 20.437	548.6	350 56 35.7	169 29 38.7	Keith (U. S. E.)	7042.9	3.847751
			266 27 37.2	86 32 39.0	Johnson Bayou (U. S. E.)	16309.7	4.212447
Kansas City Southern R. R. station, tower 1912	29 52 02.620	80.7	276 29 23.6	115 34 16.0	Garrison (U. S. E.)	8726.1	3.940921
	93 56 17.915	480.8	316 03 16.6	170 56 57.7	Keith (U. S. E.)	7550.3	3.877963
			2 46 37.5	96 33 54.4	Johnson Bayou (U. S. E.)	14694.6	4.167157
Water tower, Port Arthur 1909	29 51 56.360	1735.4	218 05 39.1	136 05 11.4	Garrison (U. S. E.)	8927.1	3.950708
	93 56 06.523	175.1	275 51 56.0	182 46 28.4	Keith (U. S. E.)	10133.6	4.005765
			335 15 33.5	38 06 30.6	Port Arthur (U. S. E.)	4494.0	3.652631
Wireless mast, Port Arthur 1912	29 52 00.903	27.8	276 27 34.4	95 56 21.3	Johnson Bayou (U. S. E.)	14369.9	4.157453
	93 56 03.264	87.6	317 41 42.0	155 17 05.4	Pat Glennon Bayou	11869.8	4.074445
			5 01 13.9	184 35 06.3	Keith (U. S. E.)	9969.9	3.998298
Plaza Hotel, flagstaff 1909	29 52 14.181	436.6	220 37 29.8	207 53 46.8	Docks (U. S. E.)	4461.8	3.649510
	93 55 58.721	1575.9	320 03 44.3	96 31 57.9	Johnson Bayou (U. S. E.)	14297.9	4.155273
			5 29 15.1	317 41 42.0	Garrison (U. S. E.)	8619.7	3.935400
Wireless tower, Port Arthur 1912	29 52 45.577	1403.4	223 38 51.9	185 00 57.5	Keith (U. S. E.)	10107.6	4.004649
	93 55 35.042	940.4	282 30 48.4	40 38 17.4	Port Arthur (U. S. E.)	3936.7	3.595137
			326 56 44.3	140 05 29.5	Garrison (U. S. E.)	8847.5	3.946821
White water tower, red tank 1912	29 53 38.966	1199.8	290 37 01.4	185 28 56.4	Keith (U. S. E.)	10525.9	4.022260
	93 54 52.489	1408.3	337 27 01.0	207 04 52.0	Docks (U. S. E.)	5045.2	3.702883
			12 00 57.4	43 39 27.7	Port Arthur (U. S. E.)	2793.2	3.446101
			102 34 57.9	Johnson Bayou (U. S. E.)	13776.9	4.139151	
			146 58 18.2	Garrison (U. S. E.)	9247.4	3.966020	
			110 40 49.7	Johnson Bayou (U. S. E.)	13149.6	4.118912	
			157 28 13.3	Garrison (U. S. E.)	10172.8	4.007442	
			162 00 05.8	Keith (U. S. E.)	13381.1	4.126493	

¹ No check on this position.

East Bay, Galveston Bay, and West Bay.

Station	Latitude and Longitude	Sec-onds in meters	Azimuth	Back azimuth	To station	Distance	Logarithm
<i>Principal points</i>							
Stevenson 1850	29 32 46.879 94 39 59.269	1443.3 1595.7	9 42 00.4 76 44 00.5	189 41 20. 256 40 58.3	Parrs Grove Smiths Point	Meters 13131.3 10228.7	4.118307 4.009820
Parrs Grove 1849	29 25 46.472 94 41 21.353	1430.8 575.6	53 58 10.0 143 49 52.7	233 55 39.9 323 47 31.2	Bolivar Point Smiths Point	10198.0 13124.0	4.008516 4.118066
Smiths Point 1849	29 31 30.498 94 46 08.972	939.0 241.6	1 41 35.1 49 10 40.6	181 41 26.2 229 07 05.1	Bolivar Point Dollar Point	16601.0 15603.0	4.220135 4.193207
Dollar Point 1847	29 25 50.014 94 53 27.041	1817.0 728.9	359 41 12.6 49 57 49.3	179 41 13.8 229 54 36.3	Virginia Point Highland Bayou	12821.2 13853.7	4.101100 4.141567
Bolivar Point 1848	29 22 31.540 94 46 27.159	971.1 742.4	61 03 20.8 119 27 48.5	240 59 56.3 299 24 22.4	Virginia Point Dollar Point	12868.1 12998.4	4.109516 4.113885
Virginia Point 1847	29 19 09.085 94 53 24.483	279.7 660.7	53 27 53.5 109 09 34.8	233 24 37.2 289 06 20.9	Black Point Highland Bayou	13487.5 11301.9	4.129933 4.053153
Highland Bayou 1850	29 21 09.401 95 00 00.260	289.4 7.0	0 43 59.6 47 27 41.3	180 43 56.9 227 25 20.4	Black Point Halls Bayou	11739.8 10546.1	4.069660 4.023021
Black Point 1850	29 14 48.121 95 00 05.824	1481.5 157.3	15 48 03.8 121 09 52.8	195 47 06.4 301 07 34.8	Galveston Island west base Halls Bayou	11688.4 8905.6	4.067755 3.949665
Halls Bayou 1850	29 17 17.730 95 04 48.151	545.9 1299.6	344 19 32.3 49 20 38.1	164 20 52.6 229 17 22.2	Galveston Island west base Chocolate Bayou	16464.7 14277.8	4.216554 4.154661
Galveston Island west base 1850	29 08 42.805 95 02 03.576	1317.9 96.8	48 08 03.9 113 13 34.3	228 03 30.6 293 08 58.6	Peninsula Chocolate Bayou	20434.5 16624.7	4.310365 4.220753
Galveston Island east base 1850	29 12 49.123 94 55 50.147	1512.4 1354.5	53 05 50.9 117 58 01.5	233 02 48.8 297 55 56.6	Galveston Island west base Black Point	12622.2 7816.7	4.101134 3.893026
Chocolate Bayou 1850	29 12 15.423 95 11 29.121	474.8 786.6	389 45 17.3 21 06 15.1	179 45 18.9 201 04 35.7	Peninsula Cottonwood	20194.0 15330.9	4.305222 4.185568
Mustang Bayou 1850	29 11 44.627 95 07 32.027	1374.0 865.3	203 19 46.0 244 51 15.3 302 13 03.0	23 21 06.1 64 54 53.1 122 15 43.1	Halls Bayou Black Point Galveston Island west base	11169.5 13310.0 10493.4	4.048034 4.124177 4.020915
West End 1850	29 05 18.583 95 06 44.865	572.1 1213.4	173 52 52.5 230 23 57.4 45 56 57.7	353 52 29.5 59 26 13.9 325 54 40.9	Mustang Bayou Galveston Island west base Peninsula	11953.4 9867.5 10582.4	4.077491 3.994209 4.024585
Rollover (U. S. E.) 1900	29 30 10.678 94 30 29.350	328.8 790.5	225 44 11.4 226 40 56.7 240 05 36.5	45 46 22.6 46 43 37.5 60 09 12.9	East Bay Bayou Northwest Bend Highland 2	10010.8 12061.6 13633.0	4.000468 4.081403 4.134592
Robinson Bayou (U. S. E.) 1900	29 34 43.211 94 33 57.634	1330.4 1551.2	275 12 09.0 326 13 46.6	95 17 28.5 146 15 29.3	Highland 2 Rollover (U. S. E.)	17496.4 10092.5	4.242949 4.004900
Shaw (U. S. E.) 1900	29 27 17.474 94 37 44.941	538.0 1211.1	204 01 27.2 245 31 56.3	24 03 19.2 65 35 30.7	Robinson Bayou (U. S. E.) Rollover (U. S. E.)	15027.2 12980.1	4.176878 4.110257
Stevenson Point (U. S. E.) 1901	29 32 47.903 94 39 44.265	1474.9 1191.7	249 08 44.2 342 27 33.5	69 11 35.2 162 28 32.3	Robinson Bayou (U. S. E.) Shaw (U. S. E.)	9983.6 10669.2	3.999285 4.028131
Parrs Grove (U. S. E.) 1900	29 25 40.190 94 41 13.772	1237.4 371.3	190 22 11.8 241 57 53.2	10 23 55.9 61 59 35.9	Stevenson Point (U. S. E.) Shaw (U. S. E.)	13387.7 6375.6	4.126707 3.804523
Smith Point (U. S. E.) 1900	29 31 33.719 94 45 55.428	1038.2 1492.6	257 06 03.7 325 05 54.3	77 09 06.7 145 08 12.9	Stevenson Point (U. S. E.) Parrs Grove (U. S. E.)	10251.6 13268.7	4.010792 4.122830
Four E (U. S. E.) 1901	29 21 46.026 94 45 30.280	1417.1 816.9	177 51 26.9 223 47 39.7	357 51 14.5 43 49 45.6	Smith Point (U. S. E.) Parrs Grove (U. S. E.)	18107.0 9990.8	4.257845 3.999601
Galveston north base (U. S. E.) 1900	29 25 07.331 94 53 38.048	225.7 1041.8	226 20 27.2 295 10 17.4	46 24 15.1 115 14 17.1	Smith Point (U. S. E.) Four E (U. S. E.)	17242.0 14553.9	4.236588 4.162980
Galveston south base (U. S. E.) 1900	29 19 48.807 94 54 50.938	1502.7 1374.3	191 14 19.3 256 32 25.8	11 14 54.8 76 37 00.6	Galveston north base (U. S. E.) Four E (U. S. E.)	9998.8 15548.7	3.999947 4.191694
Cathedral, north spire 1849	29 18 13.831 94 47 26.290	425.8 709.6	103 43 35.7 141 45 20.4 145 05 05.4 191 21 50.0	283 39 58.0 321 42 17.8 325 47 08.5 11 22 19.0	Galveston south base (U. S. E.) Galveston north base (U. S. E.) Dollar Point Bolivar Point	12349.5 16215.6 17314.4 8093.2	4.091651 4.209934 4.238407 3.908118
Edwards Point (U. S. E.) 1901	29 20 42.537 94 54 37.630	1309.7 1013.6	256 17 05.5 349 22 19.3	76 21 22.7 169 22 48.3	Smith Point (U. S. E.) Galveston north base (U. S. E.)	14474.9 8621.0	4.160617 3.935559

East Bay, Galveston Bay, and West Bay—Continued.

Station	Latitude and Longitude	Sec-onds in meters	Azimuth	Back azimuth	To station	Distance	Loga-rithm
<i>Principal points—Continued.</i>							
Cedar Point (U. S. E.) 1901	29 40 10.594	326.2	325 44 57.8	145 48 16.5	Smith Point (U. S. E.) Edwards Point (U. S. E.)	Meters 19248.7	4.284356
	94 52 37.686	1013.4	9 29 08.3	189 28 09.1		19605.0	4.292367
Red Bluff, Harris Co. (U. S. E.) 1901	29 36 07.279	224.1	233 50 06.0	53 53 14.5	Cedar Point (U. S. E.) Edwards Point (U. S. E.)	12703.0	4.103906
	94 58 59.060	1589.3	329 15 53.3	149 18 02.2		13779.1	4.139220
Morgans Point (U. S. E.) 1901	29 40 51.414	1583.0	276 46 28.7	96 49 42.7	Cedar Point (U. S. E.) Red Bluff (U. S. E.)	10612.1	4.025801
	94 59 09.570	257.3	358 08 54.8	178 09 00.0		8752.9	3.942152
Double Bayou (U. S. E.) 1900	29 40 50.885	1566.7	21 16 15.4	201 14 12.9	Smith Point (U. S. E.) Cedar Point (U. S. E.)	18406.7	4.264976
	94 41 47.458	1276.0	85 59 10.9	265 53 49.0		17528.0	4.243733
Lawrence Cove (U. S. E.) 1900	29 46 18.499	569.6	320 26 55.3	140 29 28.9	Double Bayou (U. S. E.) Cedar Point (U. S. E.)	13078.4	4.116553
	94 46 57.187	1536.4	38 57 28.0	218 54 39.8		14562.6	4.163239
Wiggins 2 1911	29 49 23.682	729.1	357 43 50.5	177 44 02.0	Double Bayou Lawrence Cove	15801.4	4.198696
	94 42 10.728	288.1	53 28 33.8	233 26 11.4		9575.9	3.981179
Anahuac 1850	29 46 42.644	1313.0	85 52 26.7	265 40 17.4	Lawrence Cove Wiggins 2	10267.5	4.011464
	94 40 35.986	966.1	152 50 14.5	332 49 27.4		5573.3	3.746116
Mosquito Knoll (U. S. E.) 1900	29 39 28.552	879.1	114 44 54.4	294 43 12.1	Morgan Point (U. S. E.) Red Bluff (U. S. E.)	6097.5	3.785153
	94 55 43.620	1173.2	40 19 28.5	220 17 51.9		8126.8	3.909922
Dr. Smith (U. S. E.) 1900	29 42 02.742	84.4	315 45 17.0	135 46 42.1	Mesquite Knoll (U. S. E.) Morgan Point (U. S. E.)	6625.9	3.821242
	94 58 35.522	954.9	22 37 45.0	202 37 28.1		2379.3	3.376453
Jennings (U. S. E.) 1900	29 42 12.770	393.2	274 09 43.3	94 11 01.3	Dr. Smith (U. S. E.) Mesquite Knoll (U. S. E.)	4243.1	3.627682
	95 01 12.944	347.9	290 42 15.5	119 44 58.7		10196.7	4.008458
Davis (U. S. E.) 1900	29 44 08.857	272.7	307 03 07.0	127 04 08.1	Morgan Point (U. S. E.) Jennings (U. S. E.)	4156.5	3.618727
	95 01 39.409	1059.0	326 27 49.3	146 29 03.5		7292.4	3.862873
Santa Anna (U. S. E.) 1900	29 45 05.502	109.4	348 44 35.0	168 44 48.7	Davis (U. S. E.) Morgan Point (U. S. E.) Jennings (U. S. E.)	3644.4	3.561624
	95 04 35.020	957.1	290 12 32.0	110 13 59.3		5046.0	3.702945
Thayer (U. S. E.) 1900	29 45 07.386	109.4	311 43 58.3	131 46 39.9	Tory Hill (U. S. E.) Santa Anna (U. S. E.) Morgan Point (U. S. E.)	11747.6	4.069951
	95 06 13.899	373.0	314 18 06.5	134 19 47.0		7612.8	3.881545
Tory Hill (U. S. E.) 1900	29 42 19.957	614.5	203 52 57.2	23 53 51.9	Morgan Point (U. S. E.) Santa Anna (U. S. E.)	7324.9	3.864803
	95 04 23.509	631.6	207 23 06.7	27 23 55.4		5740.8	3.758972
Battlefield (U. S. E.) 1900	29 45 57.473	1769.7	283 24 40.4	103 28 10.5	Morgan Point (U. S. E.) Santa Anna (U. S. E.)	11729.1	4.069263
	95 04 23.509	631.6	318 08 17.1	138 10 52.8		12649.0	4.102055
Case (U. S. E.) 1900	29 45 07.386	227.4	11 29 41.9	191 29 35.9	Tory Hill (U. S. E.) Santa Anna (U. S. E.)	1633.0	3.213973
	95 05 15.681	420.5	322 14 49.2	42 15 15.1		2083.5	3.318785
Mort (U. S. E.) 1900	29 19 47.980	1477.2	273 05 01.8	93 05 21.7	Galveston south base (U. S. E.) Galveston north base (U. S. E.) Four E (U. S. E.)	1077.1	3.032290
	94 46 23.438	632.4	90 08 26.9	270 04 18.3		13692.6	4.136485
Fort Point Lighthouse (U. S. E.) 1900	29 19 44.074	1357.0	129 58 58.6	309 55 25.1	Galveston south base (U. S. E.) Case (U. S. E.) Galveston north base (U. S. E.) Four E (U. S. E.)	15311.2	4.185009
	94 45 27.481	741.5	201 31 29.1	21 31 55.2		3907.0	3.591841
Bolivar Point Lighthouse (U. S. E.) 1900	29 19 44.074	1357.0	90 35 14.4	270 30 38.3	Galveston south base (U. S. E.) Mort (U. S. E.)	15203.1	4.181931
	94 45 27.481	741.5	94 33 30.6	274 33 03.1		1514.5	3.180279
West Bay Point 1912	29 20 11.126	342.5	129 57 10.2	306 53 09.3	Galveston north base (U. S. E.) Four E (U. S. E.)	16568.5	4.219233
	94 46 01.098	29.6	178 50 37.6	358 50 36.3		3755.5	3.574662
Fort Point Lighthouse (U. S. E.) 1900	29 20 11.126	342.5	87 17 02.0	267 12 42.4	Galveston south base (U. S. E.) Galveston north base (U. S. E.) Four E (U. S. E.) Mort (U. S. E.)	14311.4	4.155681
	94 46 01.098	29.6	126 29 55.5	306 26 11.0		15343.5	4.185925
Bolivar Point Lighthouse (U. S. E.) 1900	29 21 59.437	1830.0	195 52 28.6	15 52 43.7	Galveston south base (U. S. E.) Galveston north base (U. S. E.) Four E (U. S. E.) Mort (U. S. E.) Fort Point Lighthouse (U. S. E.)	3037.7	3.482548
	94 46 00.986	26.6	312 33 29.9	132 33 46.4		1231.3	3.090378
West Bay Point 1912	29 21 59.437	1830.0	74 19 22.9	254 15 03.1	Galveston south base (U. S. E.) Galveston north base (U. S. E.) Four E (U. S. E.) Mort (U. S. E.) Fort Point Lighthouse (U. S. E.)	14850.8	4.171749
	94 46 00.986	26.6	115 08 51.5	295 05 07.1		13629.1	4.134466
W. B. 3 (U. S. E.) 1900	29 17 51.306	1579.6	296 30 14.9	116 30 29.9	Galveston south base (U. S. E.) Bolivar Point Light-house (U. S. E.) Fort Point Lighthouse	925.1	2.966194
	94 51 04.210	113.6	347 45 42.5	167 45 58.8		4264.4	3.629861
W. B. 3 (U. S. E.) 1900	29 15 03.426	105.5	0 03 07.6	180 03 07.5	Galveston south base (U. S. E.) West Bay Point	3334.7	3.523059
	94 55 32.709	883.2	187 18 33.2	7 18 53.6		8858.3	3.947352
			234 29 20.7	54 31 32.0		8902.3	3.949503

East Bay, Galveston Bay, and West Bay—Continued.

Station	Latitude and Longitude	Sec-onds in meters	Azimuth	Back azimuth	To station	Distance	Logarithm
<i>Principal points—Continued.</i>							
W. B. 4 (U. S. E.) 1900	29 16 49.407	1521.1	226 40 00.9	46 41 47.1	Galveston south base (U. S. E.)	Meters 8051.0	3.905848
	94 58 27.988	755.7	260 55 46.9	80 59 24.0	West Bay Point	12129.1	4.083828
W. B. 6 (U. S. E.) 1900	29 14 09.882	304.2	222 15 48.1	42 17 08.9	W. B. 4 (U. S. E.)	6937.7	3.822017
	95 01 13.365	360.9	259 49 00.6	79 51 47.0	W. B. 3 (U. S. E.)	9345.3	3.970595
Reef 1912	29 11 58.209	1792.1	146 44 52.3	326 44 04.3	W. B. 6 (U. S. E.)	4848.0	3.685560
	94 59 34.930	943.6	191 23 43.4	11 24 16.1	W. B. 4 (U. S. E.)	9145.7	3.961219
Y (U. S. E.) 1900	29 11 52.796	1625.4	224 16 53.0	44 18 07.4	W. B. 6 (U. S. E.)	5896.3	3.770580
	95 03 45.807	1237.5	268 34 27.7	38 36 30.1	Reef	6779.5	3.831196
Snake 1912	29 09 20.773	639.5	156 21 16.6	336 20 39.6	Y (U. S. E.)	5109.5	3.708381
	95 02 29.950	809.4	193 04 49.6	13 05 27.0	W. B. 6 (U. S. E.)	9138.2	3.960861
Hall (U. S. E.) 1912	29 10 22.544	694.1	238 14 19.6	58 15 40.6	Y (U. S. E.)	5280.4	3.722668
	95 06 31.998	364.6	286 11 41.4	106 13 39.3	Snake	6811.0	3.833271
Life 1912	29 07 36.870	1135.1	158 23 40.0	338 23 03.6	Hall (U. S. E.)	5486.3	3.739278
	95 05 17.239	466.0	187 24 17.7	17 25 01.7	Y (U. S. E.)	8259.5	3.916954
Mesquite 2 1912	29 08 23.750	732.1	232 22 37.3	52 24 02.9	Hall (U. S. E.)	5991.2	3.777513
	95 09 27.608	746.2	282 01 43.3	102 03 45.2	Life	6920.4	3.840130
Fence 1912	29 05 28.710	883.9	101 17 24.8	281 16 17.4	Mud Island, north base (U. S. E.)	3822.6	3.582358
	95 06 52.034	1407.2	142 02 32.2	322 01 16.5	Mesquite 2	6836.9	3.834860
Fort Bayou 1912	29 06 41.792	1286.7	192 29 34.5	12 29 47.0	Life	4705.1	3.672567
	95 09 53.346	1442.4	294 38 20.6	114 39 48.7	Mesquite 2	3216.1	3.507328
Mud Island, north base (U. S. E.) 1912	29 05 52.999	1631.7	294 38 20.6	114 39 48.7	Fence	5394.4	3.731944
	95 09 10.659	288.2	322 27 34.8	142 27 55.6	Mud Island, north base (U. S. E.)	1894.4	3.277481
<i>Supplementary points</i>			22 55 09.2	202 54 39.1	Hartrick	4312.9	3.634765
			174 21 48.6	354 21 40.3	Mesquite 2	4064.7	3.608821
High Island Hotel (U. S. E.) 1900	29 33 22.064	679.3	207 19 12.1	27 20 29.3	Hall (U. S. E.)	9341.3	3.970406
	94 23 32.924	886.4	243 06 45.1	63 08 38.6	Life	7075.1	3.849730
Jackson (U. S. E.) 1900	29 33 23.846	734.2	63 18 24.9	242 14 59.7	Rollover (U. S. E.)	12667.4	4.102688
	94 23 03.111	83.7	98 29 38.1	278 24 29.8	Robinson Bayou (U. S. E.)	17000.4	4.230459
Rollover Tide Gauge (U. S. E.) 1900			105 08 14.6	285 07 00.4	East Bay Bayou	4185.5	3.621752
			214 05 14.4	34 05 25.6	Highland 2	1094.9	3.035383
Frozen Point (U. S. E.) 1900	29 32 24.358	750.8	33 31 08.6	213 29 56.5	Rollover (U. S. E.)	7133.0	3.853269
	94 31 22.111	595.3	104 23 13.5	284 20 18.6	Robinson Bayou (U. S. E.)	9850.8	3.993473
G 1 1882	29 31 39.670	1221.4	263 52 13.7	83 54 38.1	Highland 2	7926.4	3.899077
	94 30 48.727	1312.1	138 01 38.7	318 00 05.5	Robinson Bayou (U. S. E.)	7602.6	3.880960
Marsh Point (U. S. E.) 1901	29 32 24.358	750.8	251 47 46.1	71 51 32.2	Highland 3	12989.3	4.113586
	94 31 22.111	595.3	349 12 55.5	169 13 05.1	Rollover (U. S. E.)	2789.2	3.445480
F 1 1882	29 32 24.358	750.8	135 36 13.4	315 34 56.7	Robinson Bayou (U. S. E.)	5983.1	3.776925
	94 31 22.111	595.3	251 30 56.8	71 33 34.0	East Bay Bayou	9056.5	3.956962
Rip (U. S. E.) 1901	29 29 32.391	997.3	340 57 18.0	160 57 44.0	Rollover (U. S. E.)	4355.1	3.638997
	94 32 08.970	241.6					
Stevenson Point (U. S. E.) 1901	29 31 53.977	1661.9	100 10 44.5	280 07 54.8	Stevenson Point (U. S. E.)	9416.6	3.973893
	94 34 00.015	0.4	180 42 16.3	0 42 17.5	Robinson Bayou (U. S. E.)	5210.9	3.716916
F 1 1882	29 28 42.535	1309.6	299 15 37.3	119 17 21.1	Rollover (U. S. E.)	6504.1	3.813187
	94 34 18.701	503.9					
Shaw (U. S. E.) 1901	29 33 13.867	427.0	5 05 57.8	185 05 39.9	Shaw (U. S. E.)	11016.5	4.042044
	94 37 08.604	231.6	79 12 40.0	259 11 23.2	Stevenson Point (U. S. E.)	4296.3	3.630054
Cox (U. S. E.) 1901	29 30 09.331	287.3	241 50 04.7	61 51 39.0	Robinson Bayou (U. S. E.)	5830.3	3.765690
	94 35 42.475	1144.1					
E 1 2 1882	29 30 09.331	287.3	31 57 13.9	211 56 13.4	Shaw (U. S. E.)	6235.7	3.794884
	94 37 37.168	1001.7	126 52 48.5	306 50 49.3	Stevenson Point (U. S. E.)	8138.3	3.910534
			198 30 04.4	18 30 56.0	Robinson Bayou (U. S. E.)	8892.4	3.949020

¹ This position was determined from an unmarked traverse.² No check on this position.

East Bay, Galveston Bay, and West Bay—Continued.

Station	Latitude and Longitude	Seconds in meters	Azimuth	Back azimuth	To station	Distance	Logarithm
<i>Supplementary points—Continued.</i>							
Long Grove (U. S. E.) 1900	29 32 17.009	523.7	77 33 58.9	257 32 08.3	Smith Point (U. S. E.)	Meters 6153.0	3.791196
	04 42 11.209	301.8	256 28 14.9	76 29 27.3	Stevenson Point (U. S. E.)	4069.1	3.609502
			352 46 40.9	172 47 09.1	Parrs Grove (U. S. E.)	12315.2	4.090441
D ¹² 1882	29 26 21.327	656.6					
	04 39 27.391	738.3					
Hannas Reef Tide Gauge (U. S. E.) 1900	29 27 11.242	346.1	202 46 11.2	22 47 30.8	Stevenson Point (U. S. E.)	11242.4	4.050860
	04 42 25.873	697.4	268 31 44.2	83 34 02.4	Shaw (U. S. E.)	7573.1	3.879272
			325 15 53.2	145 16 28.7	Parrs Grove (U. S. E.)	3411.1	3.532890
Cren (U. S. E.) 1901	29 25 39.864	1227.3	26 31 55.0	206 30 49.6	Four E (U. S. E.)	8046.3	3.905598
	04 43 17.030	459.1	158 37 13.1	338 35 55.2	Smith Point (U. S. E.)	11700.7	4.088213
			269 49 06.8	89 50 07.4	Parrs Grove (U. S. E.)	3322.4	3.521451
S (U. S. E.) 1900	29 24 52.872	1627.9	45 23 48.7	225 22 02.6	Four E (U. S. E.)	8190.4	3.913303
	04 41 54.085	1458.0	152 13 56.6	332 11 57.8	Smith Point (U. S. E.)	13949.9	4.144570
			216 43 04.4	36 43 24.2	Parrs Grove (U. S. E.)	1817.5	3.259477
C ¹² 1882	29 25 14.484	445.9					
	04 41 22.444	605.0					
B ¹ 1882	29 23 57.943	1784.0					
	04 43 02.103	56.7					
A ¹ 1882	29 22 29.228	899.9					
	04 44 41.157	1110.0					
Galveston Bay Channel Light No. 1 1911	29 25 02.470	76.0	40 46 46.0	220 44 14.6	Galveston south base (U. S. E.)	12749.3	4.105485
	04 49 42.302	1140.4	91 21 43.7	271 19 47.7	Galveston north base (U. S. E.)	6373.0	3.804345
			313 20 40.0	133 22 28.6	Bolivar Point Lighthouse (U. S. E.)	5207.8	3.914228
			326 21 34.7	146 23 22.2	Fort Point Lighthouse (U. S. E.)	10772.5	4.032317
Galveston Bay Channel Light No. 2 1911	29 31 51.523	1586.4	326 07 14.2	146 10 57.2	Bolivar Point Lighthouse (U. S. E.)	21949.7	4.341429
	04 53 34.653	933.1	0 29 45.2	180 29 43.3	Galveston north base (U. S. E.)	12445.0	4.094966
			23 07 53.5	203 07 22.6	Edwards Point (U. S. E.)	4318.3	3.635316
Galveston Bay Channel Light No. 3 1911	29 28 07.720	237.7	34 48 31.4	214 47 21.0	Galveston north base (U. S. E.)	6763.5	3.830174
	04 51 15.425	415.7	118 12 02.3	298 10 22.8	Edwards Point (U. S. E.)	6180.4	3.791014
			323 11 50.5	143 14 29.3	Bolivar Point Lighthouse (U. S. E.)	14157.1	4.150973
			328 58 14.0	150 00 47.4	Fort Point Lighthouse (U. S. E.)	16945.1	4.229044
Dollar Point (U. S. E.) 1900	29 25 59.000	1816.5	11 14 53.3	191 14 47.5	Galveston north base (U. S. E.)	1622.0	3.210043
	04 53 26.912	725.4	121 14 15.0	301 13 25.7	Miller Point (U. S. E.)	3159.1	3.499559
			164 31 45.1	344 31 10.3	Edwards Point (U. S. E.)	7141.4	3.853781
Dollar Point Shoal Beacon 1911	29 27 27.632	850.8	30 56 10.2	210 55 23.1	Galveston north base (U. S. E.)	5035.8	3.702066
	04 52 02.613	70.4	77 38 18.9	257 36 48.2	Miller Point	5090.9	3.706793
			98 10 39.5	278 08 52.6	April Fool Point (U. S. E.)	5914.7	3.771930
Miller Point (U. S. E.) 1900	29 26 52.199	1607.1	188 37 06.3	8 37 20.8	Edwards Point (U. S. E.)	5304.4	3.724639
	04 55 07.139	192.4	323 32 24.1	143 33 07.6	Galveston north base (U. S. E.)	4014.2	3.603597
			358 04 46.1	178 04 54.0	Galveston south base (U. S. E.)	13043.0	4.115376
April Fool Point (U. S. E.) 1900	29 27 54.905	1690.6	206 50 37.3	26 51 07.9	Edwards Point (U. S. E.)	3714.1	3.569857
	04 55 39.392	1074.8	246 47 35.2	66 52 22.9	Smith Point (U. S. E.)	17124.4	4.233616
			327 38 40.2	147 39 39.8	Galveston north base (U. S. E.)	6107.2	3.785841
			335 25 52.8	155 26 08.9	Miller Point (U. S. E.)	2122.9	3.326931
Dickinson (U. S. E.) 1900	29 27 37.753	1162.5	238 01 40.8	58 03 33.3	Edwards Point (U. S. E.)	7258.6	3.860854
	04 58 26.222	706.6	300 50 29.0	120 52 50.3	Galveston north base (U. S. E.)	9028.9	3.955636
			338 04 59.4	158 06 46.7	Galveston south base (U. S. E.)	15561.5	4.192052

¹This position was determined from an unmarked traverse.

²No check on this position.

East Bay, Galveston Bay, and West Bay—Continued.

Station	Latitude and Longitude	Sec-onds in meters	Azimuth	Back azimuth	To station	Distance	Loga-rithm
<i>Supplementary points—Continued.</i>							
Dickinson Beacon No. 1 1911	29 27 24.741	761.7	130 10 54.6	310 10 34.5	April Fool Point (U. S. E.)	Meters 1439.6	3.155237
	94 54 59.074	1592.0	187 45 11.1	7 45 21.6	Edwards Point (U. S. E.)	4281.7	3.631618
			332 51 58.6	152 52 36.1	Galveston north base (U. S. E.)	4753.7	3.677029
Dickinson Beacon No. 5 1911	29 27 34.523	1062.9	200 58 44.2	20 58 48.6	April Fool Point (U. S. E.)	672.2	2.827493
	94 55 48.824	1315.6	319 14 06.5	139 14 27.0	Miller Point (U. S. E.)	1720.4	3.235639
			322 14 41.6	142 15 45.5	Galveston north base (U. S. E.)	5731.2	3.758247
North Galveston Hotel 1911	29 29 18.527	570.4	234 50 13.2	54 50 32.4	Edwards Point (U. S. E.)	1283.7	3.108466
	94 55 18.590	446.9	341 09 01.7	161 09 49.9	Galveston north base (U. S. E.)	8172.0	3.912326
			356 45 52.0	176 45 56.7	Miller Point (U. S. E.)	4512.5	3.654413
Red Fish Bar Light (U. S. E.) 1900	29 30 29.464	907.2	10 12 46.1	190 12 13.5	Galveston north base (U. S. E.)	10077.6	4.003357
	94 52 32.365	871.9	66 49 38.6	246 48 36.9	Edwards Point (U. S. E.)	3670.4	3.564710
			259 29 16.3	79 32 31.8	Smith Point (U. S. E.)	10871.5	4.036288
Rock Springs (U. S. E.) 1900	29 30 33.071	1018.2	173 22 08.1	353 21 46.2	Red Bluff (U. S. E.)	10359.4	4.015333
	94 58 14.605	393.4	206 59 44.0	27 02 27.4	Cedar Point (U. S. E.)	19959.8	4.300157
			284 53 38.7	104 55 22.7	Edwards Point (U. S. E.)	6047.8	3.781596
Flanders 1850	29 32 12.698	391.0	201 50 29.8	31 51 22.9	Red Bluff (U. S. E.)	7781.6	3.891068
	95 00 46.649	1256.1	221 46 08.8	41 50-10.3	Cedar Point (U. S. E.)	19738.7	4.295318
			294 55 22.1	114 58 23.9	Edwards Point (U. S. E.)	10961.0	4.039849
			306 49 41.6	126 50 59.4	Rock Springs (U. S. E.)	5116.0	3.708932
Morris 2 1911	29 33 59.239	1823.9	327 12 11.9	147 13 26.8	Rock Springs (U. S. E.)	7550.5	3.877976
	95 00 46.455	1250.5	0 05 29.7	180 05 29.6	Flanders	3280.3	3.515914
Seabrook Beacon No. 1 1911	29 33 03.146	96.9	35 53 54.1	215 53 33.5	Flanders	1917.4	3.282709
	95 00 04.896	131.8	147 04 04.6	327 03 44.1	Morris 2	2057.8	3.313394
			327 15 42.6	147 16 37.0	Rock Springs (U. S. E.)	5492.8	3.739790
Seabrook Beacon No. 3 1911	29 33 09.633	296.6	18 53 01.1	198 52 50.1	Flanders	1852.7	3.267803
	95 00 24.380	656.3	158 44 29.8	338 44 18.9	Morris 2	1638.8	3.214537
			324 03 08.4	144 04 07.4	Rock Springs (U. S. E.)	5953.8	3.774794
Seabrook Beacon No. 5 1911	29 33 20.601	634.3	191 11 38.1	11 11 42.4	Morris 2	1212.7	3.083748
	95 00 55.200	1486.0	320 00 48.9	140 02 08.1	Rock Springs (U. S. E.)	6731.0	3.828077
			353 42 55.6	173 42 59.8	Flanders	2103.3	3.322907
Double Bayou No. 2 Light. 1911	29 38 37.277	1147.7	125 03 09.1	304 59 14.1	Fisher (U. S. E.)	15561.7	4.192056
	94 42 58.446	1572.0	155 41 52.9	335 39 54.6	Lawrence Cove (U. S. E.)	15583.7	4.192671
			204 53 22.7	24 53 57.8	Double Bayou (U. S. E.)	4535.1	3.656588
Fisher Reef Beacon 1911	29 39 26.544	817.3	166 48 03.1	346 47 31.0	Fisher (U. S. E.)	7614.6	3.881645
	94 49 47.749	1284.2	199 51 35.8	19 53 00.3	Lawrence Cove (U. S. E.)	13487.1	4.129919
			258 35 54.4	78 39 52.1	Double Bayou (U. S. E.)	13173.9	4.119713
Fisher (U. S. E.) 1900	29 43 27.315	841.0	230 09 42.2	50 11 38.9	Lawrence Cove (U. S. E.)	8230.4	3.915419
	94 50 52.440	1409.5	25 02 44.0	205 01 51.8	Cedar Point (U. S. E.)	6685.2	3.825117
Browns Beach (U. S. E.) 1900	29 45 24.020	739.6	32 19 07.2	212 17 14.6	Cedar Point (U. S. E.)	11417.4	4.057566
	94 48 50.692	1362.0	241 10 39.4	61 11 35.6	Lawrence Cove (U. S. E.)	3480.2	3.541610
			306 26 46.4	126 30 16.2	Double Bayou (U. S. E.)	14146.6	4.150653
Barrow's house (U. S. E.) 1900	29 44 31.016	955.0	29 10 38.1	209 09 15.5	Cedar Point (U. S. E.)	9182.6	3.962964
	94 49 51.211	1376.1	234 41 48.8	54 43 15.1	Lawrence Cove (U. S. E.)	5728.3	3.758024
			297 29 50.8	117 33 50.5	Double Bayou (U. S. E.)	14663.5	4.166238
Trinity Tide Gauge ¹ 1911	29 44 08.820	271.6	357 01 27.5	177 01 33.8	Double Bayou (U. S. E.)	6102.6	3.785516
	94 41 59.240	1592.0	116 31 45.9	296 29 18.0	Lawrence Cove (U. S. E.)	8945.8	3.951619
Trinity River A Light 1911	29 44 21.331	656.8	83 04 53.7	263 00 41.9	Fisher (U. S. E.)	13738.1	4.137926
	94 42 25.000	671.8	116 16 35.0	296 14 19.9	Lawrence Cove (U. S. E.)	8154.5	3.911397
			351 08 44.5	171 09 02.9	Double Bayou (U. S. E.)	6557.7	3.816752

¹ No check on this position.

East Bay, Galveston Bay, and West Bay—Continued.

Station	Latitude and Longitude	Sec-onds in meters	Azimuth	Back azimuth	To station	Distance	Loga-rithm
<i>Supplementary points—Continued.</i>							
Trinity River B Light 1911	29 45 19.600	603.5	76 51 57.8	256 47 25.0	Fisher (U. S. E.)	Meters 11906.6	4.075786
	94 41 42.695	1147.1	102 08 09.4	282 05 33.3	Lawrence Cove (U. S. E.)	8641.5	3.936587
			0 53 12.6	180 53 10.2	Double Bayou (U. S. E.)	8274.7	3.917753
Canal (U. S. E.) 1900	29 40 33.848	1042.2	130 27 46.0	310 27 34.3	Morgan Point (U.S.E.)	833.4	2.920847
	94 58 45.987	1236.6	292 16 43.4	112 18 13.7	Mesquite Knoll (U. S. E.)	5300.2	3.724293
			2 27 14.9	182 27 08.5	Red Bluff (U.S.E.)	8215.0	3.914610
North Jetty Light (at en- trance to Cedar Bayou) 1911	29 40 40.093	1234.5	94 37 30.0	274 36 10.5	Morgan Point (U.S. E.)	4338.2	3.636811
	94 56 28.934	778.0	117 04 56.8	297 03 51.9	Hog (U. S. E.)	3958.4	3.597518
			331 02 42.5	151 03 06.0	Mesquite Knoll (U. S. E.)	2517.3	3.400931
Allon (U. S. E.) ¹ 1900	29 41 14.366	442.3	81 44 02.5	261 42 33.0	Morgan Point (U.S.E.)	4908.3	3.690628
	94 56 08.919	239.8	110 42 45.1	290 41 32.5	Dr. Smith (U. S. E.)	4213.3	3.624627
Morgan Point Channel Light 1911	29 41 10.319	317.7	76 23 48.5	256 23 04.2	Morgan Point (U.S.E.)	2473.8	3.393361
	94 57 40.147	1079.4	118 24 58.9	208 24 29.2	Hog (U. S. E.)	1830.4	3.262552
			314 59 29.6	135 00 27.5	Mesquite Knoll (U. S. E.)	4431.2	3.646525
Atkinson (U. S. E.) 1900	29 40 57.198	1761.1	83 34 43.6	263 34 14.5	Morgan Point (U.S.E.)	1591.4	3.201770
	94 58 10.755	289.2	161 44 32.9	341 44 20.7	Dr. Smith (U. S. E.)	2125.1	3.327360
			304 35 20.5	124 36 33.5	Mesquite Knoll (U. S. E.)	4806.6	3.681839
Hog (U. S. E.) 1901	29 41 38.606	1188.6	310 09 28.8	130 10 56.1	Mesquite Knoll (U. S. E.)	6207.6	3.792924
	94 58 40.029	1076.2	28 39 49.0	208 39 34.4	Morgan Point (U.S.E.)	1655.9	3.219040
Houston Channel No. 2 Light 1911	29 41 22.801	702.0	236 30 11.0	56 30 24.5	Hog (U. S. E.)	881.8	2.945358
	94 59 07.381	198.5	302 41 14.6	122 42 55.8	Mesquite Knoll (U. S. E.)	6511.0	3.813649
			3 29 09.3	183 29 08.2	Morgan Point (U.S.E.)	968.2	2.985959
Spillman I (U. S. E.) 1900	29 41 46.438	1429.8	109 50 07.0	289 55 25.6	Jennings (U. S. E.)	2378.5	3.376310
	94 59 49.765	1337.8	255 52 55.0	75 53 12.4	Dr. Smith (U. S. E.)	2058.0	3.313453
			327 27 53.8	147 28 13.7	Morgan Point (U.S.E.)	2009.5	3.303086
Spillman II (U. S. E.) 1900	29 41 28.826	887.5	136 36 04.8	316 35 41.2	Jennings (U. S. E.)	1862.3	3.270043
	95 00 25.347	681.4	250 30 50.3	70 31 44.7	Dr. Smith (U. S. E.)	3131.7	3.495784
			299 28 42.0	119 29 19.5	Morgan Point (U.S.E.)	2340.4	3.369297
Tabb (U. S. E.) 1900	29 42 11.421	351.6	90 54 12.2	270 53 23.4	Jennings (U. S. E.)	2634.3	3.423949
	94 59 34.217	919.9	279 36 29.0	90 36 58.1	Dr. Smith (U. S. E.)	1600.3	3.204204
			344 56 34.7	104 56 46.9	Morgan Point (U.S.E.)	2551.1	3.406704
Duck (U. S. E.) 1900	29 42 37.650	1159.2	57 20 33.6	237 20 01.6	Jennings (U. S. E.)	1419.4	3.152100
	95 00 28.492	765.8	145 50 22.7	325 49 47.5	Davis (U. S. E.)	3394.0	3.530710
			327 01 30.5	147 02 09.6	Morgan Point (U.S.E.)	3598.8	3.590936
Midway (U. S. E.) ¹ 1900	29 41 52.87	1628.0	58 47 29	238 46 32	Morgan Point (U.S.E.)	3651.2	3.562440
	94 57 13.42	360.9	331 28 25	151 29 09	Mesquite Knoll (U. S. E.)	5057.3	3.703919
Daragon (U. S. E.) 1900	29 41 09.017	277.6	176 50 02.9	356 59 04.0	Davis (U. S. E.)	5544.9	3.743894
	95 01 28.557	767.8	192 04 06.8	12 04 14.5	Jennings (U. S. E.)	2007.3	3.302616
			250 24 47.4	70 28 13.1	Dr. Smith (U. S. E.)	4937.3	3.693490
McKee (U. S. E.) 1900	29 43 10.221	314.7	134 34 14.1	314 32 37.5	Tory Hill (U. S. E.)	7339.8	3.865682
	95 01 08.880	238.7	155 33 44.9	335 33 29.7	Davis (U. S. E.)	1983.1	3.297342
			323 06 17.8	143 07 16.9	Morgan Point (U.S.E.)	5343.5	3.727824
		3 32 04.3	183 32 02.3	Jennings (U. S. E.)	1772.3	3.248530	
Grassy Point (U. S. E.) 1900	29 42 35.155	1082.4	170 54 52.5	350 54 44.0	Davis (U. S. E.)	2621.7	3.465643
	95 01 22.241	587.8	311 50 12.8	131 51 18.5	Morgan Point (U.S.E.)	4787.9	3.680145
			340 04 13.5	160 04 18.2	Jennings (U. S. E.)	733.1	2.863173
Small (U. S. E.) 1900	29 41 57.251	1762.7	234 58 37.6	54 58 50.1	Jennings (U. S. E.)	832.6	2.920442
	95 01 38.310	1029.9	268 01 00.8	88 02 31.3	Dr. Smith (U. S. E.)	4916.7	3.691674
			296 52 16.4	116 53 30.1	Morgan Point (U.S.E.)	4483.3	3.651601
Strang (U. S. E.) 1900	29 42 13.855	426.6	189 05 46.3	9 05 56.8	Davis (U. S. E.)	3536.0	3.554614
	95 02 00.505	13.6	271 29 32.0	91 29 55.6	Jennings (U. S. E.)	1278.9	3.106852
			298 54 01.4	118 55 33.9	Morgan Point (U.S.E.)	5250.0	3.720156
Badger (U. S. E.) 1900	29 43 41.857	1288.7	120 43 07.2	300 41 47.2	Santa Anna (U. S. E.)	5043.4	3.702723
	95 01 54.254	1458.1	205 38 04.6	25 38 12.0	Davis (U. S. E.)	922.1	2.964782
			337 57 33.8	157 57 54.3	Jennings (U. S. E.)	2959.2	3.471189
Marsh (U. S. E.) 1900	29 43 54.495	1677.8	120 07 36.5	300 06 27.0	Santa Anna (U.S. E.)	4357.2	3.639209
	95 02 15.380	412.7	245 24 11.3	65 24 29.1	Davis (U. S. E.)	1062.5	3.026344
			331 49 16.8	151 49 47.7	Jennings (U. S. E.)	3553.1	3.550603
Thompson (U. S. E.) ¹ 1900	29 42 22.82	702.6	216 46 13	36 46 58	Davis (U. S. E.)	4072.3	3.608837
	95 03 10.12	272.0	275 39 28	95 40 26	Jennings (U. S. E.)	3165.3	3.500416
Goat (U. S. E.) 1900	29 44 17.808	548.3	282 08 13.1	102 08 36.7	Davis (U. S. E.)	1310.5	3.117437
	95 02 27.085	727.9	332 37 44.9	152 38 21.6	Jennings (U. S. E.)	4335.0	3.636993
			113 02 35.3	293 01 31.5	Santa Anna (U. S. E.)	3753.0	3.574384

¹ No check on this position.

East Bay, Galveston Bay, and West Bay—Continued.

Station	Latitude and Longitude	Sec-onds in meters	Azimuth	Back azimuth	To station	Distance	Logarithm
<i>Supplementary points—Continued.</i>							
	" " "	" " "	" " "	" " "		<i>Meters</i>	
Barnes (U. S. E.) 1900	29 43 53.762 95 02 57.948	1655.3 1554.4	130 05 26.8 148 53 33.3 257 34 34.7	310 04 38.4 328 52 50.9 77 35 13.6	Santa Anna (U. S. E.) Tory Hill (U. S. E.) Davis (U. S. E.)	3430.4 4449.1 2161.2	3.535344 3.648270 3.334697
Wooster (U. S. E.) ¹ 1900	29 44 40.03 95 02 59.50	1232.5 1598.8	106 54 00 294 01 40	286 53 12 114 02 20	Santa Anna (U. S. E.) Davis (U. S. E.)	2699.1 2356.6	3.431219 3.372289
Upper Crack (U. S. E.) 1900	29 44 17.103 95 03 19.681	526.6 528.8	126 08 45.5 150 58 37.6 275 22 33.7	306 08 07.8 330 68 05.9 95 23 23.4	Santa Anna (U. S. E.) Tory Hill (U. S. E.) Davis (U. S. E.)	2526.7 3534.4 2706.5	3.402561 3.548310 3.432416
Crystal (U. S. E.) 1900	29 44 58.796 95 03 47.636	1810.3 1280.0	99 06 09.2 151 55 28.4 294 02 23.6	279 05 45.4 331 55 10.6 114 03 27.2	Santa Anna (U. S. E.) Tory Hill (U. S. E.) Davis (U. S. E.)	1305.7 2047.7 3773.2	3.115846 3.311264 3.576705
Peggy (U. S. E.) 1900	29 44 32.267 95 03 46.200	993.4 1241.5	127 37 15.8 159 05 27.4 281 56 11.2	307 36 51.3 339 05 08.9 101 57 14.1	Santa Anna (U. S. E.) Tory Hill (U. S. E.) Davis (U. S. E.)	1676.5 2808.5 3482.6	3.224395 3.448473 3.541901
Bluff (U. S. E.) ¹ 1900	29 46 01.64 95 02 32.66	50.5 877.4	62 23 24 87 32 36	242 22 23 267 31 41	Santa Anna (U. S. E.) Tory Hill (U. S. E.)	3728.3 2980.6	3.571506 3.474302
Burnett (U. S. E.) 1900	29 45 39.377 95 03 24.548	1212.4 659.5	61 21 39.8 71 44 44.3 109 23 02.3	241 31 04.5 251 43 49.2 289 22 33.0	Santa Anna (U. S. E.) Battlefield (U. S. E.) Tory Hill (U. S. E.)	2175.8 3143.3 1679.2	3.337622 3.497392 3.225091
Hog Island (U. S. E.) 1900	29 46 18.619 95 04 36.136	573.2 970.7	25 49 49.8 332 28 43.9 359 38 50.0	205 49 30.2 152 28 50.2 179 38 50.3	Battlefield (U. S. E.) Tory Hill (U. S. E.) Santa Anna (U. S. E.)	2436.7 734.1 2251.3	3.386799 2.865781 3.352436
Lost (U. S. E.) 1900	29 47 10.480 95 05 24.737	322.7 664.4	323 48 11.9 341 04 11.9 356 18 50.7	143 48 42.3 161 04 36.3 176 18 55.2	Tory Hill (U. S. E.) Santa Anna (U. S. E.) Battlefield (U. S. E.)	2785.3 4068.0 3797.9	3.444874 3.609381 3.579645
Fuller (U. S. E.) 1900	29 45 33.798 95 05 19.739	1040.6 530.4	293 49 07.7 306 18 43.4 352 18 22.7	113 50 56.4 126 19 05.3 172 18 24.7	Davis (U. S. E.) Santa Anna (U. S. E.) Battlefield (U. S. E.)	6472.0 1471.1 820.6	3.811041 3.167642 2.914137
Half Moon Shoal Beacon 1911	29 23 59.314 94 51 00.160	1826.1 4.3	38 55 12.9 294 33 46.3 311 02 10.5	218 53 19.7 114 36 13.1 131 04 37.2	Galveston south base (U. S. E.) Bolivar Point Light- house (U. S. E.) Fort Point Lighthouse (U. S. E.)	9911.0 8871.8 10696.5	3.996118 3.948013 4.029243
Shoal Point (U. S. E.) 1900	29 23 39.422 94 53 34.823	1213.8 939.1	16 07 51.6 177 49 15.4 264 55 34.2	190 07 14.3 357 49 13.5 104 59 31.8	Galveston south base (U. S. E.) Galveston north base (U. S. E.) Four E (U. S. E.)	7391.1 2708.6 13525.2	3.968707 3.432738 4.131143
Texas City water tower 1911	29 23 36.248 94 54 28.600	1116.0 771.2	282 14 57.2 294 43 58.6 4 55 05.5	102 19 06.1 114 48 07.3 184 54 54.5	Bolivar Point Light- house (U. S. E.) Fort Point Lighthouse (U. S. E.) Galveston south base (U. S. E.)	14009.9 15074.7 7028.4	4.146434 4.178250 3.846856
Texas City Range rear light 1911	29 23 03.939 94 53 55.141	121.3 1587.0	186 40 29.4 278 47 44.1 292 33 40.7	6 40 37.5 98 51 36.7 112 37 33.1	Galveston north base (U. S. E.) Bolivar Point Light- house (U. S. E.) Fort Point Lighthouse (U. S. E.)	3825.0 12940.5 13849.0	3.582630 4.111952 4.141417
Texas City Range front light 1911	29 22 59.413 94 53 36.132	1829.2 874.4	18 58 47.0 179 00 48.7 278 31 27.5 292 51 22.5	198 58 10.3 359 00 47.5 88 35 10.8 112 55 05.7	Galveston south base (U. S. E.) Galveston north base (U. S. E.) Bolivar Point Light- house (U. S. E.) Fort Point Lighthouse (U. S. E.)	6205.7 3939.0 12412.8 13322.3	3.792788 3.595385 4.093869 4.124579
Texas City elevator tower 1911	29 22 31.374 94 53 40.223	966.0 1084.8	274 30 28.8 289 11 27.0 20 52 00.5	94 34 14.1 109 15 12.0 200 51 25.8	Bolivar Point Light- house (U. S. E.) Fort Point Lighthouse (U. S. E.) Galveston south base (U. S. E.)	12424.5 13115.5 5356.4	4.094277 4.117784 3.728869
Texas City Light No. 5 1912	29 22 45.483 94 52 55.469	1400.5 1405.9	277 12 01.5 341 39 26.7 29 48 09.1	97 15 24.8 161 40 21.2 209 47 12.5	Bolivar Point Light- house (U. S. E.) West Bay Point (U. S. E.) Galveston south base (U. S. E.)	11267.8 9541.7 6268.3	4.051839 3.979627 3.797150

¹ No check on this position.

East Bay, Galveston Bay, and West Bay—Continued.

Station	Latitude and Longitude	Sec-onds in meters	Azimuth	Back azimuth	To station	Distance	Loga-rithm
<i>Supplementary points—Continued.</i>							
Texas City, warehouse water tower 1911	29 22 31.227	961.4	18 53 42.6	198 53 11.5	Galveston south base (U. S. E.)	Meters 5285.3	3.723073
	94 53 47.500	1281.0	274 24 59.1	94 28 47.9	Bolivar Point Light-house (U. S. E.)	12619.8	4.101051
			288 53 36.5	108 57 25.2	Fort Point Lighthouse (U. S. E.)	13299.5	4.123834
Texas Channel, No. 3a Light 1911	29 22 25.420	782.6	48 54 12.1	228 52 31.7	Galveston south base (U. S. E.)	7333.4	3.865308
	94 51 28.104	704.0	275 11 26.3	95 14 05.8	Bolivar Point Light-house (U. S. E.)	8804.8	3.944720
			295 13 41.2	115 16 20.5	Fort Point Lighthouse (U. S. E.)	9692.8	3.986448
Texas Channel, No. 3 Light 1911	29 22 00.559	17.2	64 18 26.9	244 15 53.8	Galveston south base (U. S. E.)	9349.3	3.970780
	94 49 38.675	1043.1	270 19 20.7	90 21 07.4	Bolivar Point Light-house (U. S. E.)	5871.4	3.768739
			299 50 38.4	119 52 25.0	Fort Point Lighthouse (U. S. E.)	6767.4	3.830425
Texas Channel, No. 1a Light 1911	29 21 35.192	1083.5	71 17 21.4	251 14 25.9	Galveston south base (U. S. E.)	10197.7	4.008502
	94 48 52.942	1428.1	260 50 43.8	80 52 08.1	Bolivar Point Light-house (U. S. E.)	4697.8	3.671893
			299 09 50.6	119 11 14.8	Fort Point Lighthouse (U. S. E.)	5309.4	3.725042
Texas City Beacon No. 4 1912	29 22 22.099	680.4	275 01 40.7	95 04 04.4	Bolivar Point Light-house (U. S. E.)	7929.6	3.899253
	94 50 53.862	1452.6	1 55 06.8	181 55 01.7	West Bay Point (U. S. E.)	8341.9	3.921265
			53 35 19.2	233 33 23.0	Galveston south base (U. S. E.)	7948.1	3.900262
Texas City Oil Refinery, chimney 1911	29 22 04.816	148.3	6 01 51.8	186 01 43.8	Galveston south base (U. S. E.)	4210.8	3.624363
	94 54 34.541	931.6	270 39 00.0	90 43 11.9	Bolivar Point Light-house (U. S. E.)	13851.9	4.141500
			284 08 54.6	104 13 06.3	Fort Point Lighthouse (U. S. E.)	14285.4	4.154892
Cut "A" Front Range Beacon 1912	29 22 08.689	267.5	272 36 38.5	92 38 31.4	Bolivar Point Light-house (U. S. E.)	6216.2	3.793526
	94 49 51.226	1381.6	13 57 34.0	193 56 58.2	West Bay Point (U. S. E.)	8165.3	3.911974
			61 58 35.3	241 56 08.3	Galveston south base (U. S. E.)	9160.4	3.961913
Cut "A" Rear Range Beacon 1912	29 22 16.390	504.6	274 27 04.7	94 29 06.1	Bolivar Point Light-house (U. S. E.)	6700.0	3.826078
	94 50 08.655	233.4	10 24 36.2	190 24 09.0	West Bay Point (U. S. E.)	8296.0	3.918971
			59 11 36.7	239 09 18.2	Galveston south base (U. S. E.)	8867.3	3.947791
Cut "B" Front Beacon, outer range 1912	29 21 57.146	1759.4	269 12 44.3	89 14 19.2	Bolivar Point Light-house (U. S. E.)	5217.6	3.717469
	94 49 14.420	388.9	21 22 49.4	201 21 55.6	West Bay Point (U. S. E.)	8127.9	3.909981
			66 30 02.0	246 27 17.1	Galveston south base (U. S. E.)	9900.5	3.995957
Cut "B" Rear Beacon, outer range 1912	29 21 53.376	1643.3	267 45 23.5	87 46 50.6	Bolivar Point Light-house (U. S. E.)	4793.3	3.680633
	94 48 53.571	1579.7	24 27 56.8	204 26 55.2	West Bay Point (U. S. E.)	8187.5	3.913153
			68 03 02.9	248 00 10.3	Galveston south base (U. S. E.)	10250.0	4.010723
Port Bolivar, Back Range ¹ 1912	29 22 12.00	397.2	283 35 12	103 35 43	Bolivar Point Light-house (U. S. E.)	1764.1	3.246530
	94 47 04.58	123.0	70 36 25	250 32 36	Mud Island south base (U. S. E.)	13339.8	4.125150
Port Bolivar, Front Range 1912	29 21 58.394	1797.8	268 53 08.5	88 53 38.6	Bolivar Point Light-house (U. S. E.)	1657.3	3.219392
	94 47 02.421	65.3	333 23 27.7	153 23 57.7	Fort Point Lighthouse (U. S. E.)	3693.7	3.567462
			72 30 43.0	252 26 53.2	Galveston south base (U. S. E.)	13253.4	4.122326
Port Bolivar Roads Day Beacon 1911	29 21 06.453	198.7	79 53 42.3	259 49 39.4	Galveston south base (U. S. E.)	13580.6	4.132920
	94 46 35.394	954.8	206 38 04.2	29 38 21.1	Bolivar Point Light-house (U. S. E.)	1876.8	3.273419
			331 29 24.4	151 29 41.2	Fort Point Lighthouse (U. S. E.)	1938.5	3.287460

¹ No check on this position.

East Bay, Galveston Bay, and West Bay—Continued.

Station	Latitude and Longitude	Seconds in meters	Azimuth	Back azimuth	To station	Distance	Logarithm
<i>Supplementary points—Continued.</i>							
M (U. S. E.) 1900	29 20 27.258	839.2	83 43 41.6	263 40 36.8	Galveston south base (U. S. E.)	10790.0	4.033020
	94 48 13.413	361.9	134 32 08.6	314 29 29.0	Galveston north base (U. S. E.)	12299.7	4.089895
			241 07 36.8	61 08 56.8	Four E. (U. S. E.)	5024.2	3.701069
Second Turn Beacon 1911	29 20 20.298	624.9	85 58 15.1	265 54 07.2	Galveston south base (U. S. E.)	13682.6	4.136169
	94 46 25.058	676.1	192 00 30.8	12 00 42.6	Bolivar Point Lighthouse (U. S. E.)	3120.6	3.494238
			293 35 56.8	113 36 08.5	Fort Point Lighthouse (U. S. E.)	705.4	2.848446
East Bank Light 1911	29 19 12.605	388.1	94 52 40.7	274 48 42.0	Galveston south base (U. S. E.)	13190.8	4.120470
	94 46 43.582	1176.0	192 36 27.3	12 36 48.2	Bolivar Point Lighthouse (U. S. E.)	5283.4	3.721269
			212 27 40.7	32 28 01.6	Fort Point Lighthouse (U. S. E.)	2135.5	3.329491
Hitchcock Reef Light 1911	29 19 36.592	1126.6	91 40 22.7	271 36 24.0	Galveston south base (U. S. E.)	13141.0	4.118628
	94 46 44.088	1189.6	194 48 22.7	14 48 43.8	Bolivar Point Lighthouse (U. S. E.)	4549.0	3.657920
			227 29 12.5	47 29 33.5	Fort Point Lighthouse (U. S. E.)	1573.4	3.196853
Galveston Channel Day Beacon 1911	29 19 58.503	1801.2	88 44 52.5	268 40 50.8	Galveston south base (U. S. E.)	13306.3	4.124055
	94 46 37.874	1021.8	194 57 37.9	14 57 56.0	Bolivar Point Light (U. S. E.)	3854.0	3.585913
			248 36 31.0	68 36 49.0	Fort Point Lighthouse (U. S. E.)	1065.6	3.027592
Galveston, wireless mast 1912	29 18 54.146	1667.0	74 08 13.3	254 06 09.9	West Bay Point (U. S. E.)	7070.7	3.849462
	94 46 52.202	1408.6	97 27 19.1	277 23 24.6	Galveston south base (U. S. E.)	13026.6	4.114832
			193 36 40.4	13 37 05.5	Bolivar Point Lighthouse (U. S. E.)	5869.7	3.768617
Elevator A, center of south cistern (U. S. E.) 1900	29 18 47.318	1456.8	98 37 15.6	278 33 28.1	Galveston south base (U. S. E.)	12675.3	4.102958
	94 47 06.450	174.0	137 54 35.5	317 51 23.2	Galveston north base (U. S. E.)	15772.8	4.197910
			236 47 39.1	56 48 27.6	Mort (U. S. E.)	3191.3	3.503973
Medical College, flagstaff (U. S. E.) 1900	29 18 40.472	1246.0	99 08 32.7	279 04 34.6	Galveston south base (U. S. E.)	13288.8	4.123454
	94 46 44.663	1205.3	136 52 38.2	316 49 15.2	Galveston north base (U. S. E.)	16326.0	4.212880
			226 45 26.4	46 46 04.4	Mort (U. S. E.)	2858.6	3.456152
Sealy Hospital, center of dome (U. S. E.) 1900	29 18 41.231	1269.4	98 58 01.2	278 54 01.0	Galveston south base (U. S. E.)	13397.5	4.127024
	94 46 40.443	1091.4	136 31 53.2	316 28 28.1	Galveston north base (U. S. E.)	16387.1	4.214502
			225 29 29.9	45 30 05.8	Mort (U. S. E.)	2760.3	3.440958
Market, Eleventh Street, weather vane (U. S. E.) 1900	29 18 34.912	1074.9	99 58 46.7	279 54 51.2	Galveston south base (U. S. E.)	13170.7	4.119609
	94 46 50.167	1353.8	137 39 59.5	317 36 39.2	Galveston north base (U. S. E.)	16351.0	4.212544
			197 46 21.6	17 46 34.7	Case (U. S. E.)	2362.4	3.373360
Elevator "B," flagstaff (U. S. E.) 1900	29 18 23.917	736.4	103 26 53.2	283 23 34.4	Galveston south base (U. S. E.)	11260.7	4.051566
	94 48 05.016	135.4	144 05 56.9	324 03 13.3	Galveston north base (U. S. E.)	15337.7	4.185759
			239 51 04.2	59 52 21.5	Mort (U. S. E.)	4915.3	3.691549
Electric Chy. street car power house (U. S. E.) 1911	29 18 07.302	224.8	104 27 47.7	284 24 07.4	Galveston south base (U. S. E.)	12538.4	4.098241
	94 47 20.945	565.3	141 47 42.9	321 44 37.7	Galveston north base (U. S. E.)	16462.8	4.216503
			226 46 22.0	45 47 17.7	Mort (U. S. E.)	4272.1	3.630644
Ball High School, center of globe (U. S. E.) 1900	29 18 08.900	274.0	104 27 05.3	284 23 28.2	Galveston south base (U. S. E.)	12350.5	4.091684
	94 47 27.664	746.6	142 11 16.7	322 08 14.8	Galveston north base (U. S. E.)	16312.3	4.212516
			227 53 32.0	47 54 31.6	Mort (U. S. E.)	4370.7	3.640555
Galveston longitude station 1895	29 18 10.16	312.8					
	94 47 28.17	761.4					
Weather Service, tower 1912	29 18 16.168	497.8	82 15 14.6	262 13 32.7	West Bay Point (U. S. E.)	5669.1	3.753511
	94 47 36.075	973.5	103 41 27.9	283 37 54.9	Galveston south base (U. S. E.)	12075.9	4.081919
			200 27 33.6	20 28 20.2	Bolivar Point Lighthouse (U. S. E.)	7337.1	3.865527

East Bay, Galveston Bay, and West Bay—Continued.

Station	Latitude and Longitude	Sec-onds in meters	Azimuth	Back azimuth	To station	Distance	Loga-rithm
<i>Supplementary points—Continued.</i>							
Tremont Hotel, flagstaff (U. S. E.) 1900	29 18 12.966	399.2	104 09 15.5	234 05 42.7	Galveston south base (U. S. E.)	Meters 12091.5	4.082479
	94 47 36.387	982.0	142 34 34.6	322 31 37.0	Galveston north base (U. S. E.)	16069.5	4.206002
			231 06 26.7	51 07 30.0	Mort (U. S. E.)	4468.5	3.650161
Customhouse, flagstaff (U. S. E.) 1900	29 18 08.839	272.1	105 02 07.3	284 58 39.0	Galveston south base (U. S. E.)	11886.7	4.075060
	94 47 45.454	1226.7	143 32 45.8	323 29 52.7	Galveston north base (U. S. E.)	16024.0	4.204771
			231 46 06.0	51 47 13.8	Mort (U. S. E.)	4739.1	3.675692
Brewery chimney (U. S. E.) 1900	29 18 03.190	98.	107 08 51.8	287 05 40.3	Galveston south base (U. S. E.)	11045.4	4.043133
	94 48 19.749	533.0	146 38 57.2	326 36 20.9	Galveston north base (U. S. E.)	15636.9	4.194151
			224 12 07.8	44 13 04.9	Case (U. S. E.)	4501.1	3.653315
St. Patricks Church, spire (U. S. E.) 1900	29 17 44.388	1366.6	147 30 52.8	327 28 14.9	Galveston north base (U. S. E.)	16171.1	4.208739
	94 48 16.460	444.3	211 03 47.8	31 05 09.2	Four E (U. S. E.)	8686.1	3.938824
			231 02 47.1	51 04 09.8	Mort (U. S. E.)	5862.7	3.768098
Cotton Mill, chimney (U. S. E.) 1900	29 17 52.182	1606.6	110 08 09.5	290 05 11.6	Galveston south base (U. S. E.)	10442.6	4.018808
	94 48 47.552	1283.3	149 38 48.9	329 36 26.2	Galveston north base (U. S. E.)	15528.8	4.191137
			227 28 34.3	47 29 45.0	Case (U. S. E.)	5275.8	3.722288
Standpipe (U. S. E.) 1900	29 17 58.100	1788.7	107 21 24.0	287 18 05.8	Galveston south base (U. S. E.)	11443.0	4.058540
	94 48 06.127	165.4	145 51 30.5	325 48 47.5	Galveston north base (U. S. E.)	15971.4	4.203344
			232 40 34.5	52 41 52.2	Mort (U. S. E.)	5382.6	3.730991
Beach Chimney, Beach Hotel (U. S. E.) 1900	29 17 20.412	628.4	110 38 04.6	290 34 24.1	Galveston south base (U. S. E.)	12982.8	4.113369
	94 47 20.614	556.4	144 40 34.4	324 37 20.1	Galveston north base (U. S. E.)	17625.0	4.246129
			198 45 12.1	18 45 40.0	Case (U. S. E.)	4798.2	3.681078
Brazos Valley Railroad, water tower 1911	29 17 51.838	1596.1	114 49 20.9	294 46 59.5	Galveston south base (U. S. E.)	8584.6	3.933719
	94 50 02.156	58.2	220 27 58.4	40 29 56.6	Bollivar Point Light-house (U. S. E.)	10023.4	4.000973
			236 35 15.4	56 37 13.5	Fort Point Lighthouse (U. S. E.)	7791.1	3.891597
Southern Pacific Elevator 1911	29 18 15.094	492.4	106 58 58.7	286 56 08.7	Galveston south base (U. S. E.)	9796.3	3.991063
	94 49 03.681	90.3	215 30 30.0	35 37 59.5	Bollivar Point Light-house (U. S. E.)	8462.9	3.927519
			234 15 10.1	54 16 39.5	Fort Point Lighthouse (U. S. E.)	6069.3	3.783140
Galveston Dike, West End Light 1911	29 18 50.653	1559.5	101 49 22.9	281 46 47.4	Galveston south base (U. S. E.)	8754.2	3.942218
	94 49 33.355	900.0	224 34 23.4	44 36 07.5	Bollivar Point Light-house (U. S. E.)	8161.3	3.911760
			246 35 29.7	66 37 13.8	Fort Point Lighthouse (U. S. E.)	6240.0	3.795184
Middle Deer Island ¹ 1850	29 16 43.122	1327.7	135 43 58.5	315 41 33.4	Highland Bayou	11452.5	4.058899
	94 55 03.911	105.6	210 50 08.4	30 50 57.1	Virginia Point	5234.1	3.718546
Spillman ¹ 1850	29 17 29.892	920.3	145 57 28.3	325 56 05.4	Highland Bayou	8157.1	3.911535
	94 57 10.976	296.2	243 26 10.3	63 28 01.2	Virginia Point	6832.8	3.834601
West Bay (U. S. E.) Beacon No. 5 1912	29 15 59.204	1822.8	343 52 15.8	163 52 24.8	W. B. 3 (U. S. E.)	1787.6	3.252377
	94 55 51.101	1379.6	68 52 30.6	248 49 53.2	W. B. 6 (U. S. E.)	9329.8	3.969871
			110 03 36.6	290 02 19.9	W. B. 4 (U. S. E.)	4508.4	3.654027
West Bay (U. S. E.) Beacon No. 7 1912	29 15 44.832	1380.3	320 54 16.7	140 54 35.5	W. B. 3 (U. S. E.)	1642.5	3.215510
	94 56 11.070	298.9	70 18 57.7	250 16 30.1	W. B. 6 (U. S. E.)	8670.2	3.938027
			118 17 02.9	298 15 56.0	W. B. 4 (U. S. E.)	4197.0	3.622937
West Bay (U. S. E.) Beacon No. 8 1912	29 15 31.419	967.3	71 52 28.9	251 50 10.3	W. B. 6 (U. S. E.)	8061.1	3.906392
	94 56 29.676	801.2	126 56 31.9	306 55 34.0	W. B. 4 (U. S. E.)	3995.8	3.601608
			299 15 30.7	119 15 58.5	W. B. 3 (U. S. E.)	1763.1	3.246283
West Bay (U. S. E.) Beacon No. 9 1912	29 14 57.973	1784.9	34 07 55.6	214 06 47.6	Reef	6685.5	3.825132
	94 57 16.072	434.0	77 00 19.4	256 58 23.4	W. B. 6 (U. S. E.)	6576.6	3.817969
			150 29 54.8	330 29 19.6	W. B. 4 (U. S. E.)	3942.1	3.595729
West Bay (U. S. E.) Beacon No. 10 1913	29 14 24.157	743.7	28 55 46.6	208 55 01.7	Reef	5133.7	3.710432
	94 58 03.004	81.1	85 07 34.7	265 06 01.8	W. B. 6 (U. S. E.)	5159.4	3.712598
			171 25 26.5	351 25 14.3	W. B. 4 (U. S. E.)	4522.5	3.655390
West Bay (U. S. E.) Beacon No. 12 1912	29 13 27.368	842.6	113 31 14.1	293 30 19.7	W. B. 6 (U. S. E.)	3280.8	3.515974
	94 59 21.972	593.4	193 11 04.7	13 11 31.1	W. B. 4 (U. S. E.)	6388.8	3.805420
			7 16 02.4	187 15 56.1	Reef	2767.2	3.442043

¹ No check on this position.

East Bay, Galveston Bay, and West Bay—Continued.

Station	Latitude and Longitude	Seconds in meters	Azimuth	Back azimuth	To station	Distance	Logarithm
<i>Supplementary points—Continued.</i>							
West Bay (U. S. E.) Beacon No. 13 1912	29 12 59.406	1829.0	71 22 40.2	251 20 50.3	Y (U. S. E.)	Meters 6417.0	3.807833
	95 00 00.708	19.1	137 52 46.5	317 52 11.0	W. B. 6 (U. S. E.)	2925.5	3.468202
			199 27 54.4	19 28 39.7	W. B. 4 (U. S. E.)	7510.8	3.875685
West Bay (U. S. E.) Beacon No. 14 1912	29 12 46.870	1443.0	73 28 40.4	253 26 59.1	Y (U. S. E.)	5849.2	3.767098
	95 00 18.230	492.4	149 46 34.7	329 46 07.8	W. B. 6 (U. S. E.)	2657.9	3.470984
			201 43 37.9	21 44 31.8	W. B. 4 (U. S. E.)	8038.6	3.905182
West Bay (U. S. E.) Beacon No. 15 1912	29 12 33.501	1081.4	76 13 26.6	256 11 54.4	Y (U. S. E.)	5258.0	3.720619
	95 00 36.774	993.4	161 34 55.3	341 34 37.4	W. B. 6 (U. S. E.)	3127.6	3.495209
			208 48 26.4	23 49 29.3	W. B. 4 (U. S. E.)	8612.1	3.935110
West Bay (U. S. E.) Beacon No. 16 1912	29 12 18.190	560.0	80 13 38.8	260 12 16.9	Y (U. S. E.)	4600.7	3.662824
	95 00 57.977	1566.2	173 06 34.0	353 06 26.5	W. B. 6 (U. S. E.)	3463.8	3.539572
			285 19 40.8	105 20 21.3	Reef	2326.2	3.366656
West Bay (U. S. E.) Beacon No. 17 1912	29 12 03.319	102.2	85 21 13.8	265 20 02.0	Y (U. S. E.)	3991.1	3.601094
	95 01 18.556	501.3	182 03 36.9	2 03 39.5	W. B. 6 (U. S. E.)	3899.1	3.590962
			273 12 34.2	93 13 24.8	Reef	2803.8	3.447751
West Bay (U. S. E.) Beacon No. 18 ¹ 1912	29 11 49.71	1530.4	265 28 07	85 29 07	Reef	3319.2	3.521033
	95 01 37.41	1010.6	17 12 21	197 11 56	Snake	4800.0	3.681242
West Bay (U. S. E.) Beacon No. 19 1912	29 11 35.502	1093.0	12 04 54.8	192 04 38.8	Snake	4241.9	3.627558
	95 01 57.097	1542.6	193 57 12.9	13 57 34.3	W. B. 6 (U. S. E.)	4897.5	3.689978
			259 40 27.8	79 41 37.1	Reef	3903.8	3.591490
Q (U. S. E.) 1900	29 21 11.064	340.6	73 50 33.7	253 47 55.1	Galveston south base (U. S. E.)	9047.0	3.956505
	94 49 27.379	738.5	137 02 59.4	317 00 56.1	Galveston north base	9941.1	3.997435
Pelican Island North 1882	29 21 12.956	398.9	142 04 55.2	322 02 50.3	Dollar Point	11166.7	4.047925
	94 49 12.440	335.6	241 29 53.5	61 31 14.7	Bolivar Point	5072.1	3.705189
Caronkaway Island ¹ 1850	29 12 22.877	704.4	167 44 29.3	347 44 11.8	Black Point	4576.1	3.660495
	94 59 29.842	806.2	262 13 53.0	82 15 40.3	Galveston Island east base	5989.1	3.777365
Caronkaway Point 1850	29 12 49.686	1529.8	217 54 01.4	37 54 52.6	Black Point	4621.5	3.664781
	95 01 50.961	1376.5	270 04 38.5	90 07 34.6	Galveston Island east base	9745.9	3.988824
			2 34 07.8	182 34 01.6	Galveston Island west base	7608.5	3.881298
Chocolate Bayou Canal Inner Beacon 1912	29 10 35.339	1088.0	9 32 32.2	189 32 05.9	Mud Island north base (U. S. E.)	8814.3	3.945189
	95 08 16.622	449.1	25 20 56.6	205 20 22.0	Mesquite 2	4481.7	3.651443
			277 55 32.9	97 56 23.9	Hall (U. S. E.)	2854.4	3.455515
Chocolate Bayou Canal Outer Beacon ¹ 1912	29 10 08.83	271.8	33 55 15	213 54 35	Mesquite 2	3897.2	3.590752
	95 08 07.15	193.2	260 40 02	80 40 48	Hall (U. S. E.)	2605.7	3.415919
Brazos Canal Inner Beacon 1912	29 06 30.251	931.3	10 49 48.8	190 49 44.9	Mud Island north base (U. S. E.)	1167.7	3.067320
	95 09 02.545	68.8	169 01 50.5	349 01 38.3	Mesquite 2	3560.3	3.551487
			251 22 34.0	71 24 23.6	Life	6427.5	3.808039
Brazos Canal Outer Beacon 1912	29 06 54.428	1675.7	32 00 03.0	211 59 41.8	Mud Island north base (U. S. E.)	2230.0	3.348812
	95 08 26.957	728.8	149 12 27.1	329 11 57.6	Mesquite 2	3202.5	3.505494
			255 41 41.0	75 43 13.3	Life	5292.9	3.723694
Brazos Canal Beacon 1912	29 06 13.228	407.3	180 05 59.8	0 05 59.9	Mesquite 2	4019.3	3.604154
	95 09 27.868	753.5	211 45 34.6	31 47 00.2	Hall (U. S. E.)	9028.6	3.955622
			249 10 30.6	69 12 32.5	Life	7249.0	3.860278
			323 13 55.0	143 14 03.4	Mud Island north base (U. S. E.)	777.4	2.890659
Oil tank 1912	29 06 25.875	796.6	184 25 28.2	4 25 33.2	Mesquite 2	3640.8	3.561198
	95 09 37.999	1027.4	214 35 36.6	34 37 07.1	Hall (U. S. E.)	8952.6	3.947071
			252 45 26.1	72 47 32.9	Life	7381.1	3.868119
			323 51 12.2	143 51 25.5	Mud Island north base (U. S. E.)	1253.4	3.098089
Alligator Head 1850	29 10 26.790	824.8	8 18 56.3	188 18 32.4	West End	9589.5	3.981798
	95 05 53.582	1447.9	110 16 23.7	290 13 40.1	Chocolate Bayou	9662.7	3.985097
			187 56 47.7	7 57 19.7	Halls Bayou	12774.7	4.106350
			297 14 02.8	117 15 55.6	Galveston Island west base	6991.9	3.844597
San Luis Life Saving Station cupola 1912	29 06 47.005	1447.1	76 15 59.6	256 13 57.4	Mud Island north base (U. S. E.)	6995.1	3.844795
	95 04 59.372	1605.2	112 21 15.8	292 19 05.2	Mesquite 2	7839.7	3.894299
			159 20 06.1	339 19 21.0	Hall (U. S. E.)	7092.4	3.850795
			162 32 05.1	342 31 56.4	Life	1609.4	3.206664
Dr. Jones 1850	29 07 02.108	64.9	50 13 28.4	230 12 19.6	West End	4980.8	3.697297
	95 04 23.316	630.7	149 37 38.6	329 36 06.7	Mustang Bayou	10682.9	4.003587
			230 36 58.9	50 38 05.1	Galveston Island west base	4886.7	3.689018

¹ No check on this position.

West Bay to Matagorda Bay.

Station	Latitude and longitude	Sec-onds in meters	Azimuth	Back azimuth	To station	Distance	Logarithm
<i>Principal points</i>							
Bastrop 1850	29 06 24.834 95 11 18.790	764.6 508.1	211 53 12.2 285 22 37.4 1 10 37.6	31 55 02.7 105 24 50.6 181 10 34.1	Mustang Bayou West End Peninsula	Meters 11587.3 7633.0 9402.1	4.064356 3.88531 3.973225
Peninsula 1850	29 01 19.506 95 11 25.927	600.5 701.6	50 40 43.7 71 04 11.8	230 36 18.3 251 01 12.0	Jupiter Oyster Creek	19187.3 10609.1	4.283014 4.025677
Cottonwood 1853	29 04 30.816 95 14 53.212	948.7 1439.2	316 23 25.9 25 21 28.3	136 25 06.6 205 20 09.0	Peninsula Oyster Creek	8132.6 10330.4	3.910230 4.014119
Oyster Creek 1852	28 59 27.570 95 17 36.052	848.8 992.1	28 49 53.2 56 48 25.4	208 48 27.4 236 46 46.3	Jupiter Brazos	9954.8 6621.2	3.998032 3.820936
Rattlesnake 1852	28 58 34.385 95 15 16.735	1058.5 453.1	50 30 07.6 113 23 16.4 183 19 06.4 230 50 56.3	230 27 34.1 293 22 08.6 3 19 17.8 50 52 48.2	Jupiter Oyster Creek Cottonwood Peninsula	11133.1 4126.5 10991.8 5054.3	4.046617 3.615580 4.041069 3.906027
Velasco 1853	28 56 24.581 95 17 57.244	756.7 1550.3	53 57 23.3 111 57 06.7 185 39 02.0 227 23 30.3	233 56 07.6 291 55 37.6 5 39 12.0 47 24 48.0	Jupiter Brazos Oyster Creek Rattlesnake	5247.2 5372.8 5661.1 5904.2	3.719927 3.730200 3.752902 3.771160
Brazos 1852	28 57 29.786 95 21 01.278	917.0 34.6	351 42 25.1 69 37 01.5	171 42 38.4 249 34 58.6	Jupiter Bryan	5149.5 7338.5	3.711762 3.865608
Jupiter 1852	28 54 44.269 95 20 33.860	1362.9 917.3	57 13 28.2 108 25 56.7	237 10 50.2 288 28 40.6	Bernard Bryan	10543.4 8033.7	4.022981 3.904918
Bryan 1853	28 56 06.697 95 25 15.268	206.2 413.6	8 32 04.3 63 13 54.3	188 31 42.2 243 11 17.9	Bernard McNeel	8341.0 9813.3	3.921218 3.991817
Bernard 1853	28 51 38.761 95 26 00.940	1193.3 25.5	58 34 48.2 116 57 54.7	238 32 35.7 296 55 40.6	Cedar Lake McNeel	8731.2 8442.1	3.941076 3.926449
McNeel 1852	28 53 43.026 95 30 38.648	1324.6 1047.1	359 27 41.9 49 08 29.4	179 27 43.3 229 06 08.6	Cedar Lake Rhodes	8380.0 10451.7	3.923245 4.019186
Cedar Lake 1852	28 49 10.834 95 30 15.744	333.5 426.8	57 53 06.0 88 24 48.0	237 50 27.8 268 20 29.5	Cany Kenner	10519.9 14548.5	4.022011 4.162817
Rhodes 1853	28 50 00.841 95 35 30.233	25.9 819.6	280 53 39.0 7 21 35.0	100 56 01.0 187 21 18.6	Cedar Lake Cany	8131.2 7194.8	3.910156 3.857016
Cany 1852	28 46 09.060 95 36 04.207	278.9 114.1	60 01 48.0 98 22 57.7	239 59 27.8 278 20 18.1	Sargent Prairie	9129.1 9088.4	3.960428 3.958487
Kenner 1853	28 48 57.453 95 39 32.091	1768.6 870.3	312 35 04.0 40 57 40.8	122 36 44.1 220 56 41.2	Cany Prairie	7659.0 5114.4	3.884174 3.708791
Mud Island south base (U. S. E.) 1906	29 05 03.125 95 08 27.036	96.2 731.2	76 53 58.7 142 28 03.6	256 52 46.6 322 27 42.3	Hartrick (U. S. E.) Mud Island north base (U. S. E.)	4121.3 1936.3	3.615033 3.286980
San Luis (U. S. E.) 1912	29 04 18.956 95 07 48.393	583.6 1308.9	252 56 55.4 322 27 07.5	72 57 41.6 142 27 26.3	Fence San Luis (U. S. E.)	2687.3 1715.1	3.429812 3.234277
Hartrick (U. S. E.) 1906	29 04 32.760 95 10 55.444	1008.6 1499.6	142 27 55.3 215 21 47.1	322 27 15.3 35 22 14.5	Mud Island north base (U. S. E.) Fence	3651.4 2633.5	3.562458 3.420531
Pass 1912	29 03 06.784 95 09 32.081	208.9 867.9	228 54 49.8 255 19 13.4 274 47 20.7	48 55 40.7 75 21 11.7 94 48 51.6	Mud Island north base (U. S. E.) Fence San Luis (U. S. E.)	3759.4 6904.7 5077.1	3.575116 3.832809 3.705616
Red Bluff (U. S. E.) 1901	29 03 06.784 95 09 32.081	208.9 867.9	139 34 38.3 186 27 31.2	319 33 57.8 6 27 41.6	Hartrick (U. S. E.) Mud Island north base (U. S. E.) San Luis (U. S. E.)	3477.2 5149.9 3578.3	3.541235 3.711801 3.553677
Shell 1912	29 01 26.699 95 11 44.608	822.0 1207.2	48 55 43.3 229 44 55.8 273 16 02.2	228 53 18.5 49 45 45.8 93 17 32.7	Oyster Creek Hartrick (U. S. E.) Pass	10707.7 3640.9 5049.8	4.029696 3.562284 3.703272
Rattlesnake 2 1912	28 58 32.258 95 15 21.465	993.1 581.1	68 58 15.0 156 37 54.0 193 04 08.3 229 19 05.9	248 55 24.2 336 37 27.9 13 04 32.2 49 20 10.2	Oyster Creek Red Bluff (U. S. E.) Hartrick (U. S. E.) Pass	10209.6 3671.4 5880.6 4727.8	4.009007 3.564836 3.769423 3.674659
Well (U. S. E.) 1912	28 57 08.104 95 17 10.952	249.5 266.6	56 22 35.7 114 57 44.0 206 46 20.2 227 31 42.2	236 21 03.8 294 56 38.4 26 47 39.3 47 33 27.3	Brazos Lighthouse Oyster Creek Red Bluff (U. S. E.) Shell	6163.3 4036.5 9791.1 7955.8	3.789813 3.606002 3.990830 3.900685
Brazos River Lighthouse 1897	28 56 41.363 95 18 30.975	1273.4 838.8	69 12 21.9 170 47 48.0 228 50 27.2	249 11 43.2 350 47 35.5 48 51 20.2	Brazos Lighthouse Oyster Creek Rattlesnake 2	2318.1 4349.7 3937.1	3.365133 3.638461 3.595173
			110 07 33.9 196 01 50.2 250 59 26.5	290 06 21.1 16 02 25.5 71 00 03.9	Brazos Oyster Creek East	4334.6 5324.1 2213.9	3.636945 3.726247 3.345149

West Bay to Matagorda Bay—Continued.

Station	Latitude and Longitude	Sec-onds in meters	Azimuth	Back azimuth	To station	Distance	Logarithm
<i>Principal points—Continued.</i>							
Velasco Hotel dome 1891	28 57 28.119	865.7	239 41 26.8	59 43 19.4	Oyster Creek	7290.3	3.862748
	95 21 29.162	789.7	266 06 38.5	86 06 52.1	Brazos	756.8	2.878958
			275 54 44.7	95 50 48.4	East	6955.3	3.842318
			286 35 55.6	106 37 21.9	Brazos River Light-house	5035.3	3.702029
East 1891	28 57 04.780	147.2	97 08 07.2	277 08 17.0	Brazos	6211.0	3.793159
	95 17 13.080	370.5	171 56 55.1	351 56 44.0	Oyster Creek	4439.8	3.647362
West 2 1897	28 55 48.748	1500.7	123 33 48.2	303 32 25.8	Velasco Hotel dome	5535.2	3.743134
	95 18 38.825	1051.6	187 28 37.0	7 28 40.8	Brazos River Light-house	1633.7	3.213178
			224 33 54.0	44 34 35.2	East	3285.8	3.516638
<i>Supplementary points</i>							
Christmas Point (U. S. E.) 1906	29 04 42.707	1314.8	192 51 09.1	12 51 24.1	Fort Bayou	3760.5	3.575249
	95 10 24.284	656.8	222 36 41.4	42 37 17.2	Mud Island, north base (U. S. E.)	2940.7	3.468462
Oyster Bay Canal (U. S. E.) Beacon No. 1 1912	29 04 21.661	666.9	12 04 10.7	192 03 50.0	Shell	5508.2	3.741011
	95 11 02.046	55.3	27 42 26.1	207 41 39.7	Rattlesnake Point (U. S. E.)	5565.0	3.745462
			52 17 31.1	232 16 44.3	Red Bluff (U. S. E.)	3296.1	3.518001
Oyster Bay Canal (U. S. E.) Beacon No. 2 1912	29 04 06.144	189.2	10 27 31.8	190 27 15.5	Shell	4991.7	3.698247
	95 11 11.123	300.9	27 45 36.2	207 44 54.2	Rattlesnake Point (U. S. E.)	5027.9	3.701353
			56 55 31.1	236 54 48.7	Red Bluff (U. S. E.)	2818.9	3.450077
Oyster Bay Canal (U. S. E.) Beacon No. 3 1912	29 03 53.302	1641.0	8 48 07.4	188 47 54.8	Shell	4567.2	3.659650
	95 11 18.782	508.1	27 46 09.0	207 45 30.7	Rattlesnake Point (U. S. E.)	4581.5	3.661009
			62 03 25.3	242 02 46.6	Red Bluff (U. S. E.)	2439.3	3.387265
Oyster Bay Canal (U. S. E.) Beacon No. 4 1912	29 03 32.443	998.8	74 36 29.2	254 35 56.6	Red Bluff (U. S. E.)	1887.2	3.275817
	95 11 31.180	843.4	207 29 47.2	27 30 04.6	Hartrick (U. S. E.)	2093.5	3.320874
			283 46 05.2	103 47 03.1	Pass	3317.3	3.520789
Oyster Bay Canal (U. S. E.) Beacon No. 5 1912	29 03 08.167	251.4	359 29 04.3	179 29 04.8	Shell	3124.0	3.494705
	95 11 45.647	1384.9	27 50 52.8	207 50 27.6	Rattlesnake Point (U. S. E.)	3013.4	3.479050
			99 47 27.2	279 47 01.6	Red Bluff (U. S. E.)	1449.3	3.161144
Oyster Bay Canal (U. S. E.) Beacon No. 6 1912	29 02 42.107	1296.3	136 07 17.0	316 06 58.9	Red Bluff (U. S. E.)	1454.9	3.162825
	95 12 01.162	31.4	207 33 11.0	27 33 42.9	Hartrick (U. S. E.)	3842.6	3.584628
			349 04 43.3	169 04 51.3	Shell	2364.4	3.373716
Oyster Bay Canal (U. S. E.) Beacon No. 7 1912	29 01 50.575	1557.1	34 07 24.6	214 07 21.3	Rattlesnake Point (U. S. E.)	333.0	2.522464
	95 12 30.762	832.4	175 29 40.2	355 29 36.5	Red Bluff (U. S. E.)	2648.3	3.422148
			300 28 32.7	120 28 55.1	Shell	1449.2	3.161120
Rattlesnake Point (U. S. E.) 1906	29 01 41.620	1281.4	179 35 20.6	359 35 20.2	Red Bluff (U. S. E.)	2910.9	3.464027
	95 12 37.666	1019.1	287 44 18.5	107 44 44.2	Shell	1507.5	3.178243
Fish House, east gable 1912	29 01 40.399	1243.8	37 21 32.3	217 20 13.1	Rattlesnake 2	7286.2	3.862500
	95 12 38.157	1032.5	179 51 08.3	359 51 08.2	Red Bluff (U. S. E.)	2948.4	3.469588
			286 13 32.7	106 13 58.7	Shell	1509.2	3.178741
Lone House 1912	29 01 35.160	1082.5	23 35 23.6	203 34 39.5	Rattlesnake 2	6144.2	3.788462
	95 13 50.645	1370.5	212 08 03.4	32 08 38.4	Red Bluff (U. S. E.)	3672.5	3.564958
			274 21 33.3	94 22 34.4	Shell	3420.5	3.534095
Tom 1852	28 57 25.920	797.9	160 11 57.2	340 11 33.1	Oyster Creek	3980.6	3.599949
	95 16 46.838	1268.2	229 10 03.1	49 10 46.8	Rattlesnake	3224.0	3.508397
			45 16 38.3	225 16 08.5	Velasco	2683.4	3.428693
Drawbridge 1912	28 57 20.992	646.3	50 35 22.0	230 34 55.5	Brazos River Light-house	1921.4	3.283614
	95 17 38.158	979.1	179 48 12.1	359 48 11.8	Oyster Creek	3896.9	3.590723
			300 10 07.0	120 10 19.2	Well (U. S. E.)	789.5	2.897355
Life-saving station, flag-staff 1897	28 57 36.296	1117.3	40 45 12.7	220 44 57.7	East	1280.8	3.107483
	95 16 42.804	1159.1	88 22 37.2	268 20 32.0	Brazos	7001.7	3.845204
			156 57 03.7	336 56 37.6	Oyster Creek	3723.0	3.570897
Surfside Hotel, dome 1897	28 57 07.387	227.4	45 27 07.7	225 26 23.7	West 2	3450.8	3.537919
	95 17 08.028	217.4	70 22 32.9	250 21 52.7	Brazos River Light-house	2384.8	3.377456
			96 14 47.4	276 12 54.5	Brazos	6353.6	3.803020
		169 49 19.4	349 49 05.5	Oyster Creek	4384.8	3.641948	
Quintana Presbyterian Church, spire 1897	28 56 06.301	194.0	117 06 47.1	297 05 19.1	Velasco Hotel, dome	5529.2	3.742663
	95 18 27.404	742.2	174 52 51.1	354 52 49.4	Brazos River Light-house	1083.8	3.034951
			192 30 03.4	12 30 28.0	Oyster Creek	6346.9	3.802562
			227 57 13.5	47 57 49.2	East	2688.4	3.429497
Quintana Church spire ¹ 1897	28 56 00.17	5.2	119 48 32	299 47 08	Velasco Hotel, dome	5448.7	3.736296
	95 18 34.56	936.0	227 45 07	47 45 46	East	2958.8	3.471118

¹ No check on this position.

West Bay to Matagorda Bay—Continued.

Station	Latitude and Longitude	Sec-onds in meters	Azimuth	Back azimuth	To station	Distance	Loga-rithm
<i>Supplementary points—Continued.</i>							
Oil mill stack, Velasco 1897	28 57 11.761	362.1	111 57 44.5	291 57 22.2	Velasco Hotel, dome	1346.8	3.129290
	95 20 43.035	1165.4	135 19 28.4	318 19 19.6	Brazos	743.0	2.870966
White house, east chimney 1897	28 56 37.921	1187.4	230 20 35.8	50 22 06.1	Oyster Creek	6553.3	3.816457
	95 19 52.500	1421.9	272 09 24.8	92 11 06.2	East	5673.3	3.753832
House on jetty, cupola 1 1912	28 56 06.11	188.1	120 33 51.5	300 33 04.7	Velasco Hotel, dome	3039.8	3.482839
	95 17 54.44	1474.5	259 06 25.7	79 07 39.6	East	4379.7	3.641443
Weather Service display tower 1 1912	28 57 26.48	815.2	267 14 45.5	87 15 25.0	Brazos River Light-house	2210.3	3.344456
	95 21 37.75	1022.2	137 39 15	317 38 58	Brazos River Light-house	1468.7	3.166919
Sulphur mill, smokestack 1912	28 54 43.781	1347.8	211 40 37	31 40 58	Well (U. S. E.)	2242.8	3.350782
	95 22 36.302	983.4	274 27 34	94 29 43	Well (U. S. E.)	7246.6	3.860136
Warehouse, west gable 1912	28 54 43.781	1347.8	285 20 32	105 22 03	Brazos River Light-house	5245.0	3.719747
	95 18 48.313	1308.4	222 51 51.9	42 54 10.9	Oyster Creek	11923.7	4.076412
Warehouse, west gable 1912	28 56 33.457	1030.0	241 24 09.9	61 26 08.6	Brazos River Light-house	7500.9	3.878919
	95 18 48.313	1308.4	243 13 12.6	63 15 50.0	Well (U. S. E.)	9868.7	3.994262
Warehouse, west gable 1912	28 56 33.457	1030.0	199 53 37.8	19 54 12.5	Oyster Creek	5700.7	3.755927
	95 18 48.313	1308.4	230 50 29.0	56 52 09.3	Rattlesnake 2	6689.4	3.825384
Warehouse, west gable 1912	28 56 33.457	1030.0	247 58 04.6	67 58 51.8	Well (U. S. E.)	2844.2	3.453958

¹ No check on this position.

Matagorda Bay to Espiritu Santo Bay.

Station	Latitude and longitude	Sec-onds in meters	Azimuth	Back azimuth	To station	Distance	Loga-rithm
<i>Principal points</i>							
Prairie 1852	28 46 51.986	1600.4	87 13 23.9	217 11 05.7	East Point	12895.9	4.110451
	95 41 35.700	908.3	59 27 06.5	239 25 03.8	Live Oak	8031.2	3.904782
Kenner Eccentric 1883	28 49 00.269	8.3	318 20 26.9	138 21 55.0	Sanborn	7470.8	3.873369
	95 39 34.668	940.0	39 44 18.0	219 43 19.7	Prairie	5135.2	3.710556
Sanborn 1883	28 45 58.931	1814.2	59 38 29.7	239 36 05.7	Brown	9414.3	3.973787
	95 36 31.612	857.5	101 13 15.0	281 10 48.6	Prairie	3408.7	3.524730
Brown 1883	28 43 24.283	747.0	63 57 40.1	243 55 19.8	East Point	8826.0	3.945766
	95 41 30.942	839.7	108 10 09.9	288 08 05.0	Live Oak	7415.4	3.870132
Sargent 1852	28 43 40.837	1257.1	178 50 37.6	358 50 35.3	Prairie	6395.5	3.806876
	95 40 55.629	1509.6	60 29 09.2	240 26 36.2	Bath	9934.1	3.997128
Live Oak 1852	28 44 39.324	1210.6	102 41 49.5	282 39 27.7	Live Oak	8204.4	3.914046
	95 45 50.008	1373.2	169 32 08.4	349 31 49.1	Prairie	5984.1	3.777002
East Point 1883	28 41 18.340	564.6	8 06 07.2	188 05 51.6	East Point	8249.7	3.795858
	95 46 23.054	625.9	38 59 54.0	218 57 47.3	West Point	11380.3	4.056194
Bath 1852	28 41 01.763	54.3	77 49 32.7	257 46 37.9	Seven Mile	10094.8	4.004096
	95 46 14.060	381.7	67 03 53.8	247 02 02.8	West Point	6819.7	3.833767
Seven Mile 1856	28 41 01.763	54.3	69 34 29.6	249 31 50.2	Duncan	9628.4	3.983598
	95 51 54.220	1471.4	114 17 57.7	294 15 18.6	Seven Mile	9860.8	3.993914
West Point 1883	28 39 51.960	1509.6	72 54 26.7	252 51 43.0	Duncan	9690.5	3.986613
	95 50 14.352	389.7	116 19 45.5	290 17 02.1	Seven Mile	10298.9	4.012831
Matagorda Peninsula south base 1883	28 39 56.905	1751.9	185 25 36.4	5 25 47.0	Live Oak	6727.8	3.827875
	95 48 34.871	946.9	0 14 21.9	180 14 21.4	Duncan	7418.3	3.870306
Matagorda Peninsula north base 1883	28 40 56.119	1727.7	68 43 09.9	243 40 16.8	Matagorda	10500.7	4.021218
	95 48 53.714	1453.3	75 35 51.3	255 35 02.9	Duncan	2832.0	3.452091
Duncan 1856	28 39 29.068	894.8	158 01 01.0	338 00 13.1	Seven Mile	7240.3	3.859754
	95 51 55.382	1503.4	86 46 48.4	266 46 00.7	West Point	2705.5	3.432254
Matagorda 1855	28 41 26.107	803.7	234 58 49.7	54 59 53.0	East Point	4369.6	3.640443
	95 57 54.652	1483.7	260 29 42.7	80 30 55.0	East Point	4147.0	3.617733
Matagorda 1855	28 41 26.107	803.7	344 19 18.1	164 19 27.1	Matagorda Peninsula south base	1893.3	3.277227
	95 57 54.652	1483.7	47 57 01.5	227 56 22.8	West Point	2948.7	3.469632
Matagorda 1855	28 39 29.068	894.8	56 22 52.3	236 20 23.3	Gulf Shore	10145.5	4.006274
	95 51 55.382	1503.4	110 17 43.9	290 14 51.5	Matagorda	10399.3	4.017006
Matagorda 1855	28 41 26.107	803.7	351 53 56.0	171 54 19.2	Gulf Shore	9316.2	3.969240
	95 57 54.652	1483.7	61 05 09.1	241 02 02.6	Mad Island	12064.4	4.081506

Matagorda Bay to Espiritu Santo Bay—Continued.

Station	Latitude and Longitude	Sec-onds in meters	Azimuth	Back azimuth	To station	Distance	Logarithm
<i>Principal points—Continued.</i>							
Gulf Shore 1855	28 36 26.502 95 57 06.330	815.8 172.0	72 10 19.6 105 56 30.2	252 07 07.5 285 53 09.8	Three Mounds Mad Island	Meters 11461.3 12347.9	4. 059232 4. 091592
Mad Island 1855	28 38 16.473 96 04 23.468	507.1 637.5	352 00 16.0 66 17 46.0	172 00 33.1 246 15 10.8	Three Mounds Lake	6967.2 9615.0	3. 843056 3. 982950
Three Mounds 1856	28 34 32.353 96 03 47.809	996.0 1299.3	57 05 39.3 107 15 07.4	237 02 54.4 287 12 15.3	High Mound Lake	11174.1 10233.1	4. 048213 4. 010007
Lake 1856	28 36 10.805 96 09 47.500	332.6 1290.6	357 29 29.5 39 57 10.7 105 30 29.9	177 29 36.5 219 53 19.7 285 25.54.4	High Mound Osgood Well Point	9113.7 20484.2 16199.7	3. 959696 4. 311418 4. 209507
Shell Island 1855	28 37 17.178 96 03 16.943	528.8 480.3	228 46 24.2 278 46 59.0 9 23 14.9	48 48 58.7 98 49 56.5 189 23 00.2	Matagorda Gulf Shore Three Mounds	11633.0 10188.5 5142.9	4. 065691 4. 008109 3. 711211
High Mound 1857	28 31 15.039 96 09 32.830	463.0 892.7	64 02 41.9 130 00 33.1	243 58 44.2 309 55 51.1	Osgood Well Point	15073.5 20900.2	4. 178215 4. 320151
Well Point 1856	28 38 31.167 96 19 22.245	959.5 604.2	352 56 06.3 41 23 16.4	172 56 49.9 221 19 12.5	Osgood La Salle	20184.0 20978.1	4. 305007 4. 321271
Palacios 1857	28 34 34.298 96 13 45.612	1055.8 1239.6	128 35 17.5 245 19 16.1 270 10 17.2 311 44 15.3	308 32 36.3 65 21 10.1 90 15 03.2 131 46 16.1	Well Point Lake Three Mounds High Mound	11696.9 7119.8 16246.4 9211.2	4. 068069 3. 852465 4. 210758 3. 964314
Shell Reef Point 1859	28 38 30.296 96 14 16.837	932.7 457.3	300 23 29.8 353 20 16.1 90 12 20.1	120 25 38.9 173 20 31.1 270 09 53.7	Lake Palacios Well Point	8483.6 7314.5 8294.8	3. 928579 3. 864185 3. 918807
Turtle Bay 1856	28 40 30.741 96 16 14.350	946.4 389.6	307 16 01.1 319 16 33.9 54 12 14.1	127 19 06.6 139 17 30.3 234 10 44.0	Lake Shell Reef Point Well Point	13207.3 4892.0 6291.6	4. 120813 3. 689488 3. 798762
Osgood 1856	28 27 40.482 96 17 50.998	1246.2 1387.4	37 59 09.4 104 43 06.0	217 56 15.9 284 38 19.3	Pass Cavallo Light- house La Salle	16143.1 16906.1	4. 207986 4. 228043
La Salle 1857	28 29 59.642 96 27 52.234	1536.0 1420.6	339 15 53.1 22 05 56.2	159 17 45.6 202 04 23.7	Pass Cavallo Light- house Espiritu Santo	18187.8 14050.6	4. 259780 4. 147695
Pass Cavallo Lighthouse 1857	28 20 47.033 96 23 55.800	1447.8 1519.8	61 32 42.3 108 49 47.3	241 28 37.6 283 46 22.7	Rahal Espiritu Santo	15992.8 12386.0	4. 203925 4. 092932
Sand Point 1857	28 35 02.377 96 26 59.604	73.2 1619.7	242 37 01.2 8 43 54.0	62 40 40.2 188 43 28.8	Well Point La Salle	13989.2 9428.7	4. 145792 3. 974453
Indianola 1857	28 32 25.572 96 30 59.504	787.2 1617.7	233 28 16.6 311 24 26.2	53 30 11.3 131 25 55.6	Sand Point La Salle	8112.9 6790.4	3. 909175 3. 831898
Gallinipper 1857	28 35 00.124 96 34 03.652	3.8 99.2	269 37 37.1 313 32 10.8	39 41 00.0 133 33 38.9	Sand Point Indianola	11523.6 6905.7	4. 061587 3. 839208
Sheldon's house 1857	28 38 43.007 96 33 39.482	1324.0 1072.3	301 59 16.8 339 28 39.4 5 28 05.5	122 02 28.3 159 29 56.0 185 27 53.9	Sand Point Indianola Gallinipper	12811.9 12405.7 6892.7	4. 107613 4. 093622 3. 838391
Lavaca 1857	28 37 33.765 96 37 18.543	1039.4 503.7	250 16 30.7 311 45 36.0	70 18 15.7 131 47 09.3	Sheldon's house Gallinipper	6320.3 7099.9	3. 800735 3. 851260
Garcitas 1857	28 42 48.451 96 38 07.978	1491.6 216.5	316 00 36.0 335 16 12.8 352 06 29.6	136 02 44.8 155 18 09.9 172 06 53.3	Sheldon's house Gallinipper Lavaca	10499.1 15871.0 9780.1	4. 021154 4. 200605 3. 990345
Bay View 1906	28 41 34.355 95 58 10.979	1057.6 298.0	250 46 26.2 290 41 28.2	70 49 27.2 110 44 28.5	Seven Mile Duncan	10628.5 10903.4	4. 034569 4. 037561
Spring 1906	28 37 39.177 95 57 11.750	1206.0 319.1	167 28 44.4 218 34 28.4 248 29 22.7	347 28 16.0 38 37 00.6 68 31 54.4	Bay View Seven Mile Duncan	7416.5 13820.0 9234.9	3. 870197 4. 140508 3. 965432
Mad Island 2 1906	28 38 15.530 96 04 25.232	478.1 685.1	238 54 49.1 275 24 03.3	58 57 48.6 95 27 31.0	Bay View Spring	11863.0 11827.1	4. 074196 4. 072677
Three Mounds 2 1906	28 33 34.584 96 04 24.402	1064.6 663.3	179 51 09.2 214 27 20.7 237 19 54.8	359 51 08.8 34 30 19.7 57 23 21.8	Mad Island 2 Bay View Spring	8648.9 17917.4 13960.7	3. 936960 4. 252276 4. 144908
Lake 2 1906	28 35 27.382 96 11 21.996	842.9 597.6	245 24 11.4 286 59 05.8	65 27 31.0 107 02 25.5	Mad Island 2 Three Mounds 2	12449.6 11863.2	4. 095154 4. 074385
High Mound 2 1906	28 30 55.135 96 10 14.657	1697.3 398.5	167 41 03.4 214 59 11.2 242 42 22.7	347 40 31.2 35 01 58.3 62 45 10.0	Lake 2 Mad Island 2 Three Mounds 2	8578.6 16552.5 10712.9	3. 933414 4. 218863 4. 029906
Osgood 2 1906	28 27 38.676 96 17 46.100	1190.6 1254.1	215 52 17.9 243 44 53.2	35 55 21.3 63 48 28.5	Lake 2 High Mound 2	17811.8 13687.5	4. 250708 4. 136324
Well Point 2 1906	28 38 43.633 96 18 10.149	1343.2 275.6	298 33 28.6 318 06 35.6 353 10 09.6 78 55 00.3	118 36 44.1 138 10 23.1 178 10 21.1 258 54 25.7	Lake 2 High Mound 2 Osgood 2 Well Point	12626.9 19364.4 20480.8 1995.8	4. 101297 4. 287004 4. 311347 3. 300012

Matagorda Bay to Espiritu Santo Bay—Continued.

Station	Latitude and Longitude	Sec-onds in meters	Azimuth	Back azimuth	To station	Distance	Logarithm
<i>Principal points—Continued.</i>							
Sand Point 1906	28 34 24.451	752.7	244 19 29.4	64 24 22.5	Well Point 2	Meters 18442.8	4.265826
	96 28 22.174	602.7	305 47 43.5	125 52 47.2	Osgood 2	21335.1	4.329095
			352 16 54.5	172 17 14.5	La Salle 2	8465.8	3.927667
La Salle 2 1906	28 29 51.938	1598.9	223 23 49.0	43 28 21.7	Well Point 2	22540.6	4.352965
	96 27 40.369	1098.0	253 45 20.8	73 51 14.7	Halfmoon Reef Light-house	20990.8	4.321827
			284 12 02.1	104 16 45.5	Osgood 2	16677.4	4.222128
Big Bayou 1906	28 25 11.301	347.9	146 51 52.4	326 50 13.6	La Salle 2	10318.5	4.013617
	96 24 12.979	353.3	246 39 40.2	66 42 44.5	Osgood 2	11463.5	4.059317
Espiritu Santo 2 1906	28 23 35.246	1085.0	196 12 25.7	16 13 24.8	La Salle 2	12076.5	4.081942
	96 29 44.306	1206.5	251 49 32.2	71 52 09.8	Big Bayou	9491.1	3.977317
			311 13 47.9	131 15 50.3	Matagorda Lighthouse	9335.2	3.970122
Matagorda Lighthouse 1906	28 20 15.311	471.3	168 24 48.8	348 23 45.2	La Salle 2	18120.7	4.258174
	96 25 26.549	723.2	192 23 37.4	12 24 12.4	Big Bayou	9329.2	3.969546
			222 31 59.1	42 35 38.2	Osgood 2	18530.7	4.267892
Hill 1906	28 19 16.226	499.5	143 17 50.7	323 16 07.0	Espiritu Santo 2	9947.1	3.997696
	96 26 05.928	161.5	195 42 27.9	15 43 20.8	Big Bayou	11354.9	4.055184
			210 31 40.9	30 31 59.6	Matagorda Lighthouse	2111.6	3.324605
<i>Supplementary points</i>							
Hawkin's house 1855	28 49 38.710	1191.7	315 26 18.4	135 29 30.9	Sargent	15455.8	4.189092
	95 47 35.261	956.0	352 06 47.7	172 07 26.8	Bath	16066.2	4.205612
			31 46 13.3	211 44 08.7	Seven Mile	13347.6	4.125402
Eleven-Mile Point 1 1850	28 44 21.21	652.9	325 38 12	145 39 26	Bath	7437.3	3.871413
	95 48 48.68	1320.9	72 38 14	252 36 45	Seven Mile	5275.5	3.722263
Kane's house, north gable 1 1906	28 40 08.84	272.1	99 50 21	279 45 51	Bay View	15464.5	4.193337
	95 48 49.69	1349.3	141 02 57	321 01 28	Seven Mile	7966.0	3.901240
Dean's oil well No. 7 1906	28 44 56.339	1734.4	316 34 03.4	136 34 48.0	Seven Mile	3658.3	3.563274
	95 53 26.895	729.8	346 08 27.1	166 09 11.1	Duncan	10377.0	4.016070
			51 07 55.2	231 05 38.7	Bay View	9904.9	3.995850
Shipprian's house, peak of roof 1906	28 43 15.604	480.4	256 35 43.1	76 36 16.1	Seven Mile	1917.2	3.282677
	95 53 02.943	79.9	345 15 23.5	165 15 56.0	Duncan	7211.2	3.858010
			69 34 30.4	249 32 02.4	Bay View	8923.1	3.950516
Three-Mile Point 1 1855	28 42 26.77	824.1	314 48 47	134 50 24	Duncan	7760.1	3.889869
	95 55 18.09	491.0	66 17 19	246 16 04	Matagorda	4642.2	3.669720
Ruin Rancho 1 1855	28 37 25.92	797.9	142 37 36	322 35 56	Matagorda	9305.9	3.968758
	95 54 26.57	722.0	227 16 51	47 18 04	Duncan	5589.1	3.747342
Station A, U. S. Fish Commission 1906	28 38 26.800	825.0	71 29 41.3	251 28 24.1	Spring	4616.5	3.664311
	95 54 30.585	830.7	133 59 20.5	313 57 34.8	Bay View	8315.7	3.919900
			204 26 35.5	24 27 50.5	Seven Mile	10255.1	4.010941
			245 32 12.1	65 33 26.6	Duncan	4630.9	3.665666
Watkin's house, west chimney 1906	28 41 58.674	1806.2	302 33 23.2	122 35 30.7	Duncan	8554.4	3.932192
	95 56 20.877	566.7	9 48 50.0	189 48 25.7	Spring	8107.2	3.908571
			75 56 39.5	255 55 46.6	Bay View	3081.1	3.488710
Matagorda Pavilion flag-staff 1906	28 41 12.292	378.4	351 50 43.9	171 51 00.7	Spring	6627.7	3.821366
	95 57 46.359	1258.5	135 27 40.3	315 27 28.5	Bay View	952.9	2.979051
			249 03 07.0	66 05 56.2	Seven Mile	10456.6	4.019391
			288 25 01.5	108 27 50.0	Duncan	10046.1	4.001996
Matagorda Methodist Church spire 1906	28 41 27.832	856.8	348 37 40.1	168 38 05.1	Spring	7180.0	3.856126
	95 58 03.870	105.1	136 08 25.0	316 08 21.6	Bay View	278.5	2.444837
			249 25 16.2	69 28 13.5	Seven Mile	10715.4	4.030009
			290 02 54.5	110 05 51.2	Duncan	10652.6	4.027454
Matagorda Episcopal Church spire 1906	28 41 31.401	966.7	349 02 55.1	169 03 19.7	Spring	7281.6	3.862226
	95 58 02.676	72.6	111 57 50.6	291 57 46.6	Bay View	243.0	2.385695
			249 54 49.2	69 57 46.2	Seven Mile	10646.8	4.027220
			290 39 47.8	110 42 44.1	Duncan	10660.4	4.027773
Matagorda 2 1911	28 41 35.247	1085.1	333 20 11	153 20 13	Methodist Church	255.4	2.40726
	95 53 08.092	219.7	308 49 40	128 49 42	Episcopal Church	188.8	2.27591
			70 41 48	250 41 46	Bay View	83.0	1.9192
Matagorda longitude station 1911	28 41 35.317	1087.2	0	180	Matagorda 2	2.13	0.3284
	95 53 08.092	219.7					
Dog Island 1906	28 39 07.508	231.1	226 30 25.1	46 31 49.3	Bay View	6569.6	3.817542
	96 01 06.545	177.7	241 38 18.2	61 42 43.2	Seven Mile	17033.7	4.231310
			293 04 42.4	113 06 34.9	Spring	6932.6	3.840899
Station B, U. S. Fish Commission 1906	28 36 48.979	1507.8	55 33 31.3	235 30 57.7	Three Mounds 2	10575.6	4.024303
	95 59 03.525	95.8	106 58 42.4	236 56 08.3	Mad Island 2	9135.7	3.960743
			189 13 20.4	9 13 45.6	Bay View	8900.4	3.949411
			243 01 08.3	83 02 02.8	Spring	3407.0	3.532373
Barn 1 1855	28 34 30.57	941.1	161 38 24	341 37 54	Shell Island	5404.3	3.732741
	96 02 14.23	388.1	208 50 56	28 53 01	Matagorda	14607.4	4.164372

1 No check on this position.

Matagorda Bay to Espiritu Santo Bay—Continued.

Station	Latitude and Longitude	Seconds in meters	Azimuth	Back azimuth	To station	Distance	Logarithm
<i>Supplementary points—Continued.</i>							
House chimney ¹ 1855	28 35.13.37 96 00 26.48	411.6 719.6	129 27 48 199 45 23	309 26 26 19 46 36	Shell Island Matagorda	Meters 5998.1 12193.2	3.778017 4.086116
Duffy's house, east gable 1906	28 33 50.346 96 03 53.154	1549.7 1444.7	60 15 47.7 103 47 25.8 173 54 35.9	240 15 32.8 283 43 51.1 353 54 20.5	Three Mounds 2 Lake 2 Mad Island 2	978.2 12558.3 8210.0	2.990426 4.098931 3.914342
Station D, U. S. Fish Commission 1906	28 37 31.031 96 06 11.205	955.3 304.4	65 45 15.7 244 32 39.3 338 15 21.6	245 42 46.9 64 33 30.1 158 16 12.7	Lake 2 Mad Island 2 Three Mounds 2	9262.0 3183.1 7836.1	3.966706 3.503529 3.894101
Mad Island, west ¹ 1856	28 37 30.58 96 06 16.31	941.4 383.0	323 39 34 66 50 24	143 40 45 246 48 43	Three Mounds Lake	6810.6 6240.8	3.833187 3.795242
Station C, U. S. Fish Commission 1906	28 33 32.069 96 06 12.916	987.2 351.1	112 55 48.1 198 31 49.2 268 29 20.2	292 53 20.3 18 32 40.8 88 30 12.1	Lake 2 Mad Island 2 Three Mounds 2	9119.1 9203.8 2950.5	3.959954 3.963968 3.469895
Greens Line ¹ 1856	28 32 53.73 96 05 57.16	1654.0 1553.8	134 07 03 229 10 44	314 05 12 49 11 45	Lake Three Mounds	8717.5 4645.1	3.940390 3.666998
Four-Mile Mott, U. S. Fish Commission 1906	28 36 19.460 96 09 34.951	599.1 949.6	301 00 13.5 6 10 18.8 61 08 34.7	121 02 42.1 186 09 59.9 241 07 43.5	Three Mounds 2 High Mound 2 Lake 2	9647.9 10042.4 3321.1	3.983344 4.001336 3.521280
Station F, U. S. Fish Commission ¹ 1906	28 31 56.64 96 10 12.75	1743.6 346.6	1 34 05 163 49 35	181 34 04 343 49 02	High Mound 2 Lake 2	1894.2 6755.0	3.277423 3.829626
Phillip's house ¹ 1856	28 29 52.11 96 12 28.10	1604.2 764.2	200 31 12 241 48 57	20 32 28 61 50 20	Lake High Mound	12448.4 5406.9	4.095115 3.732952
Half-moon Reef ¹ 1857	28 32 52.28 96 15 23.34	1909.4 634.5	148 07 29 236 10 19	328 05 34 56 13 00	Well Point Lake	12287.1 10984.3	4.089451 4.040771
Half-moon Reef Lighthouse 1906	28 33 02.026 96 15 19.350	62.4 526.1	21 51 24.0 156 11 59.5 235 14 11.0 295 13 32.9	201 50 14.0 336 10 37.7 55 16 04.5 115 15 58.4	Osgood 2 Well Point 2 Lake 2 High Mound 2	10724.3 11494.7 7850.9 9158.7	4.030368 4.060499 3.894919 3.961835
Palacios Point, U. S. Fish Commission 1906	28 34 37.843 96 13 43.018	1165.0 1169.1	27 08 20.9 136 12 46.4 248 17 24.7 277 16 19.7 320 25 26.1	207 06 24.9 316 10 38.5 68 18 32.2 97 20 46.8 140 27 05.7	Osgood 2 Well Point 2 Lake 2 Three Mounds 2 High Mound 2	14498.2 10484.3 4124.5 15306.7 8893.1	4.161313 4.020541 3.615370 4.184882 3.949051
Grimes' house ¹ 1856	28 36 03.09 96 13 45.15	95.1 1226.7	207 52 37 322 15 50	87 54 30 142 17 50	Lake High Mound	6461.4 11210.1	3.810328 4.048610
Tarantula ¹ 1856	28 41 40.06 96 14 17.69	1233.3 480.2	359 46 21 56 02 08	179 46 21 236 01 12	Shell Reef Point Turtle Bay	5842.0 3819.0	3.766560 3.581949
Mott ¹ 1856	28 40 51.20 96 11 57.59	1576.2 1563.5	41 05 13 111 35 08	221 04 06 291 34 01	Shell Reef Point Tarantula	5754.5 4090.0	3.760009 3.611726
Baptist College cupola 1906	28 43 28.246 96 12 19.811	869.5 537.5	47 22 17.4 51 27 28.1	227 19 29.2 231 24 05.3	Well Point 2 Well Point	12931.9 14668.7	4.111661 4.166393
Fiber's house ¹ 1856	28 37 59.63 96 21 06.68	1835.4 181.4	251 05 28 344 23 35	71 06 18 194 25 09	Well Point Osgood	2998.1 19788.1	3.476852 4.296405
Carankway ¹ 1856	28 39 48.15 96 24 34.40	1482.3 934.1	285 35 54 24 09 30	105 38 23 204 08 20	Well Point Sand Point	8802.3 9641.2	3.944597 3.984131
Wolf Point ¹ 1857	28 42 17.91 96 24 31.16	551.4 845.8	309 44 52 1 05 38	129 47 20 181 05 37	Well Point Carankway	10912.3 4611.3	4.037915 3.663827
Cherry's house, east chimney 1906	28 27 19.312 96 17 31.889	594.5 867.7	105 53 15.1 147 01 59.7 240 46 50.9	285 48 24.9 327 01 52.9 60 50 19.4	La Salle 2 Osgood 2 High Mound 2	17206.2 710.5 13622.7	4.235984 2.851577 4.134263
Dunbar house ¹ 1857	28 26 21.36 96 19 09.01	657.5 245.2	115 18 22 221 03 51	295 14 12 41 04 28	La Salle Osgood	15740.3 3230.8	4.197013 3.509304
Brant house ¹ 1856	28 35 35.81 96 25 59.27	1102.4 1610.6	243 23 06 317 45 04	63 26 16 137 43 57	Well Point Osgood	12061.1 19757.5	4.081386 4.295733
Frelkeld house ¹ 1856	28 37 14.36 96 26 37.00	442.1 1029.6	258 40 16 8 15 40	78 43 44 188 15 29	Well Point Sand Point	13067.3 4105.6	4.081809 3.613375
Brant's barn ¹ 1856	28 35 12.81 96 28 42.26	394.4 1148.4	276 33 40 35 50 05	96 34 29 215 55 00	Sand Point Indianola	2608.0 6357.7	3.448393 3.803303
Noble's house ¹ 1856	28 38 39.20 96 36 53.98	1206.8 1466.3	325 32 05 18 19 28	145 33 28 198 19 16	Gallinipper Lavaca	8179.1 2122.1	3.912706 3.326772
House, south end of Lavaca ¹ 1856	28 36 04.52 96 36 48.12	139.2 1307.4	163 15 40 203 54 35	343 15 25 113 55 53	Lavaca Gallinipper	2869.1 4889.0	3.457741 3.689216
Casimir house ¹ 1856	28 30 52.41 96 29 20.96	1613.4 569.9	229 00 12 287 25 49	49 04 58 107 31 15	Well Point Osgood	21545.0 19674.6	4.333346 4.293907

¹ No check on this position.

Matagorda Bay to Espiritu Santo Bay—Continued.

Station	Latitude and Longitude	Seconds in meters	Azimuth	Back azimuth	To station	Distance	Logarithm
<i>Supplementary points—Continued.</i>							
	° ' "		° ' "	° ' "		<i>Meters</i>	
Bruce's windmill 1906	28 28 42.317 96 14 30.411	1302.7 827.2	69 45 31.2 202 19 42.2	249 46 57.9 22 20 42.2	Os good 2 Lake 2	5672.6 13480.8	3.753781 4.129717
Alligator Point 1 1857	28 27 10.70 96 24 13.39	329.4 364.3	171 09 20 162 43 17	311 07 36 342 41 58	La Salle Sand Point	7904.9 15207.5	3.897897 4.182057
Alligator Head Mott 1 1857	28 28 05.91 96 25 52.61	181.9 1431.3	137 06 14 273 23 14	317 05 17 93 27 04	La Salle Osgood	4779.7 13125.7	3.679399 4.118121
O'Connor's windmill 1906	28 26 56.220 96 24 28.934	1730.7 757.6	7 14 48.2 54 14 13.7 136 06 05.4 293 10 23.5 352 20 33.9	187 14 20.7 234 11 43.6 316 04 34.1 53 13 35.4 172 20 41.5	Matagorda Lighthouse Espiritu Santo 2 La Salle 2 Osgood 2 Big Bayou	12440.7 10589.6 7508.7 11037.8 3258.9	4.094546 4.024509 3.875664 4.042584 3.513066
O'Connor's house, east chimney 1906	28 26 55.033 96 24 26.063	1694.1 709.4	54 38 37.3 262 56 07.7 353 38 13.0	234 36 05.8 82 59 18.3 173 38 19.2	Espiritu Santo 2 Osgood 2 Big Bayou	10622.8 10964.7 3213.1	4.026241 4.039908 3.506919
Quarantine Station, flag-staff 1906	28 26 48.111 96 24 08.436	1481.0 229.6	2 22 51.2 9 58 50.2 57 01 10.9 134 28 46.7 261 27 51.7	182 22 49.0 189 58 13.0 236 58 31.1 314 27 05.8 81 30 53.9	Big Bayou Matagorda Lighthouse Espiritu Santo 2 La Salle 2 Osgood 2	2082.8 12277.4 10900.3 8078.7 10518.2	3.474622 4.089108 4.037440 3.907341 4.021940
Decros Point 1906	28 24 07.011 96 21 39.821	215.8 1083.9	40 53 35.1 85 47 30.3 115 24 19.9 224 17 34.9	220 51 47.4 265 43 40.0 295 23 07.1 44 19 26.3	Matagorda Lighthouse Espiritu Santo 2 Big Bayou Osgood 2	9433.3 13225.0 4614.7 9105.6	3.974695 4.121396 3.664146 3.959307
Decro's house, chimney 1 1857	28 24 17.91 96 22 18.54	551.4 504.7	139 13 33 229 24 03	319 10 54 49 26 11	La Salle Osgood	13896.3 9586.2	4.142808 3.981647
Old lighthouse, iron pile 1 1906	28 24 45.04 96 22 42.90	1386.5 1167.7	28 13 48 108 15 24	208 12 31 288 14 41	Matagorda Lighthouse Big Bayou	9423.2 2581.5	3.974198 3.411871
Saluria Lighthouse 1 1856	28 24 04.70 96 24 15.95	144.7 434.2	354 50 48 79 25 00	174 50 57 259 21 45	Pass Cavallo Light-house Espiritu Santo	6109.7 11367.9	3.786023 4.055681
Saluria 1 1857	28 23 53.26 96 24 00.06	1639.5 1.6	150 45 41 235 07 15	330 43 50 55 10 11	La Salle Osgood	12927.4 12239.3	4.111511 4.087757
Old Back Range 1906	28 21 52.233 96 24 29.828	1607.9 812.5	37 22 35.6 110 20 35.3 184 16 45.8	207 22 08.7 290 18 05.9 4 16 53.9	Matagorda Lighthouse Espiritu Santo 2 Big Bayou	3359.8 9130.7 6145.2	3.526313 3.960504 3.788535
Back Range, tall pole 1906	28 21 23.343 96 24 26.570	718.6 723.8	37 57 29.7 115 09 49.0 183 01 02.2	217 57 01.2 295 07 18.1 3 01 08.7	Matagorda Lighthouse Espiritu Santo 2 Big Bayou	2656.0 9558.9 7027.1	3.424232 3.980315 3.846778
Life-saving station, cupola 1906	28 21 21.954 96 24 26.128	675.8 711.7	38 44 17.9 115 21 52.3 182 54 06.3	218 43 49.2 295 19 21.2 3 54 12.6	Matagorda Lighthouse Espiritu Santo 2 Big Bayou	2629.9 9586.0 7069.2	3.419945 3.981637 3.849373
East Range 1906	28 21 25.326 96 24 15.094	779.6 411.2	42 05 05.4 114 04 01.1 180 28 26.3	222 04 31.4 294 01 24.5 0 28 27.3	Matagorda Lighthouse Espiritu Santo 2 Big Bayou	2903.9 9515.6 6956.6	3.462980 3.991916 3.842397
Hause's windmill, north 1906	28 21 00.807 96 24 48.774	24.8 1328.6	33 08 26.5 36 18 13.2 120 35 39.4 187 12 02.0	213 07 50.3 216 17 55.2 300 33 19.0 7 12 19.0	Hill Matagorda Lighthouse Espiritu Santo 2 Big Bayou	3844.5 1737.8 9346.5 7772.5	3.584844 3.240000 3.970649 3.890559
Hause's windmill, south 1906	28 20 23.546 96 25 46.997	724.8 1280.2	13 58 27.7 132 25 07.3 196 06 44.0 294 28 31.1	193 58 18.7 312 23 14.6 16 07 28.0 114 28 40.1	Hill Espiritu Santo 2 Big Bayou Matagorda Lighthouse	2135.6 8751.1 9220.6 612.0	3.329510 3.942062 3.964758 2.786719
Boat house at life-saving station, north gable, Gulf shore 1 1906	28 20 04.22 96 24 35.16	129.9 957.8	59 08 56 103 42 44	239 08 13 283 42 20	Hill Matagorda Lighthouse	2880.4 1440.9	3.459448 3.158435
Boathouse on lighthouse wharf, east gable 1906	28 20 42.533 96 26 20.761	1309.3 565.5	133 49 22.2 202 47 52.1 299 34 19.6	313 47 45.5 22 48 52.8 119 34 45.3	Espiritu Santo 2 Big Bayou Matagorda Lighthouse	7680.3 8075.4 1697.8	3.885378 3.953053 3.229584
Hause's house, east chimney 1906	28 20 41.296 96 25 27.569	1271.2 751.0	21 45 14.3 127 28 04.9 193 43 30.3 358 00 39.1	201 44 56.6 307 26 03.0 13 44 05.8 178 00 39.6	Hill Espiritu Santo 2 Big Bayou Matagorda Lighthouse	2519.5 8806.0 8556.2 800.4	3.450171 3.944780 3.932283 2.903312
Hill's windmill 1906	28 18 53.575 96 28 32.560	1649.3 887.3	167 18 20.8 211 16 40.0 243 34 48.5 260 05 18.0	347 17 46.8 31 18 43.4 63 36 16.8 80 06 28.4	Espiritu Santo 2 Big Bayou Matagorda Lighthouse Hill	8888.2 13607.6 5457.4 4055.0	3.948818 4.133782 3.752916 3.607997
Wilkinson house 1857	28 20 02.56 96 26 34.31	78.8 934.6	125 54 20 252 23 46	305 52 11 72 25 01	Espiritu Santo Pass Cavallo L. H.	9145.2 4529.2	3.961193 3.650625

1 No check on this position.

Espiritu Santo Bay to Aransas Pass and Corpus Christi Bay.

Station	Latitude and Longitude	Sec-onds in meters	Azimuth	Back azimuth	To station	Distance	Logarithm
<i>Principal points</i>							
Espiritu Santo 1857	28 22 56.709	1745.7	11 19 11.9	191 18 31.4	Rahal Grass Island	<i>Meters</i> 11850.6	4.073740
	96 31 06.383	173.8	63 29 27.5	243 24 58.4		17253.8	4.236884
Rahal 1857	28 16 39.224	1207.4	55 41 05.2	235 37 08.7	Panther Point Grass Island	16506.1	4.217644
	96 32 31.736	864.9	106 37 38.9	286 33 50.7		13686.7	4.136299
Grass Island 1859	28 18 46.214	1422.6	2 11 00.8	182 10 52.0	Panther Point Sand Mounds	13231.8	4.121619
	96 40 33.105	901.9	71 29 42.5	251 26 08.5		12975.4	4.113122
Panther Point 1859	28 11 36.686	1129.3	52 08 19.5	232 04 32.8	Cedar Bayou Sand Mounds	16615.9	4.220523
	96 40 51.590	1407.2	127 38 51.0	307 35 26.2		14904.1	4.173306
Shell Island 1859	28 16 35.778	1101.4	235 22 21.9	55 24 03.1	Grass Island Panther Point	7068.7	3.840337
	96 44 06.605	180.0	329 58 53.5	150 00 25.7		10631.9	4.026611
Mosquito Point 1859	28 20 48.307	1487.0	320 15 43.1	140 16 37.5	Grass Island Shell Island Sand Mounds	4887.1	3.689049
	96 42 27.780	756.6	19 06 35.2	199 05 48.3		8226.8	3.915230
Sand Mounds 1859	28 16 32.226	992.0	3 50 52.0	183 50 29.5	Cedar Bayou St. Charles	19646.4	4.286600
	96 48 04.593	125.2	41 07 56.9	221 04 43.0		17005.0	4.230599
Cedar Bayou 1859	28 06 05.160	168.8	44 17 43.0	224 14 43.0	Littles St. Charles	14972.6	4.175207
	96 48 52.152	1423.6	123 17 19.0	303 14 28.1		11830.1	4.072897
St. Charles 1859	28 09 35.959	1106.9	1 50 25.8	181 50 16.3	Littles Big Mound	17219.0	4.236005
	96 54 54.013	1490.0	53 17 05.2	233 13 38.4		14943.7	4.174458
Littles 1859	28 00 16.898	519.2	40 33 33.0	220 29 44.3	Aransas Lighthouse (old) Shell Bank	20535.3	4.312501
	96 55 14.854	403.8	85 23 37.7	265 19 36.8		14065.6	4.148158
Big Mound 1859	28 04 45.537	1401.7	305 51 33.7	125 54 50.4	Littles Aransas Lighthouse (old) Shell Bank	14108.5	4.149482
	97 03 13.356	364.6	4 33 28.0	184 32 55.3		23954.6	4.379389
Ballou House (1859) 1859	28 08 04.206	129.5	15 21 45.7	195 21 01.2	Littles Aransas Lighthouse (old) Big Mound	9756.3	3.989285
	96 59 32.004	873.4	249 31 06.3	69 33 17.1		8078.7	3.907343
Copano House 1859	28 08 45.206	1301.6	333 57 58.4	153 59 59.4	St. Charles Littles Aransas Lighthouse (old) Big Mound	16007.0	4.204334
	97 07 39.938	1089.8	11 53 42.1	191 51 53.6		30651.0	4.486444
Black Point House, chim- ney 1859	28 05 22.333	687.5	35 46 17.1	215 45 01.1	Ballou House (1859) Big Mound	7536.4	3.877166
	97 12 50.136	1368.8	275 22 58.5	95 26 48.6		13374.3	4.126272
Shell Bank 1859	28 05 22.333	687.5	309 35 28.9	129 38 02.8	Copano House Ballou House (1859) Big Mound	11571.0	4.063372
	97 12 50.136	1368.8	233 33 59.9	53 36 26.1		10520.4	4.023033
Aransas Lighthouse (old) 1860	27 59 39.906	1228.4	257 03 51.1	77 10 07.2	Mustang Island Dagger Island McGloins Bluff	22347.6	4.349230
	97 03 47.949	1310.1	273 41 09.6	93 46 09.4		17422.2	4.241103
Espiritu Santo Eccentric 1911	28 22 56.753	1747.1	357 17 33.5	177 17 45.2	Aransas Lighthouse (old) Dagger Island	14487.3	4.160985
	96 31 06.382	173.8	30 56 32.2	210 53 31.6		20537.2	4.312541
Cactus 1911	28 19 42.255	1300.8	26 41 28.2	206 39 41.4	Espiritu Santo Espiritu Santo 2 Matagorda Lighthouse	13961.4	4.144929
	96 29 08.862	241.4	74 23 02.9	254 19 51.0		11675.1	4.067261
Contee 1911	28 18 07.857	241.9	75 53 11.8	255 48 33.6	Espiritu Santo Eccen- tric Espiritu Santo 3 Matagorda Lighthouse	16814.5	4.225686
	96 33 19.022	518.3	0 53	180 53		6789.0	3.831808
Long 1911	28 20 30.233	930.7	342 03 28.3	62 04 07.3	Espiritu Santo Eccen- tric Cactus Contee	1.34	0.1271
	96 35 37.895	1032.1	298 12 51.7	118 15 33.1		2529.3	3.402995
Greek 1911	28 15 39.262	1208.7	172 26 16.3	352 19 59.5	Espiritu Santo Eccen- tric Cactus Contee	10504.3	4.021319
	96 37 50.786	1384.3	260 26 48.0	80 28 33.5		6140.4	3.788200
Steam 1911	28 18 35.286	1086.3	246 53 26.8	66 55 25.5	Espiritu Santo Eccen- tric Cactus Contee	7408.9	3.869752
	96 37 01.896	51.7	238 35 51.4	58 28 00.4		8660.8	3.937559
Nest 1911	28 18 46.087	1437.2	277 54 32.6	97 57 37.3	Espiritu Santo Eccen- tric Cactus Contee	10699.0	4.029945
	96 40 32.094	890.7	319 11 28.1	139 12 34.0		5789.8	3.762663
Heron 1911	28 15 39.262	1208.7	202 00 07.9	22 01 10.9	Espiritu Santo Eccen- tric Cactus Contee	9661.2	3.985032
	96 37 50.786	1384.3	238 16 54.1	58 19 02.9		8704.8	3.939759
Pan 1911	28 18 35.286	1086.3	212 53 04.1	32 53 43.9	Espiritu Santo Eccen- tric Cactus Contee	4213.9	3.624082
	96 37 01.896	51.7	277 54 06.8	97 55 52.5		6130.8	3.787518
Nest 1911	28 18 46.087	1437.2	13 49 00.5	192 48 37.3	Espiritu Santo Eccen- tric Cactus Contee	5580.0	3.746632
	96 40 32.094	890.7	248 19 51.7	68 22 11.6		8639.9	3.936507
Heron 1911	28 16 35.828	1102.9	273 28 59.1	93 30 39.1	Nest Steam Greek	5753.8	3.759952
	96 44 06.537	178.2	322 35 00.5	142 36 17.2		7263.2	3.861128
Pan 1911	28 12 58.046	1786.9	235 19 45.2	55 21 26.6	Nest Greek	7083.8	3.850266
	96 42 10.326	281.6	279 37 29.4	99 40 27.4		10388.2	4.016539
Pan 1911	28 12 58.046	1786.9	154 42 50.9	334 41 55.9	Heron Nest Greek	7414.9	3.870101
	96 42 10.326	281.6	193 55 10.0	13 55 56.3		11057.2	4.043646
			234 56 19.5	54 58 22.3		8642.7	3.930648

Espiritu Santo Bay to Aransas Pass and Corpus Christi Bay—Continued.

Station	Latitude and Longitude	Sec-onds in meters	Azimuth	Back azimuth	To station	Distance	Logarithm
<i>Principal points—Continued.</i>							
Mosquito Point 2 1911	28 20 48.773 96 42 28.598	1501.4 778.9	302 46 34 319 57 34.0 18 55 19.1	122 46 34 139 58 29.0 198 54 32.6	Mosquito Point Nest Heron	Meters 26.51 4908.4 8231.0	1.423410 3.690939 3.915452
Dagger 1911	28 16 34.465 96 47 51.197	1061.0 1395.3	188 58 05.6 269 35 32.4 305 36 54.8	8 58 18.7 89 37 18.8 125 39 36.1	Webb Heron Pan	4850.0 6122.9 11433.8	3.685738 3.786954 4.058191
Webb 1911	28 19 10.089 96 47 23.445	310.6 638.8	249 15 41.0 273 39 23.1 311 29 53.4	69 18 00.9 93 42 37.9 131 31 26.7	Mosquito Point 2 Nest Heron	8586.6 11213.3 7164.9	3.933821 4.049734 3.855211
Sharp 1911	28 21 32.843 96 47 30.754	1011.0 837.5	279 20 30.7 357 24 20.3	99 22 54.2 177 24 23.8	Mosquito Point 2 Webb	8339.9 4399.0	3.921161 3.643352
Swan 1911	28 23 18.523 96 42 39.339	570.2 1071.0	356 22 08.7 45 21 07.6 67 43 33.5	176 22 13.8 225 18 52.7 247 41 15.0	Mosquito Point 2 Webb Sharp	4619.1 10873.9 8575.8	3.664559 4.036586 3.933273
Marsh 1911	28 23 51.369 96 46 49.443	1581.3 1345.9	278 25 49.4 14 46 43.6	98 27 48.3 194 46 23.9	Swan Sharp	6883.4 4410.2	3.837902 3.644454
Terry 1911	28 24 59.899 96 44 53.813	1843.9 1464.6	310 26 24.4 33 50 44.8 56 10 30.0	130 27 28.4 213 49 30.2 236 09 35.1	Swan Sharp Marsh	4810.2 7673.5 3789.1	3.682167 3.884996 3.578582
Nipper 1911	28 24 35.647 96 47 58.504	1007.4 1592.4	261 32 24.9 305 56 24.6 352 21 05.4	81 33 52.8 125 56 57.6 172 21 18.6	Terry Marsh Sharp	5082.1 2322.0 5677.9	3.706045 3.365870 3.754184
Austin 1911	28 22 42.243 96 49 34.164	1300.4 930.2	216 42 55.5 244 36 14.9 302 26 15.7	36 43 41.0 64 37 33.3 122 27 14.4	Nipper Marsh Sharp	4355.3 4963.8 3982.0	3.639020 3.695810 3.600104
Duck 1911	28 25 38.976 96 49 40.311	1199.8 1097.0	305 07 22.3 358 14 17.9	125 08 10.7 178 14 20.8	Nipper Austin	3388.0 5443.1	3.529938 3.735846
Crescent 1911	28 23 57.854 96 50 47.718	1781.0 1298.9	210 30 36.6 255 48 48.7 319 17 21.2	30 31 08.7 75 50 09.2 139 17 56.2	Duck Nipper Austin	3613.4 4750.7 3070.4	3.557915 3.676702 3.487200
Oil 1911	28 25 39.941 96 46 07.327	1229.5 199.4	301 37 54.6 16 37 48.4 56 49 08.3	121 38 29.6 196 37 08.8 236 48 15.4	Terry Sharp Nipper	2350.0 7938.4 3615.7	3.371065 3.899734 3.558195
Range Beacon 1911	28 26 38.231 96 45 38.075	1176.9 1036.0	338 17 53.3 18 04 39.0 23 55 28.5	158 18 14.4 193 03 45.5 203 55 14.6	Terry Sharp Oil	3257.9 9888.7 1963.0	3.512938 3.995141 3.292930
False 1911	28 13 39.481 96 47 16.813	1215.3 458.4	223 40 59.7 278 39 27.5	43 42 29.8 98 41 52.5	Heron Pan	7508.1 8453.8	3.875529 3.927051
Snake 1911	28 10 34.540 96 45 47.656	1063.2 1299.9	156 52 41.7 193 55 00.0 233 17 22.2	336 51 59.5 13 55 47.8 53 19 04.9	False Heron Pan	6190.5 11458.1 7392.4	3.791727 4.059114 3.868788
Ayres 1911	28 10 31.557 96 50 40.175	971.4 1095.9	223 46 46.9 269 19 17.0	43 48 23.0 89 21 35.2	False Snake	8014.0 7980.1	3.903848 3.902007
Bray 1911	28 08 19.156 96 48 06.912	589.7 188.6	134 16 31.1 187 53 12.3 222 20 42.3	314 15 18.7 7 53 35.9 42 21 48.0	Ayres False Snake	5539.2 9954.7 5639.4	3.746355 3.998030 3.751236
Cedar 1911	28 05 43.127 96 50 01.630	1327.6 44.5	173 14 46.2 213 05 35.4	353 14 27.9 33 06 29.4	Ayres Bray	8940.7 5733.4	3.951372 3.758413
Gaston 1911	28 08 53.026 96 53 00.584	1632.3 15.9	231 37 09.8 277 23 37.5 320 06 31.4	51 38 16.0 97 25 56.0 140 07 55.8	Ayres Bray Cedar	4886.1 8481.0 7617.4	3.688959 3.907464 3.881308
Joe 1911	28 03 58.492 96 54 29.404	1800.5 802.9	194 57 54.7 246 12 22.6	14 58 36.5 66 14 28.7	Gaston Cedar	9885.0 7989.0	3.972436 3.902495
Dun 1911	28 07 24.303 96 55 52.874	748.1 1443.0	239 0 12.3 287 58 23.4 340 12 43.2	59 51 33.5 108 01 08.9 160 13 22.5	Gaston Cedar Joe	5437.3 10080.6 6732.7	3.735364 4.003487 3.828188
Center 1911	28 04 41.501 96 58 00.454	1277.5 12.4	214 47 19.5 282 55 29.4	34 48 19.6 102 57 08.7	Dun Joe	6102.7 5912.9	3.785523 3.771797
Car 1911	28 00 52.397 96 57 16.400	1612.9 448.0	170 19 14.9 218 31 02.4	350 18 54.2 38 32 20.9	Center Joe	7154.2 7322.5	3.854561 3.864657
Mile 1911	28 01 56.025 97 01 32.216	1724.6 879.9	228 36 45.7 285 38 23.8	48 38 25.2 105 40 23.9	Center Car	7706.5 7257.5	3.889356 3.860787
Ballou House 1911	28 08 04.207 96 59 31.999	129.5 873.3	281 35 35.7 338 10 09.7	101 37 19.0 158 10 52.8	Dun Center	6104.9 6721.5	3.785679 3.827468
Oak 1911	28 04 45.504 97 02 13.288	1400.7 362.8	215 44 06.6 271 00 21.9 347 51 48.0	35 45 22.6 91 02 20.9 167 52 07.4	Ballou House Center Mile	7536.2 6904.3 5336.1	3.877155 3.839121 3.727228

Espiritu Santo Bay to Aransas Pass and Corpus Christi Bay—Continued.

Station	Latitude and Longitude	Sec-onds in meters	Azimuth	Back azimuth	To station	Distance	Logarithm
<i>Principal points—Continued.</i>							
	° ' "		° ' "	° ' "		<i>Meters</i>	
Decker 1911	28 06 50.518 97 02 34.474	1555.0 940.9	245 29 59.2 351 27 06.3	65 31 25.2 171 27 16.3	Ballou House Oak	5472.3 3891.4	3.738172 3.590111
Rat 1911	28 10 39.862 97 03 55.458	1227.1 1512.9	303 40 09.8 342 36 50.8 345 39 16.0	123 42 14.1 162 37 29.0 165 40 04.2	Ballou House Decker Oak	8638.8 7397.6 11258.8	3.936451 3.869089 4.051491
End 1911	28 11 48.522 97 01 23.559	1493.6 642.5	11 54 53.0 60 55 02.2 62 58 57.1	191 54 19.6 240 52 03.9 242 57 45.4	Decker Cop Rat	9375.2 11798.9 4651.1	3.971980 4.071843 3.667559
Cop 1911	28 08 42.007 97 07 41.449	1294.9 1131.0	239 31 29.9 292 16 03.6 309 05 20.9	59 33 16.5 112 18 28.3 129 07 55.5	Rat Decker Oak	7152.8 9053.9 11543.7	3.854476 3.956836 4.062346
Hans 1911	28 04 38.360 97 06 00.262	1180.8 7.1	159 47 41.4 197 00 35.8 234 04 34.8	339 46 53.7 17 01 34.5 54 06 11.7	Cop Rat Decker	7994.2 11637.5 6636.1	3.902774 4.065861 3.841116
Miss 1911	28 07 36.220 97 09 42.397	1115.0 1157.0	238 26 13.2 312 03 52.4 50 58 02.4	58 27 10.2 132 05 37.0 230 56 34.2	Cap Hans Mary	3873.2 8169.7 6575.7	3.588075 3.912207 3.817945
Port 1911	28 03 32.496 97 07 44.313	1000.3 1210.1	89 06 57.2 180 28 11.5 234 28 56.1	269 05 35.8 0 28 12.9 54 29 45.1	Star Cop Hans	4736.3 9539.7 3490.4	3.674524 3.979078 3.542879
Mary 1911	28 05 21.655 97 12 49.496	666.6 1351.3	233 42 37.5 276 49 31.3 313 34 39.4	53 45 02.7 96 49 44.0 133 35 41.6	Cop Hans Star	10428.3 11252.2 4980.9	4.018212 4.051238 3.697304
Star 1911	28 03 30.097 97 10 37.364	926.5 1020.3	206 33 20.4 254 27 41.3	26 34 43.3 74 29 51.7	Cop Hans	10736.9 7853.0	4.030880 3.895033
Rock 1911	27 59 39.431 97 03 48.220	1213.8 1317.6	221 27 30.2 258 07 32.0 307 51 14.7 357 15 48.1	41 28 34.1 78 10 35.9 127 53 04.8 177 15 59.9	Mile Car Mud Aransas Lighthouse (new)	5611.1 10938.5 8123.3 14472.7	3.749050 4.038956 3.909735 4.160550
Mud 1911	27 56 57.432 96 59 53.585	1767.8 1464.7	163 39 49.7 210 41 46.5 31 10 22.0	343 39 03.4 30 43 00.2 211 08 44.0	Mile Car Aransas Lighthouse (new)	9578.2 8412.1 11066.1	3.981285 3.924902 4.043994
Entrance Beacon, large built up 1911	27 55 12.970 97 03 52.042	399.2 1423.0	180 43 45.9 197 06 36.3 243 43 51.2	0 43 47.7 17 07 41.9 63 45 42.9	Rock Mile Mud	8202.8 12981.9 7269.2	3.913962 4.113338 3.861486
Ridge 1899	27 53 11.061 97 03 00.003	340.5 -0.1	14 05 40.6 159 14 08.2 240 48 01.5 358 13 54.9	194 05 29.9 339 13 38.9 60 49 02.5 178 13 58.0	Aransas Lighthouse (new) Entrance Beacon Lone Tree Knoll Entrance	2579.2 4013.3 4083.5 5775.9	3.411489 3.603506 3.611031 3.761623
Blind 1912	27 53 08.400 97 01 55.288	258.6 1512.6	44 44 53.7 92 39 14.0 140 13 32.3	224 44 12.7 272 38 43.7 320 12 37.7	Aransas Lighthouse (new) Ridge Entrance Beacon	3406.7 1771.7 4980.6	3.532331 3.248392 3.698067
Lone Tree Knoll 1899	27 54 15.763 97 00 49.658	485.2 1358.1	23 34 42.1 43 01 55.5	203 33 44.2 223 00 43.8	Entrance Aransas Lighthouse (new)	8471.6 6145.9	3.927965 3.788585
Entrance 1899	27 50 03.507 97 02 53.490	107.9 1463.8	39 58 38.4 186 09 21.0	219 57 39.8 346 09 07.2	Lost Aransas Lighthouse (new)	5349.3 3369.5	3.728298 3.527567
Lost 1899	27 47 50.320 97 04 59.041	1548.9 1616.2	103 26 14.8 199 37 29.4	283 22 21.6 19 38 14.2	McGloins Bluff Aransas Lighthouse (new)	14061.8 7826.1	4.148042 3.893547
Rogers 1905	27 46 51.873 97 37 09.319	1596.7 255.1					
Kaleta 1905	27 54 08.160 97 31 57.540	251.2 1573.7	32 26 47.69	212 24 22.08	Rogers	15910.12	4.2016735
Corpus 1905	27 47 18.341 97 24 30.008	564.6 821.5	87 48 17.47 135 52 48.39	267 42 23.52 315 49 19.36	Rogers Kaleta	20803.89 17580.74	4.3181445 4.2450372
Portland 1905	27 53 02.343 97 20 08.292	72.1 226.8	34 05 21.81 67 51 51.79 96 00 30.52	214 03 19.60 247 43 55.09 275 54 58.72	Corpus Rogers Kaleta	12783.31 30178.27 19503.56	4.1066432 4.4796943 4.2901138
McGloins Bluff 1899	27 49 36.229 97 13 18.803	1115.1 514.6	77 02 06.23 119 32 56.92	256 56 53.11 299 29 46.59	Corpus Portland	18855.87 12875.15	4.2754466 4.1097524
Mustang 1905	27 41 50.533 97 10 50.923	1555.4 1395.2	114 16 14.83 143 36 48.54 164 14 05.98	294 09 53.54 323 32 28.66 344 13 57.10	Corpus Portland McGloins Bluff	24597.73 25699.01 14895.51	4.3908950 4.4099164 4.1730554
Laguna Madre north base 1882	27 40 10.565 97 16 20.529	325.2 562.6	134 30 49.51 165 18 23.01 195 56 24.20 251 09 56.15	314 27 01.76 345 16 36.86 15 57 48.81 71 12 29.28	Corpus Portland McGloins Bluff Mustang	18791.92 24560.89 18108.92 9541.85	4.2739712 4.3902441 4.2578927 3.9796327

Espiritu Santo Bay to Aransas Pass and Corpus Christi Bay—Continued.

Station	Latitude and Longitude	Sec-onds in meters	Azinuth	Back azimuth	To station	Distance	Loga-rithm
<i>Principal points—Continued.</i>							
Laguna Madre south base 1882	27 37 25.926	798.0	148 13 20.86	328 10 08.96	Corpus	21456.51	4.331562
	97 17 37.263	1021.6	202 32 12.50	22 32 48.11	Laguna Madre north base	5486.855	3.7393234
			233 47 42.86	53 50 51.50	Mustang	13797.55	4.1398019
Padre 1905	27 36 56.350	1734.4	98 09 50.11	278 08 02.64	Laguna Madre south base	6422.30	3.8076907
	97 13 45.396	1244.8	144 34 57.79	324 33 45.82	Laguna Madre north base	7336.31	3.8654778
			181 46 56.00	1 47 08.38	McGloins Bluff	23400.96	4.3692337
Grants 1877	27 38 28.423	874.8	79 33 39.85	259 30 43.63	Mustang	10240.32	4.0108136
	97 11 17.315	474.7	207 49 42.04	27 51 03.04	Laguna Madre south base	10592.57	4.0250015
			110 44 26.37	290 42 05.63	Laguna Madre north base	8885.80	3.9486965
Chappa 1877	27 32 59.795	1840.4	145 47 02.58	325 45 28.48	McGloins Bluff	20823.17	4.3185469
	97 14 14.066	386.0	165 21 05.55	345 20 06.94	Laguna Madre south base	9907.59	3.9956680
			205 35 34.23	25 36 56.11	Laguna Madre north base	13705.19	4.1368849
Flour Bluff 1860	27 42 00.463	14.2	198 45 18.39	18 46 39.48	Grants	11216.70	4.0498657
	97 16 12.878	352.8	80 04 42.62	260 01 11.08	McGloins Bluff	14816.56	4.1707474
			308 50 27.71	128 52 44.97	Grants	10402.41	4.0171338
Thompsons 1876	27 43 11.501	354.0	348 55 02.40	168 55 57.48	Chappa	10957.74	4.2293660
	97 08 37.946	1039.4	17 09 49.80	197 08 40.29	Peat Island	13925.95	4.1438247
			26 37 51.93	206 36 37.90	Grants	9746.51	3.9888490
Aransas Lighthouse 1860	27 51 49.792	1532.7	80 04 42.62	260 01 11.08	Flour Bluff	12653.69	4.1022170
	97 03 22.962	628.1	147 01 12.03	326 59 01.16	McGloins Bluff	14120.01	4.1498349
			208 22 14.88	28 24 41.74	Aransas Lighthouse	18134.74	4.2585113
Dagger Island 1860	27 50 07.516	231.4	31 50 05.3	211 45 15.6	Padre	32356.1	4.509956
	97 10 13.837	378.7	33 38 55.2	213 35 26.4	Mustang	22176.4	4.345891
			44 44 25.5	224 38 23.3	Laguna Madre north base	30274.6	4.481078
Mustang Island 1860	27 45 04.496	138.4	75 53 07.9	255 48 29.6	McGloins Bluff	16813.9	4.225668
	97 07 11.931	326.8	33 16 42.5	213 13 55.3	Flour Bluff	17927.9	4.253529
			79 14 22.0	259 12 55.7	McGloins Bluff	5152.5	3.712021
Peat Island 1877	27 34 48.160	1482.4	69 06 48.8	249 02 37.1	Flour Bluff	15863.5	4.200400
	97 18 42.708	1171.4	129 48 39.6	309 45 48.6	McGloins Bluff	13070.3	4.116287
			151 54 52.6	331 53 27.8	Dagger Island	10573.3	4.024212
Oso 1912	27 42 40.650	1251.2	200 16 43.69	20 17 14.01	Laguna Madre south base	5177.09	3.7140801
	97 18 43.169	1182.7	240 56 08.14	60 59 34.58	Grants	13968.66	4.1451548
			294 20 05.09	114 22 09.41	Chappa	8089.12	3.9079014
Shamrock 1912	27 45 34.816	1071.7	214 45 06.2	34 47 37.3	McGloins Bluff	15372.9	4.192369
	97 10 17.924	490.8	276 46 07.2	90 49 46.8	Mustang	13039.0	4.114943
			7 27 41.8	187 37 26.5	Mustang	6962.5	3.842765
Demit 1912	27 41 36.057	1109.9	68 51 23.7	248 47 28.6	Oso	14840.6	4.171452
	97 15 02.786	76.3	146 20 03.2	326 18 38.9	McGloins Bluff	8929.6	3.950831
			266 17 22.0	86 19 19.1	Mustang	6915.3	3.839814
Grants 191	27 37 33.861	1042.2	38 59 51.9	218 59 15.8	Laguna Madre north base	3385.8	3.529658
	97 11 50.716	1390.5	88 32 58.9	268 30 18.3	Laguna Madre south base	9504.5	3.977929
			123 07 42.1	303 05 36.9	Laguna Madre north base	8329.8	3.945952
Island 1912	27 36 08.151	250.9	191 42 53.8	11 43 21.6	Mustang	8068.7	3.906802
	97 17 07.598	208.4	161 14 06.1	341 13 52.4	Laguna Madre south base	2528.3	3.402835
			253 05 23.8	73 07 50.6	Grants 2	9080.6	3.958113
Pass 1912	27 34 41.333	1272.2	112 39 08.3	292 37 20.1	Laguna Madre south base	6942.9	3.841539
	97 13 13.951	382.7	208 15 13.1	23 15 51.6	Grants 2	5780.2	3.761044
			158 15 10.4	338 17 14.5	Island	8965.7	3.952584
Sandhill 1912	27 31 37.520	1154.9	208 39 57.0	28 40 49.2	Pass	6448.5	3.809460
	97 15 06.728	184.6	204 07 46.6	24 08 38.3	Laguna Madre south base	5942.9	3.773997
			221 07 57.0	41 09 02.4	Island	5887.1	3.769901
Hardpan 1912	27 33 44.114	1357.8	298 26 06.5	118 28 07.7	Sandhill	8178.8	3.912668
	97 19 28.814	790.5	167 13 55	347 13 21	Espiritu Santo	8905.8	3.949671
			244 17 39	64 20 29	Pass Cavallo Light-house	10830.0	4.034630
<i>Supplementary points</i>							
Rahal's house ¹ 1857	28 18 14.56 96 29 54.09	448.2 1473.7	242 49 17.2 275 33 11.9	62 50 38.4 95 37 57.5	Espiritu Santo Pass Cavallo Light-house	5229.7 16458.2	3.718479 4.216382
Cant Island 1857	28 21 39.140 96 33 57.259	1204.9 1559.3	345 49 52.5	165 50 33.1	Rahal	9521.9	3.978722

¹ No check on this position.

Espiritu Santo Bay to Aransas Pass and Corpus Christi Bay—Continued.

Station	Latitude and Longitude	Sec-onds in meters	Azimuth	Back azimuth	To station	Distance	Logarithm
<i>Supplementary points—Continued.</i>							
Pavilion cupola, south 1911	28 26 57.873	1781.5	3 53 01.1	183 52 57.2	Big Bayou	Meters 3288.3	3.516066
	96 24 04.796	130.5	10 11 13.5	190 10 33.6	Matagorda Lighthouse	12590.6	4.100048
			31 42 26.8	211 40 02.3	Cactus	15769.2	4.197585
Pavilion cupola, north 1911	28 26 58.222	1792.3	3 47 09.1	183 47 05.3	Big Bayou	3298.7	3.518337
	96 24 04.977	135.4	10 09 22.1	190 08 43.3	Matagorda Lighthouse	12600.3	4.100382
			31 40 18.2	211 37 53.8	Cactus	15785.8	4.197715
Railroad water tank, Espiritu Santo 1911	28 26 32.266	993.3	344 31 10.0	164 31 22.1	Big Bayou	2586.2	3.412667
	96 24 38.342	1043.3	6 27 20.9	186 26 57.9	Matagorda Lighthouse	11678.0	4.067370
			30 16 57.0	210 14 48.3	Cactus	14613.3	4.164749
			56 49 12.8	236 46 47.2	Espiritu Santo 2	9962.0	3.997911
Beacon No. 2, Espiritu Santo 1911	28 25 00.429	13.2	16 10 23.6	196 09 39.2	Matagorda Lighthouse	9138.4	3.960688
	96 23 53.097	1445.1	74 41 05.1	254 38 18.1	Espiritu Santo 2	9913.2	3.996213
			121 44 16.1	301 44 06.7	Big Bayou	636.3	2.803861
Beacon No. 3, Espiritu Santo 1911	28 25 15.489	476.8	12 48 23.9	192 47 57.2	Matagorda Lighthouse	9476.2	3.976634
	96 24 09.415	256.2	36 58 11.6	216 58 09.9	Big Bayou	161.3	2.207689
			71 19 13.2	251 16 33.9	Espiritu Santo 2	9623.9	3.983849
Beacon No. 4, Espiritu Santo 1911	28 25 23.712	730.0	335 15 14.4	155 15 17.5	Big Bayou	420.7	2.623066
	96 24 19.449	529.4	10 53 48.5	190 53 16.6	Matagorda Lighthouse	9667.9	3.985332
			69 20 04.2	249 17 29.7	Espiritu Santo 2	9451.9	3.975518
Beacon No. 5, Espiritu Santo 1911	28 25 16.056	494.3	272 42 09.3	92 43 03.4	Big Bayou	3095.9	3.490784
	96 26 06.602	179.7	353 16 45.5	173 17 04.5	Matagorda Lighthouse	9322.1	3.969512
			62 22 26.0	242 20 42.4	Espiritu Santo 2	6680.3	3.825380
Beacon No. 6, Espiritu Santo 1911	28 25 06.878	211.7	267 53 34.7	87 54 39.7	Big Bayou	3719.1	3.570488
	96 26 29.533	803.9	349 10 43.7	169 11 13.6	Matagorda Lighthouse	9137.9	3.960845
			61 59 51.6	241 58 18.9	Espiritu Santo 2	6005.4	3.778543
Beacon No. 7, Espiritu Santo 1911	28 24 54.602	1680.8	263 40 54.2	83 42 15.5	Big Bayou	4679.4	3.670164
	96 27 03.868	105.3	342 51 51.4	192 52 37.6	Matagorda Lighthouse	8996.7	3.954082
			60 47 22.5	240 46 06.2	Espiritu Santo 2	5004.0	3.699320
Beacon No. 8, Espiritu Santo 1911	28 18 59.811	1841.2	215 57 06.6	35 57 41.8	Long	3438.7	3.536395
	96 36 52.019	1417.1	285 23 39.9	105 25 20.9	Contee	6019.4	3.779556
			14 32 45.2	194 32 17.3	Greek	9377.9	3.974676
			86 10 12.0	266 08 27.3	Nest	6025.5	3.779995
Beacon No. 9, Espiritu Santo 1911	28 18 57.552	1771.6	221 23 07.1	41 23 50.8	Long	3803.0	3.580127
	96 37 10.206	278.0	283 38 11.1	103 40 00.7	Contee	6481.7	3.811691
			10 16 16.2	190 15 57.0	Greek	6203.3	3.792626
			86 32 38.3	266 31 02.2	Nest	5526.6	3.742461
Beacon No. 10, Espiritu Santo 1911	28 18 51.045	1571.4	226 08 10.9	46 09 06.3	Long	4406.9	3.644138
	96 37 34.553	941.3	280 47 40.5	100 49 41.7	Contee	7087.8	3.850512
			4 17 10.1	184 17 02.4	Greek	5920.2	3.772340
			88 25 42.0	268 24 17.5	Nest	4855.1	3.686197
Beacon No. 11, Espiritu Santo 1911	28 18 49.194	1514.4	227 51 32.4	47 52 32.3	Long	4636.4	3.666181
	96 37 44.118	1201.9	279 58 29.2	100 00 34.9	Contee	7333.8	3.863332
			1 46 50.4	181 46 47.2	Greek	5849.5	3.767121
			89 02 54.5	269 01 34.5	Nest	4593.3	3.662127
Beacon No. 12, Espiritu Santo 1911	28 18 21.000	646.4	228 24 08.8	48 25 26.9	Long	5993.5	3.776892
	96 38 22.457	611.9	272 46 55.4	92 49 19.3	Contee	8277.4	3.917892
			350 09 48.3	170 10 03.3	Greek	5053.1	3.703556
			102 34 16.9	282 33 15.1	Nest	3635.3	3.560543
Beacon No. 13, Espiritu Santo 1911	28 15 06.181	190.3	345 43 54.3	165 44 11.7	Pan	4069.9	3.609582
	96 42 47.111	1284.2	30 30 01.6	210 28 36.3	Snake	9703.6	3.986954
			141 53 28.9	321 52 51.3	Heron	3507.4	3.544988
			208 20 42.0	28 21 45.7	Nest	7713.2	3.887234
Beacon No. 14, Espiritu Santo 1911	28 15 02.866	88.2	343 05 14.1	163 05 34.4	Pan	4016.0	3.603792
	96 42 53.170	1449.4	29 57 19.5	209 55 57.1	Snake	9532.3	3.979197
			145 03 31.5	325 02 56.8	Heron	3491.1	3.542962
			209 02 56.1	29 04 02.7	Nest	7882.0	3.896637
Bar 1911	28 22 09.354	288.0	244 34 37.6	64 35 31.2	Espiritu Santo Eccen- tric	3399.8	3.531454
	96 32 59.162	1612.0	305 48 43.6	125 50 33.0	Cactus	7736.0	3.888514
			54 47 38.4	234 46 23.0	Long	5291.2	3.723552
Windmill No. 2 1911	28 19 53.108	1634.8	85 01 09.2	265 00 02.5	Cactus	3840.6	3.584400
	96 26 48.403	1313.4	138 50 23.9	308 48 21.3	Espiritu Santo Eccen- tric	9017.6	3.955090
			145 00 03.3	324 58 39.7	Espiritu Santo 2	8349.0	3.921636
			252 57 05.2	72 57 44.0	Matagorda Lighthouse	2332.0	3.367727
Windmill No. 3 1911	28 19 21.612	665.3	76 25 26.6	256 23 43.2	Contee	9656.5	3.984818
	96 27 34.515	940.3	103 53 41.8	283 52 57.0	Cactus	2647.5	3.422830
			138 57 03.1	318 55 23.5	Espiritu Santo Eccen- tric	8733.7	3.943679
			244 37 11.8	64 38 12.5	Matagorda Lighthouse	3857.9	3.586346
Windmill No. 4 1911	28 18 53.567	1649.0	146 34 32.4	326 34 15.2	Cactus	1795.8	3.254270
	96 28 32.547	886.7	150 46 34.1	330 45 21.1	Espiritu Santo Eccen- tric	8578.8	3.934236
			167 13 14.0	347 17 40.0	Espiritu Santo 2	8888.6	3.948832
			243 34 35.8	63 36 04.1	Matagorda Lighthouse	5657.2	3.752598

Espiritu Santo Bay to Aransas Pass and Corpus Christi Bay—Continued.

Station	Latitude and Longitude	Sec-onds in meters	Azimuth	Back azimuth	To station	Distance	Loga-rithm
<i>Supplementary points—Continued.</i>							
Windmill No. 5 1911	28 18 20.786	638.3	86 15 06.0	266 13 21.1	Contee	Meters 6040.8	3.781096
	96 29 37.788	1029.6	164 09 07.4	344 08 25.4	Espiritu Santo Eccen- tric	8832.8	3.946097
					Cactus	2630.3	3.420003
Windmill 2 1911	28 25 21.060	643.3	107 25 53.8	17 26 07.5	Matagorda Lighthouse	7699.5	3.886464
	96 51 38.786	1055.6	242 43 11.9	62 45 11.2	Duck	3271.2	3.514705
					Nipper	6156.4	3.789324
Windmill No. 6 1911	28 17 52.582	1618.6	325 14 08.2	145 15 07.5	Austin	5950.7	3.774565
	96 30 31.902	869.2	331 30 32.7	151 30 57.0	Crescent	2914.2	3.464526
					Contee	4577.8	3.660655
Rear Range Beacon, Steam- boat Pass 1911	28 19 19.420	597.8	174 16 28.7	354 16 12.3	Espiritu Santo Eccen- tric	9410.4	3.973610
	96 37 04.161	113.3	213 49 13.5	33 49 52.9	Cactus	4064.0	3.608957
					Long	3205.2	3.505857
Front Range Beacon, Steamboat Pass 1911	28 19 04.376	134.7	227 08 33.4	47 09 11.3	Contee	6517.3	3.814070
	96 37 24.643	671.4	289 44 29.1	109 46 15.9	Greek	6895.2	3.835549
					Nest	5769.7	3.761153
Port Beacon 1911	28 18 57.157	1759.5	10 37 16.0	259 55 42.7	Long	3956.7	3.597330
	96 37 18.068	492.2	227 43 27.1	47 44 17.7	Contee	6914.4	3.839752
					Greek	6354.1	3.803055
Steamboat Pass 1897	28 18 46.833	1441.7	8 36 43.6	203 55 14.4	Nest	5152.0	3.711975
	96 37 04.289	116.8	284 43 28.2	104 35 24.7	Long	3929.5	3.594332
					Contee	6914.4	3.839752
Northerly gable, Espiritu Santo 1911	28 18 31.113	657.8	6 26 20.4	186 26 08.0	Greek	6354.1	3.803055
	96 37 24.480	667.0	83 56 43.6	203 55 14.4	Nest	5152.0	3.711975
					Long	3956.7	3.597330
Windmill E1 1911	28 15 03.440	105.9	233 85 43.5	43 36 31.0	Contee	6687.3	3.825250
	96 35 53.550	1459.8	283 06 05.6	103 07 59.0	Greek	6156.7	3.789350
					Nest	5312.1	3.725266
Windmill E2 1911	28 15 04.260	131.1	8 19 43.1	206 30 31.9	Espiritu Santo	12417.1	4.094200
	96 35 54.614	1483.5	231 41 55.6	51 44 45.3	Rahal	8401.6	3.924360
					Panther Point	14619.2	4.164925
Windmill E3 1911	28 12 35.970	1107.3	297 51 28.8	117 33 38.0	Long	4677.2	3.669689
	96 40 20.771	566.4	25 05 29.0	205 03 41.4	Greek	5338.5	3.727416
					Nest	5150.2	3.711820
Windmill E4 1911	28 15 03.440	105.9	218 21 54.5	38 22 45.0	Greek	4677.2	3.669689
	96 35 53.550	1459.8	7 43 07.9	187 42 55.4	Nest	5338.5	3.727416
					Contee	7068.4	3.849324
Windmill E5 1911	28 15 04.260	131.1	109 02 42.8	289 01 47.3	Greek	3380.6	3.528995
	96 35 54.614	1483.5	132 06 45.2	312 04 33.0	Nest	10251.7	4.010797
					Contee	7068.4	3.849324
Windmill H9 1911	28 11 52.014	1628.8	216 43 34.1	36 34 47.3	Greek	3345.0	3.524393
	96 41 30.428	829.9	108 47 57.1	288 47 02.1	Nest	10213.3	4.009165
					Contee	7065.6	3.849147
Windmill H10 1911	28 11 52.014	1628.8	99 48 19.9	279 45 03.0	False	11511.8	4.061145
	96 41 30.428	829.9	140 12 03.8	320 10 16.9	Heron	9912.4	3.992833
					Nest	11416.5	4.057532
Windmill H11 1911	28 11 26.068	802.4	178 22 10.6	358 22 05.0	Greek	6968.3	3.843125
	96 42 07.608	207.5	215 55 19.6	35 56 30.6	False	9999.1	2.999962
					Heron	9663.3	3.986470
Beacon No. 1, San Antonio Bay 1911	28 21 14.125	434.8	187 02 23.4	7 02 50.9	Nest	12834.1	4.103564
	96 44 40.024	1253.3	220 39 51.0	40 41 35.1	Greek	9187.6	3.963202
					False	9979.1	3.972160
Beacon No. 2, San Antonio Bay 1911	28 22 05.409	106.5	115 59 18.7	295 56 52.4	Heron	10071.5	4.003096
	96 44 54.398	1471.2	161 13 37.5	341 12 41.2	Pan	2832.3	3.452143
					Greek	10477.7	4.020297
Windmill H9 1911	28 23 11.155	343.4	178 80 01.2	358 29 59.9	Long	8159.6	3.911669
	96 39 36.022	980.7	221 55 10.5	41 57 18.0	Nest	8286.3	3.918359
					Mosquito Point 2	6426.1	3.807946
Windmill H10 1911	28 23 37.176	1144.4	307 21 44.5	127 23 37.6	Long	8070.9	3.927929
	96 39 26.171	712.4	10 44 18.9	190 43 52.0	Nest	9124.0	3.960153
					Mosquito Point 2	7179.8	3.856111
Windmill H11 1911	28 24 50.749	1839.3	43 47 21.4	223 45 54.7	Espiritu Santo 2	5122.4	3.709472
	96 32 26.416	719.0	300 30 32.0	120 31 49.1	Espiritu Santo Eccen- tric	4368.3	3.640316
					Contee	10135.8	4.005857
Northerly gable, San An- tonio Bay 1911	28 17 49.61	1527.2	6 26 58.6	186 26 33.7	Heron	7522.6	3.876870
	96 48 29.71	809.6	287 33 21	107 35 25	Dagger	2540.2	3.404800
					Webb	5741.5	3.759023
Beacon No. 1, San Antonio Bay 1911	28 21 14.125	434.8	48 19 32.5	228 18 17.7	Sharp	4522.9	3.654230
	96 44 40.024	1253.3	97 19 49.2	277 18 30.9	Terry	6953.4	3.842197
					Swan	5154.0	3.712143
Beacon No. 2, San Antonio Bay 1911	28 22 05.409	106.5	222 00 14.0	42 01 14.2	Mosquito Point 2	3823.2	3.582427
	96 44 54.398	1471.2	281 46 09.3	101 47 14.5	Webb	6753.2	3.829512
					Sharp	4374.2	3.640894
				Terry	5371.5	3.730094	
				Swan	4311.4	3.634619	
				Mosquito Point 2	4618.5	3.664500	

1 No check on this position.

Espiritu Santo Bay to Aransas Pass and Corpus Christi Bay—Continued.

Station	Latitude and Longitude	Seconds in meters	Azimuth	Back azimuth	To station	Distance	Logarithm
<i>Supplementary points—Continued.</i>							
Beacon No. 3, San Antonio Bay 1911	28 22 57.144	1759.1	28 43 26.4	208 42 19.7	Webb	Meters 7969.6	3.901438
	96 45 02.850	77.6	57 12 48.3	237 11 38.1	Sharp	4791.0	3.680425
			183 43 26.1	3 43 30.4	Terry	3786.9	3.578282
			260 25 44.9	80 26 53.1	Swan	3982.2	3.597934
			313 14 33.3	133 15 46.6	Mosquito Point 2	5767.1	3.760956
Beacon No. 4, San Antonio Bay 1911	28 23 48.534	1494.1	22 47 03.1	202 46 00.4	Webb	9296.4	3.968314
	96 45 11.292	307.4	42 16 54.5	222 15 48.2	Sharp	5645.0	3.751696
			192 13 07.4	12 13 15.7	Terry	2247.8	3.351761
			282 34 45.9	102 35 58.2	Swan	4238.6	3.627224
			321 18 38.1	141 19 55.5	Mosquito Point 2	7088.5	3.850553
Beacon No. 5, San Antonio Bay 1911	28 24 40.879	1258.4	18 17 24.8	198 16 26.3	Webb	10724.1	4.030362
	96 45 19.900	541.7	31 37 10.3	211 36 08.1	Sharp	6796.9	3.832311
			144 37 49.0	324 37 26.4	Oil	2229.8	3.348292
			172 12 17.3	352 12 08.6	Range Beacon	3646.3	3.561850
			230 29 15.2	50 29 27.6	Terry	920.3	2.963939
Beacon No. 6, San Antonio Bay 1911	28 25 34.820	1071.9	318 28 17.6	138 28 34.3	Terry	1435.9	3.157127
	96 45 28.790	783.6	24 01 57.0	204 00 59.1	Sharp	8155.4	3.911447
			98 33 02.7	278 32 44.4	Oil	1060.5	3.025529
			172 37 32.6	352 37 28.2	Range Beacon	1968.3	3.294098
Beacon No. 7, San Antonio Bay 1911	28 26 13.807	425.0	227 00 02.6	47 00 16.7	Range Beacon	1102.5	3.042376
	96 46 07.707	209.7	318 31 18.1	138 31 53.3	Terry	3036.6	3.482382
			359 25 49.4	179 25 49.6	Oil	1042.6	3.018116
Beacon No. 8, San Antonio Bay 1911	28 26 51.096	1591.4	282 12 07.7	102 12 41.2	Range Beacon	1960.5	3.292356
	96 45 48.495	1319.5	317 47 23.7	137 48 18.3	Terry	4645.9	3.667070
			333 06 18.9	153 06 38.5	Oil	2476.8	3.393884
Railroad water tank 1911	28 24 54.098	1065.4	357 18 42.1	177 18 48.3	Mosquito Point 2	7560.3	3.878539
	96 42 41.618	1132.7	358 47 30.6	178 47 31.7	Swan	2942.8	3.468762
			35 56 54.3	215 54 40.5	Webb	13078.1	4.116545
			51 48 54.0	231 46 36.6	Sharp	10017.3	4.000751
			70 09 22.4	250 06 06.3	Austin	11941.6	4.077061
Windmill, Sharp's 1911	28 21 04.873	150.0	175 53 31.8	355 53 23.6	Nipper	6505.1	3.813255
	96 47 41.384	1127.0	195 25 21.1	15 25 45.8	Marsh	5316.9	3.725658
			243 24 14.2	63 26 37.7	Swan	9196.2	3.963607
Windmill H8 1911	28 24 55.511	1708.9	323 44 00.7	143 44 39.0	Swan	3702.8	3.568527
	96 43 59.794	1627.4	42 38 45.9	222 37 05.6	Sharp	8479.9	3.928393
			95 15 12.2	275 14 46.5	Terry	1476.5	3.169225
Windmill H6 1911	28 26 43.194	1329.7	343 24 09.3	163 24 25.9	Terry	3318.0	3.520880
	96 45 28.636	779.2	28 24 13.2	208 23 54.8	Oil	2213.6	3.343102
			59 15 22.6	239 15 18.1	Range Beacon	298.9	2.475458
Windmill H7 1911	28 25 49.359	1519.5	12 37 35.7	192 37 29.7	Terry	1560.3	3.193208
	96 44 41.281	1123.4	30 18 25.0	210 17 04.4	Sharp	9145.5	3.961207
			134 14 01.5	314 13 34.4	Range Beacon	2156.8	3.333818
Windmill, Austin 1911	28 32 32.768	1008.7	138 23 20.6	318 22 39.9	Crescent	3503.6	3.544509
	96 49 22.250	605.8	175 05 57.1	355 05 48.5	Duck	5753.3	3.759914
			211 04 19.7	31 04 59.5	Nipper	4416.6	3.645089
			239 48 24.4	59 49 37.1	Marsh	4812.7	3.682385
			301 16 21.7	121 17 14.7	Sharp	3562.5	3.550535
Windmill, Red 1911	28 25 47.910	1474.9	327 12 45.8	147 13 10.8	Nipper	2646.0	3.422586
	96 48 51.145	1391.8	11 34 53.0	191 34 32.5	Austin	5834.2	3.765985
			43 07 48.8	223 06 53.3	Crescent	4641.7	3.666675
Windmill, Crescent 1911	28 23 32.889	1012.5	209 19 18.9	29 19 57.0	Duck	4452.0	3.648568
	96 51 00.423	11.5	248 40 33.7	68 42 00.2	Nipper	5315.6	3.725550
			204 13 40.7	24 13 46.7	Crescent	842.8	2.925700
Windmill H2 1911	28 22 50.966	1568.9	214 42 06.1	34 43 08.7	Duck	6291.7	3.798765
	96 51 51.925	1413.7	243 05 38.0	63 07 29.0	Nipper	7124.8	3.852772
			220 19 28.2	40 19 58.7	Crescent	2701.0	3.431519
Windmill H3 1911	28 24 24.731	701.3	243 23 33.7	63 24 53.5	Duck	5105.1	3.708007
	96 52 28.032	763.0	267 21 34.5	87 23 42.7	Nipper	7344.1	3.865940
			280 50 59.4	106 51 47.1	Crescent	2853.2	3.455335
Windmill H4 1911	28 26 25.789	793.9	294 52 26.3	114 53 20.7	Duck	3425.1	3.534667
	96 51 34.489	938.5	299 57 46.6	119 59 29.4	Nipper	6785.8	3.831604
			334 32 27.5	154 33 24.8	Austin	7921.2	3.892024
			344 22 49.0	164 23 11.3	Crescent	4728.6	3.674729
Windmill H5 1911	28 26 51.579	1587.8	302 16 30.6	122 17 32.5	Duck	4184.5	3.621645
	96 51 50.313	1368.9	303 32 29.5	123 34 19.8	Nipper	7570.2	3.879106
			342 19 36.6	162 20 06.4	Crescent	5613.7	3.749172
Beacon No. 15, Mesquite Bay 1 1911	28 11 59.26	1824.2	60 35 38	240 34 15	Ayres	5496.4	3.740081
	96 47 44.64	1217.5	193 49 04	13 49 17	False	3177.1	3.502033
Beacon No. 16, Mesquite Bay 1911	28 11 28.080	864.4	291 06 23.2	111 07 37.1	Sriake	4574.6	3.660356
	96 48 24.105	657.4	64 53 32.0	244 52 27.7	Ayres	4099.1	3.612993
			204 23 53.2	21 24 25.0	False	4441.7	3.647550

1 No check on this position.

Espiritu. Santo Bay to Aransas Pass and Corpus Christi Bay—Continued.

Station	Latitude and Longitude	Sec-onds in meters	Azimuth	Back azimuth	To station	Distance	Loga-rithm
<i>Supplementary points—Continued.</i>							
Beacon No. 17, Mesquite Bay 1911	28 10 45.208	1391.6	11 02 15.4	191 01 44.1	Cedar	Meters 8474.0	3.976532
	96 48 55.188	1505.4	62 43 51.4	242 41 55.6	Gaston	7533.0	3.876669
			81 39 33.6	261 38 44.0	Ayres	2884.5	3.461580
			206 33 47.2	26 34 33.7	False	5988.1	3.778011
Beacon No. 18, Mesquite Bay 1911	28 09 58.056	1787.1	314 18 48.0	124 19 41.9	Bray	4357.4	3.639227
	96 50 01.167	31.8	0 05 31.6	180 05 31.4	Cedar	7847.4	3.894724
			67 46 13.1	247 44 43.3	Gaston	5288.6	3.723341
			134 06 16.1	314 05 57.7	Ayres	1481.8	3.170802
Beacon No. 19, Mesquite Bay 1911	28 09 37.421	1151.9	105 15 15.4	15 15 23.2	Ayres	1727.3	3.237379
	96 50 56.835	1550.5	297 26 46.3	117 28 06.5	Bray	5228.0	3.715087
			348 11 49.5	168 12 15.6	Cedar	7367.3	3.867339
			67 58 21.9	247 57 23.5	Gaston	3642.5	3.561396
Beacon No. 21, Mesquite Bay 1911	28 09 02.931	90.2	229 59 16.4	50 00 12.6	Ayres	4243.9	3.627763
	96 52 39.330	1073.2	280 15 25.4	100 17 33.9	Bray	7554.5	3.878208
			325 00 21.9	145 01 36.3	Cedar	7506.8	3.875436
			62 16 03.1	242 15 53.1	Gaston	655.2	2.816369
Beacon No. 22, Mesquite Bay 1911	28 08 41.548	1279.0	212 35 13.0	32 35 16.9	Gaston	419.3	2.622566
	96 53 08.861	241.8	274 45 44.5	94 48 06.9	Bray	8268.2	3.917412
			317 03 07.6	137 04 35.9	Cedar	7501.9	3.875169
			62 01 51.1	242 00 33.8	Dun	5068.2	3.704856
Beacon No. 23, Mesquite Bay 1911	28 08 11.341	349.1	210 45 49.3	30 46 02.5	Gaston	1493.3	3.174159
	96 53 28.578	779.9	226 46 43.5	46 48 02.9	Ayres	6304.0	3.796319
			308 54 54.4	128 56 32.0	Cedar	7260.9	3.860989
			69 49 16.1	249 48 08.1	Dun	4195.7	3.622801
Beacon No. 24, Mesquite Bay 1911	28 07 35.252	1085.2	210 34 33.1	30 34 57.5	Gaston	2780.8	3.444174
	96 53 52.426	1430.8	224 00 46.7	44 02 16.8	Ayres	7547.8	3.877823
			298 42 09.6	118 43 58.3	Cedar	7183.2	3.856317
			84 09 13.3	264 08 16.5	Dun	3304.5	3.519102
Front Range 1 ¹ 1911	28 11 18.47	568.6	66 37 45	246 36 47	Ayres	3639.6	3.561058
	96 48 37.70	1028.3	206 55 59	26 56 37	False	4968.9	3.687431
Rear Range A 1911	28 10 03.203	98.6	319 25 41.1	139 26 28.6	Bray	4216.1	3.624914
	96 49 47.401	1283.1	2 46 39.8	182 46 33.2	Cedar	8015.2	3.903915
			47 43 33.1	247 42 02.0	Gaston	5696.2	3.755585
			121 13 49.9	301 13 25.0	Ayres	1083.6	3.226232
Front Range A 1911	28 09 59.925	1844.7	316 02 20.7	136 03 12.5	Bray	4308.8	3.634360
	96 49 56.522	1542.0	1 00 38.4	181 00 36.1	Cedar	7906.1	3.897963
			67 42 53.6	247 41 26.8	Gaston	5427.7	3.734616
			129 16 28.6	309 16 08.0	Ayres	1538.3	3.187036
Front Range 3 1911	28 10 05.744	176.8	317 01 49.5	137 02 42.4	Bray	4483.5	3.651621
	96 49 58.902	1006.9	65 42 30.8	245 41 05.1	Gaston	5438.9	3.735508
			125 12 54.0	305 12 34.5	Ayres	1378.1	3.139268
Rear Range 3 ¹ 1911	28 10 03.47	106.8	65 57 40	245 56 16	Gaston	5320.9	3.725987
	96 50 02.49	67.9	130 03 56	310 03 38	Ayres	1343.3	3.128157
Chimney on house 1911	28 07 49.674	1529.2	102 31 58.0	282 29 26.2	Gaston	9001.9	3.954332
	96 47 38.536	1051.7	135 10 08.7	315 08 43.0	Ayres	7023.9	3.846835
			139 31 47.0	319 31 33.6	Bray	1193.0	3.076639
Windmill M4 1911	28 07 02.943	90.6	57 28 16.2	237 27 09.8	Cedar	4568.0	3.659724
	96 47 40.550	1106.7	111 13 37.8	291 11 06.9	Gaston	9368.0	3.971646
			142 39 34.1	322 38 09.3	Ayres	8078.4	3.907326
Windmill M5 1911	28 07 36.735	1130.8	103 37 13.3	288 34 25.6	Gaston	9989.4	3.999541
	96 47 04.777	130.4	127 36 15.0	307 35 45.7	Bray	2140.2	3.330452
			132 29 36.0	312 27 54.4	Ayres	7968.8	3.901392
Windmill M6 1911	28 07 47.943	1475.8	102 55 13.3	282 52 42.2	Gaston	8974.4	3.953005
	96 47 40.008	1091.8	135 42 24.0	315 40 59.0	Ayres	7037.8	3.847440
			142 37 03.9	322 36 51.3	Bray	1209.2	3.082507
Front Range Beacon G 1911	28 08 51.240	1577.3	231 41 13.1	51 42 20.7	Ayres	4982.1	3.697411
	96 53 03.477	84.9	276 56 19.7	96 58 39.6	Bray	8152.4	3.911288
			319 23 18.3	139 24 44.1	Cedar	7626.5	3.882323
			235 08 34.7	55 08 36.1	Gaston	96.2	1.983143
			59 56 37.5	239 55 17.7	Dun	5341.4	3.727659
Rear Range Beacon G 1911	28 08 54.988	1692.7	232 15 51.4	52 16 57.8	Ayres	4888.1	3.686468
	96 53 01.016	27.7	277 48 24.0	97 50 42.8	Bray	8100.7	3.908521
			320 19 49.3	140 21 14.0	Cedar	7671.4	3.884875
			348 56 45.9	168 56 46.1	Gaston	61.65	1.789244
			59 14 54.8	239 13 33.9	Dun	5457.8	3.737014
Carlos Beacon 1911	28 07 18.888	581.4	99 12 11.1	279 09 42.0	Ballou House	8742.1	3.941615
	96 54 15.773	430.4	93 36 19.4	273 35 33.6	Dun	2655.3	3.424121
			215 17 45.7	35 18 21.1	Gaston	3650.7	3.550313
Rear Range Beacon D 1911	28 06 45.804	1410.0	108 38 42.4	288 36 38.7	Ballou House	7555.7	3.878273
	96 55 09.657	263.6	135 08 13.8	315 07 52.4	Dun	1672.1	3.223251
			221 57 40.8	41 58 41.6	Gaston	5267.3	3.721588

¹ No check on this position.

Espiritu Santo Bay to Aransas Pass and Corpus Christi Bay—Continued.

Station.	Latitude and Longitude	Sec-onds in meters	Azimuth	Back azimuth	To station	Distance	Logarithm
<i>Supplementary points—Continued.</i>							
Front Range Beacon D 1911	28 06 49.038	1509.5	107 36 08.0	287 34 01.9	Ballou House Dun Gaston	Meters 7659.0	3.884171
	96 55 04.480	122.3	129 25 07.5	309 24 44.7		1709.7	3.232914
			221 31 45.5	41 32 43.9		5099.0	3.707481
Windmill M1 1911	28 04 54.162	1667.2	73 07 24.6	253 05 47.3	Joe Dun Ayres Bray Cedar	5898.3	3.770727
	96 51 02.704	73.8	120 16 54.0	300 14 37.3		9170.6	3.962399
			183 23 11.0	3 23 21.5		10404.0	4.017202
			217 14 17.0	37 15 39.8		7927.3	3.899126
			227 53 00.2	47 53 29.0		2247.6	3.351727
Windmill M2 1911	28 04 52.722	1622.9	73 35 25.7	253 33 48.1	Joe Dun Ayres Bray Cedar	5904.3	3.771170
	96 51 01.988	54.3	120 27 31.3	300 25 14.2		9209.9	3.964256
			183 15 54.4	3 16 04.5		10447.2	4.019000
			216 53 57.6	36 57 20.0		7950.9	3.900416
			226 43 08.2	46 43 36.6		2263.4	3.354752
Windmill M3 1911	28 04 51.368	1581.2	73 59 23.8	253 57 46.1	Joe Ayres Bray Cedar	5896.6	3.770802
	96 51 01.839	50.2	183 13 48.0	3 13 58.1		10488.6	4.020716
			216 43 46.7	36 45 09.1		7981.8	3.902102
		225 53 23.9	45 53 52.3	2289.2	3.359682		
Oil Well 1911	28 03 27.853	857.4	61 58 35.4	241 56 00.9	Car Joe Dun	10177.8	4.007654
	96 51 47.532	1298.0	102 03 17.1	282 02 01.0		4519.8	3.655121
			137 23 40.6	317 31 45.1		9801.3	3.995255
Beacon No. 25, Aransas Bay 1911	28 06 55.187	1699.0	105 33 26.0	285 31 14.0	Ballou House Dun Gaston	7930.9	3.898222
	96 54 52.023	1419.9	118 21 28.0	298 20 59.3		1887.2	3.275825
			219 58 07.1	39 58 59.6		4733.6	3.675189
Beacon No. 26, Aransas Bay 1911	28 06 31.884	981.5	140 30 56.8	320 30 33.4	Dun Cedar Ballou House	2090.8	3.320308
	96 55 04.162	113.6	280 16 50.0	100 19 12.5		8393.7	3.922951
			111 15 45.0	291 13 38.7		7842.9	3.894479
Beacon No. 27, Aransas Bay 1911	28 06 05.667	174.4	117 48 33.5	297 46 33.9	Ballou House Dun Gaston Joe	7825.8	3.893527
	96 55 18.348	500.9	158 43 50.0	338 43 33.7		2597.6	3.414566
			216 06 49.2	36 07 54.1		6377.8	3.804672
			341 08 58.5	161 09 21.5		4136.5	3.616637
Beacon No. 28, Aransas Bay 1911	28 05 57.936	1783.4	169 50 22.8	349 50 14.6	Dun Gaston Joe	2701.0	3.431517
	96 55 35.417	966.8	218 05 14.2	38 06 27.2		6848.8	3.835612
			333 52 55.8	153 53 26.9		4094.7	3.612226
Beacon No. 29, Aransas Bay 1911	28 05 29.222	890.5	163 32 31.6	316 31 13.6	Ballou House Dun Joe	6573.6	3.817805
	96 56 46.311	1264.3	202 22 34.6	22 22 59.8		3831.0	3.583313
			306 45 22.9	126 46 27.4		4666.2	3.668960
Beacon No. 30, Aransas Bay 1911	28 04 46.756	1439.3	89 42 45.6	269 40 40.7	Oak Ballou House Dun Joe Car Mile	7243.6	3.850952
	96 57 47.991	1310.3	154 58 11.0	334 57 22.0		6708.4	3.826618
			212 56 02.8	32 56 57.0		5778.8	3.761835
			285 18 33.6	105 20 07.0		5622.2	3.749909
			353 10 39.7	173 10 54.5		7265.5	3.861263
			49 22 35.4	229 20 50.0		8069.4	3.906842
Beacon No. 31, Aransas Bay 1911	28 04 41.576	1279.8	90 59 50.0	270 57 48.1	Oak Ballou House Dun Joe Car Mile	7070.5	3.849450
	96 57 54.364	1484.3	156 52 15.5	336 51 29.5		6783.0	3.831422
			213 29 57.6	33 30 54.8		6007.5	3.778693
			283 19 06.8	103 20 43.0		5751.4	3.759776
			351 38 09.8	171 38 27.6		7130.4	3.853113
			49 25 55.7	229 24 13.3		7833.5	3.893956
Beacon No. 32, Aransas Bay 1911	28 01 24.896	766.3	153 21 15.3	333 21 07.0	Mile Oak Mud Rock	1072.1	3.030231
	97 01 14.614	399.2	165 27 24.5	345 26 56.9		6379.7	3.804799
			344 56 29.4	164 57 07.4		8525.6	3.930724
			52 17 09.6	232 15 57.4		5305.8	3.724749
Fulton Mansion, staff on cupola 1911	28 03 26.034	801.4	175 04 37.1	355 04 33.5	Oak Ballou House Mile	2455.3	3.390106
	97 02 05.571	152.1	206 04 35.1	26 05 47.4		9534.0	3.979275
			341 47 45.8	161 48 03.7		2916.6	3.464877
Third windmill 1911	27 59 32.64	1004.7	90 59 34	270 56 01	Rock Car	12432.7	4.094665
	96 56 13.29	363.1	144 55 13	324 54 49		3000.1	3.477129
Second windmill 1911	27 58 43.050	1325.1	50 08 52.5	230 07 45.7	Mud Rock Mile Car	5072.5	3.705218
	96 57 31.131	850.8	99 35 05.1	279 32 08.2		10449.7	4.019105
			132 03 36.8	312 01 43.7		8869.7	3.947911
			185 46 18.6	5 46 25.5		4001.8	3.602259
First windmill 1911	27 57 22.448	691.0	67 49 12.2	247 48 39.8	Mud Rock Mile	2039.4	3.309497
	96 58 44.502	1216.4	116 57 00.0	296 54 37.5		9310.1	3.968353
			151 27 22.8	331 26 04.1		9557.4	3.981699
Windmill 1911	27 55 56.275	1732.2	136 28 43.9	316 26 51.9	Rock Mile Mud	9475.6	3.976605
	96 59 49.422	1351.2	165 46 21.5	345 45 33.3		11424.5	4.057837
			176 32 27.2	356 32 25.3		1886.0	3.275534
Windmill, W. & A 1911	27 56 52.400	1613.0	95 40 28.4	275 40 01.6	Mud Rock Mile	1567.6	3.195247
	96 58 56.519	1546.0	122 50 16.0	302 47 59.1		9486.5	3.977107
			155 32 03.6	335 30 50.5		10269.0	4.011527
Windmill, Mud 1911	27 56 36.166	1113.2	122 41 53.9	302 41 36.4	Mud Rock Mile	1211.8	3.083446
	96 59 16.279	445.1	127 12 58.4	307 10 50.8		9330.9	3.969922
			159 20 18.2	339 19 14.4		10523.3	4.022150

¹ No check on this position.

Espiritu Santo Bay to Aransas Pass and Corpus Christi Bay—Continued.

Station	Latitude and Longitude	Sec-onds in meters	Azimuth	Back azimuth	To station	Distance	Logarithm
<i>Supplementary points—Continued.</i>							
School cupola 1911	28 01 41.921 97 03 13.515	1290.4 389.1	261 04 35.2 278 51 29.0 328 01 40.8 14 07 03.6 196 13 27.3	81 06 22.8 98 54 18.7 148 03 14.7 194 06 47.3 16 13 55.5	Mile Car Mud Rock Oak	Meters 2800.9 9874.0 10321.6 3887.8 5885.6	3.447302 3.994494 4.013745 3.589708 3.766790
Rockport court house, spire 1911	28 01 32.078 97 03 10.711	987.4 292.6	254 40 18.6 277 10 09.5 327 28 58.3 16 28 01.7 194 45 07.7	74 41 04.9 97 12 55.9 147 30 30.9 196 27 44.1 14 45 34.6	Mile Car Mud Rock Oak	2789.6 9755.9 10024.4 3615.7 6157.1	3.445549 3.989238 4.001058 3.558197 3.789378
Red spire 1911	28 01 09.388 97 03 15.714	289.0 429.3	273 01 36.4 324 31 41.8 17 47 05.5	93 04 24.9 144 33 16.6 197 46 50.2	Car Mud Rock	9830.1 9521.6 2908.0	3.992556 3.978711 3.463595
National Bank, cupola 1911	28 01 14.517 97 03 02.371	446.9 64.8	274 05 52.6 326 53 12.0 242 34 24.7	94 08 35.1 146 54 40.6 62 35 07.1	Car Mud Mfile	9476.0 9446.7 2774.5	3.976936 3.975278 3.443190
Weather Bureau, signal tower 1911	28 01 13.052 97 03 02.374	401.8 648.6	273 49 33.5 326 44 11.0 241 45 15.4	93 52 16.0 146 45 39.4 61 45 57.7	Car Mud Mile	9473.0 9409.0 2795.6	3.976487 3.973542 3.446472
Pavilion flagstaff 1911	28 01 12.964 97 02 57.619	399.1 1574.1	273 51 47.3 327 23 40.2 240 23 27.2	93 54 27.6 147 25 08.6 60 24 07.3	Car Mud Mfile	9343.2 9336.0 2683.2	3.970496 3.970163 3.428661
Hotel cupola 1911	28 00 51.023 97 03 12.285	1570.6 335.6	233 47 28.2 269 43 39.1 322 55 39.0	53 48 15.2 89 46 26.2 142 57 12.3	Mile Car Mud	3387.7 9722.7 9010.3	3.529902 3.987788 3.954741
Lamar Church, cross 1911	28 08 07.064 96 59 35.144	217.4 959.1	34 50 17.1 123 31 53.9 315 42 19.7	214 49 02.6 303 29 51.1 135 42 21.1	Oak Rat Ballou House	7558.5 8318.6 122.9	3.878433 3.930367 2.089590
Windmill C 1911	28 14 01.616 97 01 06.258	49.7 170.6	6 34 12.1 10 17 02.9 36 37 21.1	186 34 08.9 190 16 21.2 216 36 01.2	End Decker Rat	4124.1 13488.8 7737.1	3.615327 4.129909 3.888579
Windmill C1 1911	28 11 50.111 96 58 31.494	1542.6 858.9	35 43 34.6 76 16 11.7 89 24 50.8	215 41 40.1 256 13 38.7 269 23 29.5	Decker Rat End	11357.8 9097.1 4693.1	4.055295 3.958905 3.671456
Windmill C2 1911	28 11 48.922 96 58 33.282	1506.0 907.7	35 38 01.4 76 25 17.9 89 51 33.1	215 36 07.6 256 22 45.7 269 50 12.6	Decker Rat End	11299.6 9041.1 4644.1	4.053064 3.956222 3.666898
Windmill C3 1911	28 11 40.436 96 59 09.588	1244.7 261.5	32 04 32.8 76 34 11.6 93 54 21.5	212 02 58.2 256 31 58.6 273 53 18.2	Decker Rat End	10530.7 8017.3 3662.4	4.022457 3.904027 3.563760
East chimney, Copano ruins 1911	28 08 45.379 97 07 39.725	1396.9 1083.9	240 02 40.7 340 20 42.1 0 44 42.9 24 46 05.8	60 04 26.4 160 21 29.0 180 44 40.7 204 46 05.0	Rat Hans Port Cop	7060.8 8074.0 9632.1 112.3	3.848856 3.907088 3.983722 2.050247
Windmill, Mission 1911	28 10 51.089 97 09 54.676	1572.7 1491.4	330 50 31.0 345 13 39.8 356 48 09.8 4 54 30.1	150 52 21.5 165 14 41.2 176 48 15.6 184 54 10.0	Hans Port Miss Star	13136.5 13961.9 8007.9 13624.7	4.118479 4.144946 3.778722 4.134328
Northerly gable, Copano Bay 1911	28 03 25.847 97 06 59.098	795.6 1613.9	91 16 17.3 99 24 52.5 110 27 29.4 149 57 50.8	271 14 34.6 279 24 31.2 290 24 44.5 329 56 34.0	Star Port Mary Miss	5962.0 1251.6 10210.1 8903.6	3.775391 3.097466 4.006029 3.949564
Bayside Hotel, center of lookout 1911	28 05 31.729 97 12 46.047	976.7 1257.1	234 48 15.4 278 24 29.6 293 59 35.1 316 48 39.4 16 53 23.0	54 50 42.0 98 27 40.7 114 01 57.2 136 49 40.0 196 53 21.4	Cop Hans Port Star Mary	10170.7 11199.8 9019.2 5134.6 324.1	4.007351 4.049212 3.955167 3.710505 2.510686
Windmill P 1 1911	28 00 25.92 97 11 16.25	797.9 444.0	190 36 30 225 12 48	10 36 48 45 14 28	Star Port	5768.0 8154.6	3.761025 3.911400
Windmill P1 1911	28 02 41.962 97 13 15.503	1291.7 423.4	188 13 07.1 212 41 58.7 251 03 13.9 260 13 12.2	8 13 19.4 32 43 39.2 71 04 28.3 80 15 48.0	Mary Miss Star Port	4968.7 10765.5 4565.9 9177.6	3.696071 4.032036 3.659527 3.962730
Windmill P3 1911	28 02 51.739 97 13 06.566	1502.6 179.3	185 45 58.9 212 27 52.2 253 49 48.8 261 51 56.8	5 46 06.9 32 29 28.4 73 50 59.0 81 54 28.4	Mary Miss Star Port	4633.2 10380.5 4242.3 8889.6	3.666353 4.016230 3.627602 3.948883
Windmill P2 1911	28 02 42.004 97 13 16.028	1293.0 437.7	188 23 04.3 212 46 02.9 251 07 37.6 260 14 34.9	8 23 16.8 32 47 43.5 71 08 52.2 80 17 10.8	Mary Miss Star Port	4967.6 10772.3 4579.1 9191.6	3.696143 4.032307 3.660777 3.963380

¹ No check on this position.

Espiritu Santo Bay to Aransas Pass and Corpus Christi Bay—Continued.

Station	Latitude and Longitude	Sec-onds in meters	Azimuth	Back azimuth	To station	Distance	Loga-rithm
<i>Supplementary points—Continued.</i>							
	° ' "		° ' "	° ' "		Meters	
Island house chimney 1911	27 59 14.644 97 03 58.342	450.8 1504.3	199 55 29.0 218 46 41.3 302 15 05.6	19 55 33.7 38 47 49.9 122 17 00.4	Rock Mile Mud	811.6 6373.0 7911.3	2.909333 3.504546 3.598248
Easterly gable ¹ 1911	27 58 29.67 97 04 08.83	913.3 241.0	194 41 27 292 07 47	14 41 37 112 09 46	Rock Mud	2219.8 7532.1	3.346321 3.570814
Murrays Shoal beacon ¹ 1911	27 54 03.77 97 02 36.13	116.0 988.2	169 12 23 219 43 45	349 11 49 39 45 01	Rock Mud	10518.5 6951.8	4.021956 3.542100
Beacon "A," Aransas Bay 1912	27 53 13.998 97 02 06.326	430.9 173.0	299 43 57.7 38 58 12.5 86 28 49.5	119 44 02.9 218 57 36.7 266 28 24.4	Blind Aransas Lighthouse Ridge	347.4 3338.6 1470.9	2.540819 3.522916 3.167592
Beacon "C," Aransas Bay 1912	27 53 47.868 97 02 17.681	1473.5 483.6	333 15 15.5 26 10 09.1 45 37 02.4	153 15 26.0 206 09 38.6 225 36 42.6	Blind Aransas Lighthouse Ridge	1360.4 4049.5 1619.7	3.133666 3.607403 3.209440
Center chimney ¹ 1911	27 54 36.13 97 03 43.36	1112.2 1185.7	179 11 09 235 17 19	359 11 07 55 19 06	Rock Mud	9337.1 7641.2	3.970214 3.883161
Southerly chimney ¹ 1911	27 54 34.90 97 03 42.02	1074.8 1149.1	178 57 52 234 53 56	358 57 49 54 55 43	Rock Mud	9375.4 7632.6	3.971990 3.882670
Northerly gable ¹ 1911	27 54 34.16 97 03 41.16	1051.5 1125.6	178 49 24 234 39 20	358 49 21 54 41 06	Rock Mud	9398.9 7626.6	3.973078 3.882331
Tarpon Inn, flagstaff 1912	27 50 14.247 97 03 35.806	438.5 979.8	186 48 47.3 190 11 59.8 207 08 55.1	6 48 53.3 10 12 16.5 27 09 42.1	Aransas Lighthouse Ridge Blind	2961.9 5530.0 6024.8	3.471572 3.742727 3.779940
Weather Service, display tower 1912	27 50 16.258 97 03 33.901	500.4 927.7	185 36 02.4 189 46 36.2 206 58 28.3	5 56 07.5 9 46 32.0 26 59 12.4	Aransas Lighthouse Ridge Blind	2894.6 5460.0 5945.9	3.461591 3.737194 3.774219
Kilnes lookout 1912	27 50 34.326 97 03 27.452	1056.6 751.2	183 01 35.7 188 50 42.3 207 59 17.8	3 01 37.8 8 50 55.1 28 00 00.9	Aransas Lighthouse Ridge Blind	2326.2 4882.6 5371.1	3.366644 3.688652 3.730060
Ransom Point Beacon ¹ 1912	27 51 20.16 97 07 26.32	620.7 720.2	244 52 38 262 11 05	64 54 43 82 12 59	Ridge Aransas Lighthouse	8045.5 6720.2	3.905551 3.827381
Hotel cupola ¹ 1912	27 54 04.82 97 08 49.27	148.4 1347.5	279 48 19 294 56 57	99 51 03 114 59 30	Ridge Aransas Lighthouse	9694.8 9845.8	3.986538 3.992352
Ice factory smokestack ¹ 1912	27 53 54.79 97 08 42.09	1686.4 1151.0	278 09 50 293 45 57	98 12 30 113 48 26	Ridge Aransas Lighthouse	9452.4 9539.4	3.975541 3.979519
Windmill A 1912	27 41 42.613 97 15 39.555	1311.7 1083.8	268 12 56.5 281 19 24.7 21 37 14.6	88 15 10.6 101 19 41.8 201 36 55.6	Mustang Demit Laguna Madre north base	7912.1 1027.5 3047.7	3.896293 3.011770 3.483968
Welburn's house 1912	27 41 38.327 97 15 25.115	1179.7 688.2	229 07 03.5 267 07 09.8 29 20 42.5	49 09 26.2 87 09 17.2 209 30 16.8	Shamrock Mustang Laguna Madre north base	11126.2 7522.1 3098.9	4.046347 3.876341 3.491211
Shed on wharf, northeast gable ¹ 1912	27 41 22.42 97 15 25.44	690.1 697.1	235 55 36 34 19 08	55 55 46 214 18 42	Demit Laguna Madre north base	749.5 2677.7	2.874781 3.427755
Windmill D 1912	27 40 31.573 97 16 11.683	971.8 320.2	223 33 43.0 307 23 16.0 20 33 04.6	43 34 15.0 127 25 17.1 200 33 00.5	Demit Grants 2 Laguna Madre north base	2739.4 9005.1 690.6	3.437650 3.954487 2.839216
House, red roof ¹ 1912	27 39 26.89 97 17 40.16	827.7 1100.8	320 16 32 351 41 43	140 18 35 171 41 58	Pass Island	11425.2 6182.1	4.057865 3.791139
Windmill, near green- fooded house ¹ 1912	27 38 53.90 97 17 02.06	1659.0 56.5	1 42 16 19 36 59	181 42 13 199 36 43	Island Laguna Madre south base	5104.1 2874.7	3.707918 3.458595
Windmill, near barn ¹ 1912	27 38 52.55 97 17 22.95	1617.5 639.1	318 32 26 344 24 05	138 34 21 164 25 08	Pass Sandhill	10315.4 13901.7	4.013438 4.143089
Mexican house ¹ 1912	27 38 50.07 97 17 05.71	1541.2 156.5	0 35 39 18 28 05	180 35 38 198 27 50	Island Laguna Madre south base	4984.3 2730.7	3.697601 3.436270
Brighton Schoolhouse, east gable ¹ 1912	27 38 38.45 97 17 16.10	1183.5 441.3	357 06 49 14 34 03	177 06 53 194 33 53	Island Laguna Madre south base	4632.1 2306.5	3.665732 3.362951
Windmill (McGlains Bluff) 1912	27 49 33.422 97 13 09.757	1028.8 267.0	327 21 01.4 345 03 05.0 35 43 12.1	147 22 21.5 165 04 09.7 215 40 36.9	Shamrock Mustang Oso	8721.8 14746.6 15645.2	3.940606 4.168961 4.194383

¹ No check on this position.

Espiritu Santo Bay to Aransas Pass and Corpus Christi Bay—Continued.

Station	Latitude and Longitude	Sec-onds in meters	Azimuth	Back azimuth	To station	Distance	Loga-rithm
<i>Supplementary points—Continued.</i>							
Windmill at Barnes' house 1912	27 34 38.672	1190.3	235 03 25.8	55 04 32.4	Islana Pass Sandhill Hardpan	Meters 4809.7 10352.5 9154.5 1680.8	3.682118 4.015046 3.961636 3.225615
	97 19 31.369	960.4	269 31 21.1 307 30 22.5 357 36 36.2	89 34 15.8 127 32 24.9 177 36 37.4			
Barnes' house, south gable 1912	27 34 37.750	1162.2	234 45 44.3	54 46 50.8	Island Puzzle Hardpan	4923.3 1598.3 1652.6	3.683348 3.203657 3.215157
	97 19 31.257	857.4	257 19 47.8 357 40 32.7	77 20 14.1 177 40 33.8			
Puzzle 1912	27 34 49.145	1512.7	224 23 09.5	44 23 49.7	Island Sandhill	3403.2 8200.7	3.531885 3.913852
	97 18 34.405	943.7	315 58 39.8	136 00 15.9			
Bay View College recitation hall, bellry 1905	27 52 11.976	308.6	90 52 40.0	279 46 47.0	Kaleta Portland McGloins Bluff Mustang	20950.4 1987.6 11053.8 23713.1	4.321192 3.295325 4.043513 4.374989
	97 19 22.524	624.4	141 15 50.7 235 40 44.5 323 44 18.0	321 15 38.4 115 43 34.5 143 48 16.6			
		330.5	99 59 01.6 149 05 34.1 295 29 08.7 347 16 55.9	279 53 08.2 322 05 13.0 115 31 58.9 167 18 21.0			
		631.0					
Corpus Christi Lighthouse 1905	27 47 21.187	652.2	88 18 53.8	268 18 03.3	Corpus Portland McGloins Bluff	2966.2 11309.3 15953.3	3.472202 4.053434 4.202988
	97 22 41.706	1141.7	201 46 48.5 254 51 54.9	21 48 00.1 74 56 17.5			
		1298.0	23 51 04.9 85 52 57.2 133 27 11.4 214 43 32.1 258 55 11.5 296 00 26.1 316 40 29.1	203 50 59.5 265 46 57.8 313 23 37.0 34 45 28.9 79 00 19.2 116 06 42.1 136 44 11.5			
Corpus Christi standpipe 1905	27 47 41.817	1298.0	23 51 04.9	203 50 59.5	Corpus Rogers Kaleta Portland McGloins Bluff Mustang Laguna Madre north base	790.8 21163.0 17299.7 15005.9 18361.9 24814.7 19034.5	2.898041 4.325578 4.239038 4.079394 4.264627 4.391185 4.280681
	97 24 18.328	501.8	85 52 57.2 133 27 11.4 214 43 32.1 258 55 11.5 296 00 26.1 316 40 29.1	265 46 57.8 313 23 37.0 34 45 28.9 79 00 19.2 116 06 42.1 136 44 11.5			
Corpus Christi colored church spire 1905	27 47 54.005	1602.4	85 04 23.9	264 58 10.0	Rogers Kaleta McGloins Bluff Mustang Laguna Madre north base	22036.5 17677.3 17490.4 24028.6 18796.5	4.343143 4.247415 4.242800 4.380729 4.274076
	97 23 47.404	1297.6	130 41 15.9 259 35 42.2 297 41 57.3 319 20 24.7	310 37 26.9 79 40 35.5 117 47 58.9 139 23 52.7			
		1493.1	85 29 20.7 131 19 43.9 212 16 09.5 259 07 01.2 297 13 23.0 318 45 13.1	265 23 08.6 311 15 56.7 32 17 53.7 79 11 56.4 117 19 28.4 138 48 42.9			
		1405.2					
Corpus Christi King Memorial Episcopal Church spire 1905	27 47 47.277	1455.2	52 38 47.6	232 38 27.7	Corpus Portland Laguna Madre north base	1467.9 11401.6 18639.5	3.166693 4.056965 4.270434
	97 23 47.386	1297.2	211 42 33.4 318 55 35.9	31 44 15.6 138 59 03.8			
		1058.9	257 27 48.0 295 38 16.4 5 39 26.9	77 30 47.1 115 38 42.3 185 39 17.2			
Windmill No. 1 1905	27 40 34.401	1058.9	257 27 48.0	77 30 47.1	Mustang Laguna Madre north base Laguna Madre south base	10817.0 1695.4 5829.7	4.034106 3.229284 3.765648
	97 17 16.302	446.8	295 38 16.4 5 39 26.9	115 38 42.3 185 39 17.2			
Alta Vista Hotel, south spire 1905	27 45 34.048	1048.0	95 48 43.2	275 41 58.8	Rogers Corpus Portland Mustang	23886.4 4376.9 14420.8 20639.8	4.378151 3.641171 4.158989 4.314706
	97 22 41.344	1132.2	137 10 58.8 196 52 33.4 289 25 30.9	317 10 08.1 16 53 44.8 109 31 01.4			
		1139.7	63 31 41.4 86 25 39.2 210 56 43.0 257 55 42.9 318 15 12.5	243 31 21.7 266 19 25.5 30 58 25.5 78 00 36.3 138 18 40.6			
		1309.1					
Corpus Christi, Dr. Spohn's house, cupola 1905	27 47 37.027	1139.7	63 31 41.4	243 31 21.7	Corpus Rogers Portland McGloins Bluff Laguna Madre north base	1290.2 21986.3 11677.3 17603.5 18410.8	3.110652 4.342152 4.067342 4.245599 4.265072
	97 23 47.823	1309.1	86 25 39.2 210 56 43.0 257 55 42.9 318 15 12.5	266 19 25.5 30 58 25.5 78 00 36.3 138 18 40.6			
		388.8	134 24 57.9 196 03 13.1 251 33 49.1 324 43 38.5 343 15 42.3	314 21 10.4 16 04 38.0 71 36 22.6 144 44 50.7 163 15 42.6			
		581.7					
Water tank near Laguna Madre north base 1905	27 40 12.629	388.8	134 24 57.9	314 21 10.4	Corpus McGloins Bluff Mustang Padre Laguna Madre north base Laguna Madre south base	18733.8 18063.1 9539.7 7399.2 66.3 5538.4	4.272627 4.256552 3.979533 3.869183 1.821734 3.743381
	97 16 21.228	581.7	196 03 13.1 251 33 49.1 324 43 38.5 343 15 42.3	16 04 38.0 71 36 22.6 144 44 50.7 163 15 42.6			
		1023.0	28 49 14.0 120 15 29.6 217 08 30.0 269 38 00.9	208 48 35.1 300 11 21.4 37 09 53.3 89 42 35.3			
		179.5					
Epworth League pavillon, center 1905	27 49 33.235	1023.0	28 49 14.0	208 48 35.1	Corpus Kaleta Portland McGloins Bluff	4739.0 16811.5 8075.8 16085.3	3.675685 4.225607 3.907186 4.206430
	97 23 06.560	179.5	217 08 30.0 269 38 00.9	37 09 53.3 89 42 35.3			
Ritter's windmill 1905	27 39 13.336	410.5	210 09 57.3	30 10 14.6	Laguna Madre north base Padre Laguna Madre south base	2037.5 6754.8 3477.9	3.309101 3.829610 3.541314
	97 16 57.888	1586.7	308 36 45.8 18 05 02.4	128 38 15.2 198 04 44.2			

Espiritu Santo Bay to Aransas Pass and Corpus Christi Bay—Continued.

Station	Latitude and Longitude	Seconds in meters	Azimuth	Back azimuth	To station	Distance	Logarithm
<i>Supplementary points—Continued.</i>							
Windmill No. 2 1905	27 41 33.146	1020.2	266 02 54.4	86 05 06.5	Mustang	<i>Meters.</i> 7802.7	3.892243
	97 15 35.022	959.7	340 33 57.0	160 34 47.9	Padre	9034.2	3.955892
			23 46 18.4	203 45 21.7	Laguna Madre south base	8314.5	3.919837
			26 08 06.5	206 07 45.4	Laguna Madre north base	2831.3	3.451984
Shamrock Island barn, southwest gable 1905	27 45 47.685	1467.8	9 02 42.9	189 02 28.2	Mustang	7391.6	3.868736
	97 10 08.511	233.1	19 59 02.0	199 57 21.2	Padre	17401.1	4.240576
			44 30 25.9	224 27 32.9	Laguna Madre north base	14544.4	4.162695
Rosita ranch house, south chimney ¹ 1905	27 52 27.57	548.6	326 40 31	146 42 17	Corpus	11389.7	4.056513
	97 28 18.57	508.0	117 21 09	297 19 26	Kaleta	6742.0	3.828789
McHarry's barn, cupola ¹ 1905	27 54 18.54	570.7	347 49 29	167 49 38	Portland	2399.3	3.380077
	97 20 26.79	732.6	89 04 35	268 59 12	Kaleta	18893.0	4.276300
Brighton pest office, north gable ² 1905	27 36 41.83	1287.2	204 40 19	24 40 30	Laguna Madre south base	1493.8	3.174307
	97 18 00.01	0.3	206 19 09	86 21 07	Padre	6995.7	3.844834

¹ No check on this position.² Checked by vertical angles only.

DESCRIPTIONS OF STATIONS.

This list may be conveniently consulted by reference to the illustrations at the end of this publication or to the index. All azimuths given in the descriptions are reckoned continuously from true south around by west to 360°, south being 0°, west 90°, north 180°, and east 270°. Where magnetic azimuths are given they are indicated as such. In a number of cases where azimuths are not available, directions are given, referred to some initial point as 0°. These are not azimuths, and express only the angular relations at the station between the various objects enumerated.

In general, except where the contrary is specifically stated, the surface and the underground marks are not in contact, so that a disturbance of the surface mark will not necessarily affect the underground mark. The underground mark should be resorted to only in cases where there is evidence that the surface mark has been disturbed.


The initials and dates given in each description immediately after the county refer to the date of the establishment of the station, the man by whom it was established, and the date when the station was last recovered or determined as lost.

Any person who finds that one of the stations herein described has been disturbed, or that the description no longer fits the facts, is requested to send such information to the Superintendent, Coast and Geodetic Survey, Washington, D. C.

MARKING OF STATIONS.

The standard disk station and reference marks, referred to in the following descriptions and notes, consist of a disk and shank of brass cast in one piece, as shown in illustration No. 1. The disk of the station mark is 90 mm. in diameter, with a hole at the center surrounded by a 20 mm. equilateral triangle, and has the following inscribed legend: "U. S. Coast and Geodetic Survey Triangulation Station. For information write to the Superintendent, Washington, D. C. \$250 fine or imprisonment for disturbing this mark." The shank is 25 mm. in diameter and 80 mm. long, with a slit at the lower end into which a wedge is inserted so that when it is driven into a drill hole in the rock it will bulge at the bottom and hold the mark firmly in place.

The standard disk reference mark, shown in illustration No. 1, is the same size and shape as the station mark, with an arrow on the top in place of the triangle, which, when properly set, points to the station. The legend is the same, except that the words "reference mark" take the place of the words "triangulation station."



STANDARD DISC TRIANGULATION STATION AND REFERENCE MARKS.

The United States Engineers standard cast-iron station and reference marks are circular plates, $3\frac{1}{4}$ inches in diameter, as shown in illustration No. 2, set in the top of hollow cast-iron monuments. The monument is $1\frac{1}{2}$ feet long and is usually set about $1\frac{1}{2}$ feet in the ground. The station mark has a $\frac{5}{16}$ -inch hole at the center, surrounded by a raised equilateral triangle. The reference mark has a similar hole at the center, and bears an arrow which should point to the station when properly set. Both marks bear the legend, "U. S. E. D.," in raised letters.

GENERAL NOTES REGARDING THE MARKING OF STATIONS.


NOTE 1.—The station is marked with a standard disk station mark set in a core of cement 2 feet in diameter and $2\frac{1}{2}$ feet deep. The underground or subsurface mark is a bottle or a spike also set in concrete from $2\frac{1}{2}$ to $3\frac{1}{2}$ feet below the surface.

NOTE 2.—Same as note 1, with the addition that reference mark number one is a bottle embedded in a concrete core $2\frac{1}{2}$ feet below the surface, the surface mark being also a bottle set in a core of concrete about 18 inches in diameter. Reference mark number two is a standard disk reference mark embedded in concrete with a bottle as an underground mark also set in a

No. 2.



REFERENCE MARK



STATION MARK

U. S. ENGINEERS TRIANGULATION STATION AND REFERENCE MARKS.

core of concrete $2\frac{1}{2}$ feet below the surface. In some cases the underground mark is a spike instead of a bottle.

NOTE 3.—The station is marked by a subsurface mark and a surface mark. The subsurface mark consists of a piece of terra-cotta sewer pipe, 4 inches in diameter and 2 feet long, filled with and incased in a cylinder of concrete 1 foot in diameter and 2 feet long. In the center of its top is embedded a 60-penny steel spike, head down, the point of the spike projecting about one-fourth inch above the surface and marking the station. It is $2\frac{1}{2}$ feet below the surface of the ground. Above the whole is placed a layer of sand 6 inches deep. Resting on this layer of sand is placed the surface mark, consisting of another piece of terra-cotta sewer pipe, 4 inches in diameter and 2 feet long, filled with concrete and embedded in a cylinder of concrete 18 inches in diameter and 2 feet long. In the center of its top is placed a 60-penny steel spike, head down, its point projecting about one-fourth inch above the surface of the concrete, which was finished with one-half inch of neat cement mortar and marked "U. S. C. & G. S. 1905." The point of the spike marks the station and is very little above the surface of the ground. The reference mark is a cylinder of pipe and concrete similar to the subsurface mark, placed with its top even with the surface of the ground. The point of a steel spike, in the cement, is the reference mark, and it is nowhere less than 10 meters from the station.

NOTE 4.—The station is marked by a surface and a subsurface mark. The subsurface mark is a standard disk station mark set in a cylinder of concrete 8 inches in diameter and 2 feet deep. The top of this mark is about $2\frac{1}{2}$ feet below the general surface of the ground. The surface mark is a standard disk station mark set in a cylinder of concrete 20 inches in diameter and 2 feet deep, flush with the general surface of the ground. A standard disk reference mark is set in a cylinder of concrete 8 inches in diameter and 2 feet deep, so that the top is level with the general surface of the ground.

NOTE 5.—The station is marked with both underground and surface marks. The underground mark is a bottle placed 3 feet below the surface, covered with 6 inches of sand, on which rests a 4-inch tile, 2 feet long, flange down, filled with and incased in a cylinder of concrete 30 inches in diameter. On the top surface of the concrete "C. G. S. 1906" is inscribed. A spike in the center of the tile marks the station. There are two reference marks, both concrete posts 8 inches square and 2 feet long, set so as to project about 4 inches above the general level of the ground. The top is marked with an arrow pointing to the station, and a spike for the center mark.

NOTE 6.—There are no descriptions for the stations that are referred to this note, except as follows: The station is marked by a bottle buried about 3 feet underground; four iron reference marks were placed around the station at distances of about 6 feet, on lines intersecting at the center in approximate right angles; if the ground was marshy or the station was considered unsafe, a mark was set 50 feet from the station; on the same line with this a second mark was placed 100 feet from the station. On a line at right angles to this two more marks were placed similar to the first, so that the lines produced intersect at the station. These iron marks have, in some instances, been recovered and are described as follows: The mark is cast iron, trough shaped, 26 inches long, with a flat, square flange for a base, and at the top has a flat triangular flange 16 centimeters on each side with a raised triangular pyramid. On the faces of the pyramid are the raised letters "U. S. C. S."

NOTE 7.—The station is marked by a standard disk station mark in the top of a 4-inch tile or a length of stone pipe filled with and set in concrete. The reference mark is a standard disk reference mark set in the same manner as the station mark.

NOTE 8.—The station is marked by a brass plug, $\frac{3}{8}$ inch in diameter, with a $\frac{1}{8}$ -inch hole in the center or with cross lines on the top. This plug is embedded in a sandstone block, usually about 4 inches square by 6 or 8 inches long, and buried about 2 feet below the surface. Above the plug is a United States Engineers standard cast-iron station mark projecting 3 inches above the surface. The reference marks are United States Engineers standard cast-iron reference marks projecting 3 inches above the surface, and are 100 feet, or 30.48 meters from the station, unless otherwise stated.

NOTE 9.—The station is marked by a concrete pyramid or coral rock buried 3 to 4 feet below the surface of the ground and having in its top a drill hole filled with lead. Above the underground mark was placed a cedar stub with a copper tack in its top, the stub projecting from 6 to 18 inches above the surface of the ground. Four reference stubs were placed around the station at the distances given, on lines intersecting at the center in approximate right angles; these stubs were usually of cedar.

NECHES RIVER, LAKE SABINE, AND SABINE PASS TO EAST BAY.

PRINCIPAL POINTS.

Pat Glennons Bayou (Cameron County, La., J. N. M., 1874; 1912).—On the north bank of Pat Glennons Bayou, about 300 meters from the mouth and 16 meters back from the bank of the bayou on marshy ground entirely submerged at high water. The station is marked by a $\frac{3}{8}$ -inch hole in the top of a sandstone monument 2 feet 5 inches long and 5 inches square at the top, inscribed "U. S. C. & G. S." The underground mark is a 5-inch tile filled with a piece of wood, and set 2 feet below the surface.

Louisiana (U. S. E.) (Cameron County, La., U. S. E., 1909; 1912).—Lost.

Sabine Pass southwest base (Jefferson County, J. N. M., 1874; 1912).—In the town of Sabine Pass, on uninclosed ground between the shell road leading to the cemetery and the fence in front of J. J. Welsh's house, 110 meters from the cemetery gate, 8 meters from the fence, 16 meters from the road, and 88 meters from a twin live oak marked with a triangle. The station is marked by a 3-inch galvanized pipe, filled with and set in concrete, and projecting 18 inches above the ground. The underground mark is the apex of an earthenware pyramid 3 feet below the surface, above that is a copper tack in a piece of wood fitted into a 4-inch tile.

Sabine Pass northeast base (Jefferson County, J. N. M., 1874; 1912).—Lost.

Mud Bayou (Jefferson County, J. N. M., 1874).—On the east side of Mud Bayou. It is marked by a stone pot placed even with the surface. This station can be recovered, if at all, by triangulation only.

Niggerville (Cameron County, La., J. N. M., 1874).—On the east side of Sabine Pass, north of the lighthouse, on a ridge of land known by the name of Niggerville, 20 meters from the south corner of a small house and 5.5 meters from the high-water mark. The station can be recovered, if at all, by triangulation only.

Texas Point (Jefferson County, J. N. M., 1874).—On the west side of Sabine Pass just below the mouth of Texas Bayou, nearly abreast of the lighthouse, and 11 meters from the high-water mark. The station is marked by an earthenware pot placed even with the surrounding surface of the ground.

Louisiana Point (Cameron County, La., J. N. M., 1874).—On the east side of Sabine Pass. The station is marked by a stone pot placed even with the surrounding surface.

Gulf Bayou (Jefferson County, J. N. M., 1874; 1912).—Lost.

Keith (U. S. E.) (Jefferson County, U. S. E., 1909).—On the point of land between the Port Arthur Ship Canal and Keith Lake, 48 meters north of the railroad bridge across the inlet from the canal to the lake, 23 meters from the shell road from Sabine to Port Arthur, and 70 meters from the shore of Keith Lake. An old one-story wooden house stands 62 meters south of the station. The station is marked by a 3-inch galvanized-iron pipe 4½ feet long, with a flange at the bottom, filled with and set in concrete, and projecting 20 inches above the ground.

Garrison (U. S. E.) (Cameron County, La., U. S. E., 1909; 1912).—On the east side of Sabine Lake, near a one-story house surrounded by fruit and shade trees and occupied by A. Berwick. The station is 40 meters from the Lake shore, and near a cultivated field, and is marked by a 3-inch galvanized-iron pipe, filled with and set in concrete, projecting 18 inches above the ground. The following distances and azimuths are given: Lone tree on Lake shore, 43 meters, 156° 02'; corner of fence, 46 meters, 263° 22'; gable of old house, 250 meters, 306° 47'.

Docks (U. S. E.) (Jefferson County, U. S. E., 1909; 1912).—On that portion of land, between the Port Arthur Ship Canal and the Turning Basin, known as the Island. It is 48 meters from the canal, 15 meters south of a large oil tank, and 1 meter south of a ditch along the road across the Island. The station is marked by a 3-inch galvanized-iron pipe, with a flange at the bottom, filled with and set in concrete, projecting 18 inches above the surface.

Port Arthur (U. S. E.) (Jefferson County, U. S. E., 1909; 1912).—Six meters west of the Sabine Lake Canal, 2½ miles north of the drawbridge at Port Arthur, 14 meters from a ditch along the road running northwest from the canal, and 85 meters from a house occupied by W. E. Townsend. The station is marked by a 3-inch galvanized-iron pipe, filled with and set in concrete, projecting 1 foot above the surface.

Johnsons Bayou (U. S. E.) (Cameron County, La., U. S. E., 1909; 1912).—On the east side of Sabine Lake, 300 meters north of Johnsons Bayou, 70 meters east of the Lake shore, and 95 meters from the Lake shore to the south. The station is marked by a 3-inch galvanized iron pipe, filled with and set in concrete, projecting 18 inches above the surface.

Pine (U. S. E.) (Cameron County, La., U. S. E., 1909).—On the east side of Sabine Lake, 4 miles south of the East Pass to Sabine River, 60 meters from the Lake shore, 725 meters south

of a cattle pen. The station is marked by a 3-inch galvanized-iron pipe, filled with and set in concrete, projecting 18 inches above the surface.

Neches (U. S. E.) (Jefferson County, U. S. E., 1909).—On the west side of the Sabine Lake Canal, $\frac{1}{4}$ mile west of the mouth of the Neches River and $\frac{1}{4}$ mile from the canal, on a shell bank covered with scattered trees. This is the first grove of trees near the canal, above Port Arthur. The station is marked by a 3-inch galvanized-iron pipe, filled with and set in concrete, projecting 18 inches above the surface.

Sabine (U. S. E.) (Orange County, U. S. E., 1909).—On the north bank of Point Young at the entrance to Sabine Lake from Sabine River, 3 meters from the bank of the pass and 8 meters from the Lake. The station is marked by a 3-inch galvanized-iron pipe, with a flange at the lower end, filled with and set in concrete, and projecting $1\frac{1}{2}$ feet above the surface.

Spur (U. S. E.) (Jefferson County, U. S. E., 1909).—Located 134 meters south of the road from Port Arthur to Beaumont, 15 meters east of the railroad spur, and 46 meters west of the Doomboss lot. The station is marked by a 3-inch galvanized-iron pipe 4.5 feet long, with a flange at the bottom, filled with and set in concrete, and projecting 0.9 foot above the surface. The following distances and azimuths are given: Concrete bridge, 109.57 meters, $225^{\circ} 54'$; small wooden bridge over ditch, 51.82 meters, $242^{\circ} 46'$; inside of rail of the spur, 15.33 meters, $98^{\circ} 20'$.

Grigsby (U. S. E.) (Jefferson County, U. S. E., 1911).—Located in the yard of The Texas Co.'s refinery, at Port Neches. The station is marked by a 3-inch galvanized-iron pipe filled with cement and projecting 1 foot above the ground. The following distances and azimuths are given: Northeast corner of warehouse, 29.35 meters, $36^{\circ} 33'$; southeast corner of the most northerly of the line of warehouses along the west side of the refinery yard, 17.43 meters, $61^{\circ} 39'$; the inside of the rail of the track which runs along the west side of the yard, 11.43 meters, $101^{\circ} 40'$; point of frog, 11.92 meters, $260^{\circ} 27'$; fire hydrant, 26.85 meters, $294^{\circ} 48'$; most northerly oil tank in the yard, 47.79 meters, $351^{\circ} 12'$.

Nederland (U. S. E.) (Jefferson County, U. S. E., 1911).—Just east of the town of Nederland, about 3 meters south of the main street, or the street that passes the Jones drug store and the post office. The station is marked by a 3-inch galvanized-iron pipe 4.5 feet long, with a flange at the bottom, filled with and set in concrete, and projecting 0.9 foot above the surface. The following distances and azimuths are given: Northeast corner of F. A. Butler's garden, 65.8 meters, $323^{\circ} 32'$; northeast corner of F. A. Butler's orchard, 32.95 meters, $2^{\circ} 18'$; northeast corner of George Harris's lot, 125.62 meters, $40^{\circ} 10'$; southeast corner of the district school property, 99.43 meters, $86^{\circ} 54'$.

Sun (U. S. E.) (Jefferson County, U. S. E., 1911).—Near the northwest corner of the Sun Co.'s tank field, on the Kansas City Southern Railroad, about 1 mile above Nederland, 300 meters east of the Port Arthur and Beaumont road, and just west of the marsh line. The station is marked by a 3-inch galvanized-iron pipe, 4.5 feet long, with a flange at the bottom, filled with and set in concrete, and projecting 0.9 foot above the ground. The following distances and azimuths are given: The southeast one of a set of four underground tanks, 6.06 meters, $46^{\circ} 00'$; willow tree, 10 inches in diameter, marked with a cross 3 feet above the ground, 30.42 meters, $191^{\circ} 46'$; china ball tree, 8 inches in diameter, marked with a cross 3 feet above the ground, 24.32 meters, $236^{\circ} 10'$.

Floyd (U. S. E.) (Orange County, U. S. E., 1911).—On the east bank of the Neches River, 6 meters from the top of the river bank, and about 12 meters above the mouth of Floyd Bayou. The station is marked by a 3-inch iron pipe, 4.5 feet long, with a flange at the bottom, set in and filled with concrete, and projecting 0.9 foot above the surface. The following distances and azimuths are given: Cypress tree 18 inches in diameter, with a triangle cut 6 feet above the ground, 8.78 meters, $251^{\circ} 50'$; oak tree with a triangle cut 4.5 feet above the ground, 7.92 meters, $24^{\circ} 30'$.

Spindle Top (U. S. E.) (Jefferson County, U. S. E., 1911).—About 12 miles above the mouth of the Neches River, 107 meters from the end of the Union Canal, and 32 meters from the Kansas City Southern Railroad tracks. The station is marked by a 3-inch galvanized-iron

pipe, 4.5 feet long, with a flange at the bottom, filled with and set in concrete. The following distances and azimuths are given: Pillar of the agitator at the filter plant, marked by a triangle 4 feet above the ground, 11.3 meters, $206^{\circ} 51'$; pillar of the agitator at the filter plant, marked by a triangle 3 feet above the ground, 12.5 meters, $252^{\circ} 36'$; pin oak tree, 20 inches in diameter, marked by a triangle 5 feet above the ground, 18.0 meters, $86^{\circ} 27'$.

Beaumont (U. S. E.) (Jefferson County, U. S. E., 1911).—On the east bank of the Neches River, 35 meters from the edge of the water, and 150 meters below the slaughterhouse. The station is marked by a 3-inch galvanized-iron pipe, 4.5 feet long, with a flange at the lower end, set in concrete, and projecting 1 foot above the surface. The following distances and azimuths are given: Southeast corner of the slaughterhouse, 152.4 meters, $71^{\circ} 22'$; 18-inch pine tree marked with a cross, 33.65 meters, $321^{\circ} 40'$; 18-inch pine tree marked with a cross, 35.05 meters, $313^{\circ} 38'$; 12-inch pine tree marked with a cross, 32.16 meters, $277^{\circ} 34'$; 27-inch pine tree marked with a cross, 37.73 meters, $196^{\circ} 43'$.

Keith (Jefferson County, F. W. P., 1882; 1912).—Lost.

Gulf Bayou 2 (Jefferson County, F. W. P., 1882).—On the southwest side of Gulf Bayou, about 1 mile southwest of Texas Point, 10 meters from the bank of the bayou and 32 meters from the grass line along the Gulf shore. The station is marked by a drill hole in the top of a sandstone post, 5 inches square, inscribed "U. S. C. & G. S." on the side facing the bayou, and underground, by an inverted earthenware jar, 3 feet below the surface.

Johnson 2 (Jefferson County, F. W. P., 1882; 1912).—About 6 miles west of Sabine Pass on what is known as the Reufro property, now owned by the Texas Land Co., 10 feet east of the line fence between this property and that owned by Mr. Armiger. The station is marked by a drill hole in the top of a sandstone monument, 5 inches square on top, inscribed "U. S. C. & G. S.," set in a mass of concrete, 30 inches in diameter, inscribed "C. G. S., 1906." The underground mark is a hole in the bottom of an inverted earthen jar, 3 feet below the surface. Two reference marks, each a spike in the top of a tile, filled with and incased in concrete, are set, one near the road at the end of the fence above mentioned and the other on a line with Armiger's house. They are 42.565 meters north 23° east from the station, and 4.16 meters south 61° west, respectively.

Fort (Jefferson County, F. W. P., 1882).—About 7 miles west of the entrance to Sabine Pass, on the parapet of an old Confederate fort, about 275 meters southwest of Bradley Johnson's house and 15 meters from the southwest corner of the fort. The station is marked by a copper tack in a cypress post and underground by a quart champagne bottle buried 3 feet below the surface, 6 inches above this by the apex of an earthenware pyramid, 6 inches on every edge, with the letters U. S. C. S. cut on its faces.

Rebecca (Jefferson County, F. W. P., 1882; 1912).—On the shell ridge 9 miles southwest of Sabine Pass, 2 miles south of McFaddan's ranch house, 142 meters north of the only bunch of trees along this portion of the coast. The station is marked by a spike in a 4-inch tile, set in a cylinder of concrete $2\frac{1}{2}$ feet deep and 30 inches in diameter and inscribed "C. G. S., 1906." The underground mark is an earthen jar filled with concrete, with a hole through the center, set 4 feet under the surface. Three reference marks, each a spike in the center of a 4-inch tile, set in concrete, are 15.29 meters, 15.22 meters, and 15.30 meters north, east, and west, respectively.

Gum (Jefferson County, F. W. P., 1882).—In Asworth Cove Prairie, 8 miles southwest of Taylors Bayou, on a mound 4 feet high about halfway between the two westernmost of a group of three large heavily wooded mounds known locally as Gum Islands. The station is marked by a copper tack in the top of a 4 by 4 inch pine post and underground by a quart glass flask buried $2\frac{1}{2}$ feet below the surface.

Scaffold (Jefferson County, F. W. P., 1882).—The station is marked by a copper tack in a pine stake, and 3 feet below the surface by a hole through a 2-gallon jar filled with cement, and 1 foot above this by an earthenware pyramid, 6 inches on an edge, and surrounded by three bottles with their necks pointing to the station. This station can be recovered, if at all, by triangulation only.

Fence (Jefferson County, F. W. P., 1882; 1912).—Lost.

Salt (Galveston County, F. W. P., 1882; 1912).—Lost.

Big Hill (Jefferson County, F. W. P., 1882).—On the southwest brow of a prominent hill, known locally as Big Hill. The hill is flat on top and contains several hundred acres of land. The underground mark is a copper tack in the neck of a black bottle, filled with earth, 2½ feet below the surface. Wm. Adam's house is one-half mile north 38° 30' east, and his barn is north 40° 20' east.

Cross (Jefferson County, F. W. P., 1882; 1912).—Lost.

Trueman (Jefferson County, F. W. P., 1882).—The station is marked by a spike in the top of a concrete post. The station can be recovered, if at all, by triangulation only.

Wolcott 2 (Jefferson County, F. W. P., 1882).—On a sand ridge about 4 miles northeast of High Island and 64 meters from the high-water mark of the Gulf. The station is marked by a copper tack in the top of a walnut post, and underground by a hole through a jar filled with concrete, 3 feet below the surface, and by the apex of an earthen pyramid, 6 inches on a side, inscribed "U. S. C. S.," 2½ feet below the surface. The diagonal lines from copper tacks in the tops of four walnut posts, each 6 feet distant, intersect at right angles over the station. Two 6 by 8 inch pine posts with triangles on the sides facing the station are each 30.48 meters distant, the angle between them at the station being 90°.

Lad (Jefferson County, F. W. P., 1882).—Marked underground by the apex of an earthenware pyramid, 6 inches on each edge, placed 2 feet below the surface, and a beer bottle 16 inches below the surface, and at the surface by a copper tack in a 4-inch square pine post. The station can be recovered, if at all, by triangulation only.

Gilbert (Jefferson County, S. C. M., 1873).—On the beach, about 8 miles northeast of High Island, 18 meters back from the high-water mark. The station is marked by a terra-cotta cone, buried 6 inches below the surface, surrounded by 4 oaken posts, each 3 feet from the station, to the north, south, east, and west.

Pierce (Jefferson County, S. C. M., 1873; 1882).—About 3 miles north of the Gulf shore, 21 meters west of a small bayou leading into Mud Lake, and about 1½ miles north of the lake. The station is marked by the surface mark described in note 6¹ and the underground mark is a hole through a jar filled with concrete, 2 feet below the surface; above this is a 4-inch tile, 17 inches long. Diagonal lines from copper tacks in the tops of four oak stakes, each 1.83 meters from the station, intersect at right angles over the station. Around the station is a mound of earth 8 feet in diameter and 1 foot high.

Wolcott (Jefferson County, S. C. M., 1872; 1912).—Lost.

County Line (Jefferson and Chambers Counties, F. W. P., 1882).—This station is marked by a spike in a concrete post. It is probably lost and can be recovered, if at all, by triangulation only.

Highland 2 (Galveston County, S. C. M., 1872; 1912).—This station is identical with the United States Engineers' station High Island 2. About 7 miles northeast of Rollover, and 4½ miles east of the mouth of East Bay Bayou, about 30 feet above mean low water, and about 250 meters northeast of a small frame house occupied by E. Meyrig. Two earthenware pyramids, 6 inches on an edge with the letters U. S. C. S. cut into the faces, were used as underground marks, one being buried 3 feet below the surface and the other 2 feet. The surface mark is a standard U. S. E. station mark. There are two reference marks each 30.48 meters from the station, one on range with station *Rollover* (U. S. E.) and the other on range with *N. W. Bend* (U. S. E.). In 1912 when the station was last visited the marks were in good condition, a tripod 45 feet high erected by the United States Engineers in 1900 was standing and in good condition.

Hampshire (Galveston County, S. C. M., 1873).—On the Gulf beach opposite High Island. The station is marked underground by a terra-cotta cone and at the surface by a palmetto stub 12 inches in diameter, over which is an oak board.

¹ See pp. 45-46.

Northwest Bend (Chambers County, G. B., 1861; 1912).—On marshy ground on the west side of East Bay Bayou, about 6 miles from its mouth, 20 meters from the bank of the bayou, and about $2\frac{1}{2}$ feet above mean low water. There is a two-masted schooner aground on the west bank of the bayou, 110 meters above the station. The station is marked underground by a hole through a 2-gallon jar filled with cement and buried 3 feet below the surface of the ground. The surface mark is an iron mark the same as is described in note 6.¹ A triangular mound of earth was made over the station, and a drainage ditch was dug around it, making a mound 30 feet in diameter with a small ditch leading to the bayou. The following azimuths are given: Chimney on west end of small house on High Island $310^{\circ} 42'$, southwest end of lower clump of trees $316^{\circ} 42'$. When last visited in 1912 the station was in good condition and a tripod 20 feet high erected by the United States Engineers was standing over the station.

East Bay Bayou (Chambers County, G. B., 1861; 1911).—Lost.

Sand (Galveston County, F. W. P., 1882; 1911).—Lost.

Midway (Galveston County, G. B., 1860; 1911).—Lost.

Oyster Bayou (Chambers County, G. B., 1860; 1882).—On the east side of Oyster Bayou, about 400 meters from the mouth, and about 15 meters from the bank. The station is marked 22 inches below the surface by a $\frac{3}{4}$ -inch bolt, 17 inches long, with a saucer immediately above it, and at the surface by a copper tack in the top of a pine stake.

Mortar (Jefferson County, J. N. M., 1874).—On the sand beach, 30 meters from the Gulf shore. The station is marked by a stone pot placed on a level with the surrounding surface.

SUPPLEMENTARY POINTS.

Broussard's house, cupola (Jefferson County, F. W. P., 1882).—The station is the center of the railed platform, 14 feet long by 6 feet wide, on the top of Broussard's house, a large, white, two-story, frame building, about 5 miles southwest of Sabine Pass.

Mud Flat (Jefferson County, J. N. M., 1874).—On the extremity of Texas Point, 24 meters from the water line. The station is marked by a stone pot placed level with the surrounding surface.

Sabine Longitude Station (Jefferson County, C. V. H., 1911).—About 200 meters south of the railroad station on the unimproved marshy flats, and in the south corner of the intersection of two graded but unsurfaced and untraveled streets, about 20 meters from the middle of the street to the northwest and about 30 meters from the street to the northeast. The station is marked by a pier of concrete with foundation $2\frac{1}{2}$ feet below the surface, and with a cross section of 18 inches by 34 inches. In the middle of the north and south notch in the top of the pier is a brass station mark bearing the regular warning along with the words "Astronomical Station."

EAST BAY, GALVESTON BAY, AND WEST BAY.

PRINCIPAL POINTS.

Midway 2 (Galveston County, S. C. M., 1872).—The station is marked underground by a terra-cotta cone, 18 inches in diameter, and at the surface by an oak stub. The station can be recovered, if at all, by triangulation only.

Rollover 2 (Galveston County, S. C. M., 1873; 1883).—On the upper part of Bolivar Peninsula 106 meters southwest of Hamshire's old house and 42 meters from high-water mark. The station is marked underground by a terra-cotta cone and at the surface by a copper tack in the top of a cedar post. Four other cedar posts with a nail in the top of each, distant 0.76 meter, are set so that the diagonal lines from the nails intersect at right angles over the station.

Rollover (Galveston County, R. H. F., 1849; 1911).—Lost.

Robinsons Bayou (Chambers County, G. B., 1860).—On the east bank of Robinsons Bayou, about $\frac{1}{3}$ mile from the mouth, on the highest land in the vicinity. The station is marked by a cast-iron station mark described in note 6.¹

Shaw (Galveston County, G. B., 1860).—The underground mark is a cone placed 3 feet below the surface of the ground, over which is a cast-iron station mark described in note 6.¹

¹ See pp. 45-46.

Stevenson (Chambers County, R. D. C., 1850; 1860).—The station is marked underground by an earthenware cone, over which is a cast-iron station mark, described in note 6.¹ This station can be recovered, if at all, by triangulation only.

Parrs Grove (Galveston County, R. H. F., 1849; 1860).—Marked with a cast-iron station mark described in note 6.¹ This station can be recovered, if at all, by triangulation only.

Smith Point (Chambers County, R. D. C., 1848; 1911).—Lost.

Dollar Point (Galveston County, F. H. G., 1847; 1911).—Lost.

Bolivar Point (Galveston County, W. S., 1848; 1873).—On Bolivar Point, Galveston Bay. The station is marked by a 15-inch square pine post. It can be recovered, if at all, by triangulation only.

Virginia Point (Galveston County, S. A. G., 1847; 1911).—Lost.

Highland Bayou (Galveston County, R. D. C., 1850).—On the north side of Highland Bayou, about 9 miles from its mouth, 140 meters north of Col. Butler's house and across the bayou. The station is marked by an earthen cone buried 3 feet below the surface. Six feet to the north, south, and east are cedar stakes with copper tacks in the tops. The station can be recovered, if at all, by triangulation only.

Black Point (Galveston County, R. D. C., 1850).—On the north shore of West Bay, on a shell bank about 5 feet high and 6 meters from the water. The station is marked by an earthen cone 2 feet below the surface. The station can be recovered, if at all, by triangulation only.

Halls Bayou (Galveston County, R. D. C., 1850).—On the open prairie, about 2½ miles north of Halls Bayou and 5 miles from the shore of West Bay. The station is marked by an earthen cone buried 2 feet below the surface, and can be recovered, if at all, by triangulation only.

Galveston Island west base (Galveston County, R. D. C., 1850; 1873).—On Galveston Island one-half mile from West Bay and 180 meters from the Gulf shore. The station is marked by a cross on the top of a copper bolt in the top of a cylindrical cement post, 2 feet below the surface.

Galveston Island east base (Galveston County, R. D. C., 1850; 1853).—On Galveston Island, about one-half mile from the Gulf shore. The station is marked by a cross in a bolt in the top of a cement post, 2 feet below the surface. The station can be recovered, if at all, by triangulation only.

Mustang Bayou (Brazoria County, R. D. C., 1850).—On the northeast side of Chocolate Bay, 137 meters east of the mouth of Mustang Bayou. The center is marked by an earthen cone buried 3 feet below the surface. There are three cedar stakes, each 1.83 meters from the station, north, south, and east.

Chocolate Bayou (Brazoria County, R. D. C., 1850).—On the western shore, near the head of Chocolate Bay, 100 meters from the edge of the water. The station is marked by an earthen cone buried 3 feet below the surface. There were three cedar stakes, each distant 1.83 meters, to the north, south, and east of the station.

West End (Galveston County, J. S. W., 1850; 1912).—Lost.

Rollover (U. S. E.) (Galveston County, U. S. E., 1900; 1912).—On Bolivar Peninsula, 84 meters back from the Gulf shore, about one-third mile east of Rollover post office and one-half mile west of the hotel. The station is on the railroad right of way about 8 meters north of the tracks. The station is marked according to note 8;¹ one reference mark is in line with *Robinson Bayou* and the other bears east-northeast.

Robinsons Bayou (U. S. E.) (Chambers County, U. S. E., 1900; 1911).—On a shell mound, 8 feet above mean low water, on the east bank of Robinsons Bayou, one-half mile northeast on a direct line from the mouth of the bayou. The station is marked according to note 8,¹ one reference mark being 5 feet north of the range to *Jackson* and the other 10 feet east to the range to *Marsh Point*, or approximately east and south, respectively, of the station.

Shaw (U. S. E.) (Galveston County, U. S. E., 1900; 1912).—Located about the middle of Bolivar Peninsula, 198 meters from the Gulf shore, one-half mile north of the railroad station

¹ See pp. 45-46.

Patton, and 40 meters from the tracks of the Gulf & Interstate Railroad. The station is marked according to note 8,¹ the reference marks being northeast and southwest, respectively.

Stevenson Point (U. S. E.) (Chambers County, U. S. E., 1901; 1911).—On the north shore of East Bay, 166 meters from the edge of the bank, 117.3 meters south from the north line of Sweeney's field fence. The station is marked according to note 8,¹ one reference mark being in azimuth $77^{\circ} 09'$ and the other on range with Bolivar Point Lighthouse.

Parrs Grove (U. S. E.) (Galveston County, U. S. E., 1900; 1912).—On Bolivar Peninsula about $6\frac{1}{2}$ miles northeast of Bolivar Lighthouse, one-half mile from the Gulf of Mexico, and on a low ridge 45 meters north of a wagon road. The station is marked by a U. S. E. standard station mark, with a copper bolt set in concrete 2 feet below the surface of the ground as a subsurface mark. The U. S. E. standard station marks were used as reference marks, one 30.48 meters north $49^{\circ} 31'$ west and the other 30.48 meters south $30^{\circ} 05'$ west.

Smith Point (U. S. E.) (Chambers County, U. S. E., 1900; 1911).—Located about 2 miles southwest from the extreme western portion of Smith Point, 152 meters north of the bluff bank on the bay, 104 meters southeast of the southeast corner of W. Heiman's lot, 130 meters southwest of the northwest corner of H. Heiman's field fence, and 13 feet above mean low water. The station is marked according to note 8,¹ except that there is only one reference mark, it being in azimuth $77^{\circ} 06'$.

Four E (U. S. E.) (Galveston County, U. S. E., 1901; 1911).—Lost.

Galveston north base (U. S. E.) (Galveston County, U. S. E., 1900; 1912).—In the open prairie, about 2 miles north of Texas City and 1621 meters south of Dollar Point on land belonging to Herbert Bros., of Texas City. The station is 7 feet above mean low water. Three small rain-water ponds, forming a triangle, just to the eastward are generally dry during July and August. The station is marked by a hole in the center of a $\frac{3}{4}$ -inch brass plug, set in a concrete monument, 2 feet below the surface. The plug is covered with a milled cap of brass. Above the plug and separated from it by a layer of dirt, is a U. S. E. standard station mark, the top being $2\frac{1}{2}$ inches above the surface. Three U. S. E. standard reference marks are each 30.48 meters from the station in azimuths $11^{\circ} 14' 49''$, $191^{\circ} 14' 49''$, and $296^{\circ} 15' 28''$, respectively. Each kilometer point of the Galveston base is marked by a brass bolt embedded in a monument of concrete similar to that at the station.

Galveston south base (U. S. E.) (Galveston County, U. S. E., 1900; 1911).—In the open prairie, about 2 miles northwest of Virginia Point railway station and about $4\frac{1}{2}$ miles south of Texas City, near the west line of block 175, Virginia Point City. The soil is a sandy loam, covered with weesatch, with sloughs on either side of the station. The elevation of the ground is 7.5 feet above mean low water. The station is marked by a hole in the center of a $\frac{3}{4}$ -inch brass plug set in a concrete monument, $2\frac{1}{2}$ feet below the surface. The plug is covered with a brass mill headed cap. The surface mark is a U. S. E. standard station mark. Two pieces of 8 by 12 inch pine timber, painted black, are set in the ground, each 4 feet from the station, in azimuths $11^{\circ} 14'$ and $191^{\circ} 14'$. Each kilometer point of the Galveston base is marked by a brass bolt embedded in a monument of concrete similar to that at the station.

Edwards Point (U. S. E.) (Galveston County, U. S. E., 1900; 1911).—On Edwards Point, 110 meters back from the top of the bluff at the end, nearly due west of two small islands near the eastern extremity of the point, and 20 meters east of the road leading to the grove on the point. The station is marked according to note 8,¹ the reference marks being in azimuths $349^{\circ} 23'$ and $236^{\circ} 50'$, respectively.

Cedar Point (U. S. E.) (Chambers County, U. S. E., 1900; 1911).—On Cedar Point, 120 meters northwest of the bluff bank, 350 meters northeast of a gully, on an open space in the prairie with timber to the northeast and the southwest. The station is marked according to note 8,¹ one reference mark being east of the station and the other in azimuth $215^{\circ} 38'$.

Double Bayou (U. S. E.) (Chambers County, U. S. E., 1900; 1911).—Located 34 meters from the bluff bank of the east shore of Galveston Bay, about 2 miles north of the mouth of Double Bayou, just inside a wire fence, on property owned by Geo. Wheeler & Co., of Phila-

¹ See pp. 45-46.

delphia. The station is marked according to note S,¹ the reference marks being in azimuths $201^{\circ} 16'$ and $320^{\circ} 29'$, respectively.

Lawrence Cove (U. S. E.) (Chambers County, U. S. E., 1900; 1911).—On the west shore of Lawrence Cove, 150 meters west of Cross Bayou, on a brush-covered shell mound 30 meters in diameter, and about 4 feet above mean low water. The station is marked according to note S,¹ one reference mark bearing south $80^{\circ} 30'$ west (magnetic), and the other north $46^{\circ} 05'$ west (magnetic) from the station.

Wiggins 2 (Chambers County, I. W., 1911).—On the north side of Turtle Bay, about 60 meters from the shore on a ridge of comparatively hard ground between the bay and the soft marsh. Five cypress trees stand in the water outside the grass line in front of the station. These are the last trees standing outside the marsh line on the north shore, going west from Turtle Bayou. The station is marked according to note 7,¹ with the exception that there is no reference mark.

Anahuac (Chambers County, R. D. C., 1850; 1911).—On the south bank of Turtle Bay, 3 meters from the edge of the bluff bank, about $\frac{1}{2}$ mile east of Anahuac, where the prairie comes near the bay road to Turtle Bay. This road runs 3 meters south of the station. The station is marked by two inverted claret bottles, one above the other, about 2 feet below the surface, above which is a U. S. E. standard station mark, projecting about 4 inches above the surface. The reference mark, the same as described in note 7,¹ is 25.83 meters from the station in azimuth $304^{\circ} 02'$. The following azimuths and distances are given: Oak tree with 3 horizontal lines, 8.65 meters, $231^{\circ} 32'$; oak tree with 3 horizontal lines, 10.35 meters, $236^{\circ} 22'$; oak tree with a triangle, 11.10 meters, $278^{\circ} 53'$; oak tree with triangle, 11.40 meters, $281^{\circ} 27'$.

Red Bluff (U. S. E.) (Harris County, U. S. E., 1901; 1911).—About 3 miles northeast of Seabrook, on land owned by G. M. Harris, 350 meters northeast of his residence, and 100 meters from the extremity of Red Bluff Point at an elevation of 19 feet. The station is marked according to note S,¹ the reference marks being in azimuths $6^{\circ} 55'$ and $97^{\circ} 23'$. There is a lone oak tree, with a triangle cut in it, 45 meters from the station in azimuth $101^{\circ} 59'$.

Morgan Point (U. S. E.) (Harris County, U. S. E., 1901; 1911).—On the crest of Aliens Hill, on the south edge of San Jacinto Bay, on a bluff bank about 10 meters from F. Alien's fence, and 18 meters southwest of an old fort or trench. The station is marked by a U. S. E. standard station mark, and 3 feet below the ground by a rock with a copper wire in the center. There are two standard U. S. E. reference marks, one on range between the house on the north end of Atkinson Island and the station, distant 18.29 meters; the other distant 18.41 meters, in azimuth $358^{\circ} 09'$.

Mesquite Knoll (U. S. E.) (Chambers County, U. S. E., 1900; 1911).—On a point known as Mesquite Knoll, 2 kilometers south of the mouth of Cedar Bayou, on a shell and gravel bank 35 meters from the highwater mark. The station is marked by a U. S. E. standard station mark. There are two U. S. E. standard reference marks, one set 30 meters from the station in azimuth $114^{\circ} 45'$, the other 33 meters from the station in azimuth $40^{\circ} 19'$.

Doctor Smith (U. S. E.) (Harris County, U. S. E., 1900; 1911).—Lost.

Jennings (U. S. E.) (Harris County, U. S. E., 1900).—On Spillman's or Jennings Island, on the southwest side of the main channel of the San Jacinto River, on marshy ground 1,450 meters from the Jennings residence, 50 meters from the river, and 70 meters east of where a large flat begins and extends to the westward. The station is marked by a U. S. E. standard station mark. There are two U. S. E. standard reference marks, one distant 30.48 meters, in azimuth $54^{\circ} 09'$, and the other distant 30.48 meters, in azimuth $12^{\circ} 04'$.

Davis (U. S. E.) (Harris County, U. S. E., 1900).—On the east shore of Scotts Bay, on the old Davis place near Midway Landing, 46 meters from the shore, on a hill 29.1 feet above sea level. The station is marked according to note S,¹ one of the reference marks being in azimuth $65^{\circ} 24'$ and the other in azimuth $102^{\circ} 09'$.

Santa Anna (U. S. E.) (Harris County, U. S. E., 1900).—On swampy ground on the southwest side of the San Jacinto River, 30 meters northwest of Lake Santa Anna, and 30 meters

¹ See pp. 45-46.

east of a scrubby growth of trees. The station is marked by a U. S. E. standard station mark. There are two U. S. E. standard reference marks, each 30.48 meters from the station, one northwest and the other due east.

Thayer (U. S. E.) (Harris County, U. S. E., 1900).—On the south side of the Galveston, Harrisburg & San Antonio Railway, west of Thayer Siding, just outside the fence on the east side of a cultivated field, and 120 meters southeast of an artesian well. The station is marked by a U. S. E. standard station mark. There are two U. S. E. standard reference marks, one 38.009 meters southwest, under a fence, and the other 27.356 meters north.

Tory Hill (U. S. E.) (Harris County, U. S. E., 1900).—About one-half mile east of Lynchburg, on what is known as Tory Hill, at an elevation of 28.7 feet. The northeast corner of the fence around the residence of E. Sandow is distant 31.03 meters, the southeast corner of the fence is distant 16.61 meters. The station is marked by a U. S. E. standard station mark. There are two U. S. E. standard reference marks set flush with the ground, one 32.2 meters north $89^{\circ} 40'$ west, in line with a large cedar tree 42.2 meters from the station, and the other 26.1 meters north $0^{\circ} 50'$ west, in line with a large hackberry tree, 10.3 meters from the station.

Battlefield (U. S. E.) (Harris County, U. S. E., 1900).—On the sidehill where the battle of San Jacinto was fought, southeast of the burying ground, and southwest of another burying ground in a mott of oak trees. The station has an elevation of 22 feet, and is marked by the U. S. E. standard station mark. There are two U. S. E. standard reference marks, one 30.05 meters from the station toward the tomb of B. R. Bingham, and the other 31.49 meters toward the tomb of Habermahl.

Mort (U. S. E.) (Galveston County, U. S. E., 1900; 1911).—Lost.

Case (U. S. E.) (Galveston County, U. S. E., 1900; 1911).—Lost.

West Bay Point (Galveston County, I. W., 1912).—On the north shore of Galveston Island, $1\frac{1}{4}$ miles west of the Southern Pacific elevator, 8 meters inside of a low bluff about 2 feet high, about $1\frac{1}{4}$ miles north of the railroad tracks, and 100 meters west of some bushes. The station is marked according to note 7.¹ The reference mark is 29.13 meters from the station in azimuth $12^{\circ} 21'$.

W. B. 4 (U. S. E.) (Galveston County, 1900; 1912).—On the northwest shore of West Bay, about $1\frac{1}{4}$ miles northeast of the mouth of Green Bayou, on the marsh, 40 meters from the bay shore, 600 meters southwest of a bunch of trees, and 488 meters from the nearest trees. The station is marked by a 2-inch iron pipe driven into the ground and projecting 2 feet, with a 4-inch tile around it. The reference mark, a 4-inch tile, is 14.75 meters from the station, in azimuth $114^{\circ} 42'$.

W. B. 6 (U. S. E.) (Galveston County, U. S. E., 1900; 1912).—On the west shore of West Bay, nearly abreast of Karankawa Reef, 120 meters west of the entrance to Karankawa Bayou, 28 meters from the top of a shell ridge that runs along the bay shore and 48 meters from the shore. The bluff along the shore is 3 feet high and the ridge is about 2 feet higher than the ground at the station. The station is marked according to note 7.¹ the reference mark being 15.82 meters from the station in azimuth $125^{\circ} 46'$. An iron rod driven into a portion of a trunk of a tree was set 2 feet in the ground and projects 4 feet above the surface, 2.77 meters from the station in azimuth $85^{\circ} 14'$.

W. B. 8 (U. S. E.) (Galveston County, U. S. E., 1900; 1912).—On the west shore of Galveston Island, about the middle of the first point south of Deer Islands, on low marshy ground, usually covered with water. The station is marked by a U. S. E. standard reference mark instead of the station mark. A standard disk reference mark in the top of a 4-inch tile, filled with and set in concrete, is 18.28 meters distant from the station in azimuth $191^{\circ} 18'$.

Reef (Galveston County, I. W., 1912).—On Galveston Island, on the east shore of West Bay, opposite Karankawa Reef, 28 meters from the bay shore and 45 meters from the nearest point of a large pond inshore from the station. The station is marked by a standard disk station mark set in the top of a 4-inch tile, which is filled with and set in concrete. The reference

¹ See pp. 45-46.

mark is a similar tile filled with and set in concrete, 14.92 meters from the station in azimuth $259^{\circ} 58'$.

Y (U. S. E.) (Galveston County, U. S. E., 1900; 1912).—On the northwest shore of West Bay, 5 miles northeast of Alligator Point, 56 meters back from the grass line and 110 meters south of a small pond. The station is marked according to note 7,¹ the reference mark being 14.88 meters from the station in azimuth $112^{\circ} 04'$. The following azimuths are given: Life-saving station, cupola, $11^{\circ} 55'$; life-saving station, boathouse, $18^{\circ} 52'$.

Snake (Galveston County, I. W., 1912).—On the southeast shore of West Bay, on a low shell point, opposite the south end of Snake Island, 31 meters inshore from a shooting box on the end of the point; and 8 meters from the grass line to the north. The station is marked according to note 7,¹ the reference mark being 16.07 meters from the station in azimuth $337^{\circ} 13'$. The following azimuths are given: House, west gable, $242^{\circ} 28'$; house in grove, west gable, $289^{\circ} 16'$; life-saving station, cupola, $40^{\circ} 28'$.

Hall (U. S. E.) (Brazoria County, U. S. E., 1900; 1912).—On the north shore of West Bay, 88 meters back from the shore line, and 675 meters northeast from Alligator Point. The station is marked according to note 7,¹ the reference mark being in azimuth $153^{\circ} 45'$. The following azimuths are given: Life-saving station, cupola, $339^{\circ} 20'$; life-saving station, boathouse, west gable, $341^{\circ} 50'$; oil tank, $34^{\circ} 37'$.

Life (Galveston County, I. W., 1912).—On Galveston Island, on the west shore of West Bay, on a point 360 meters north of San Luis Life-Saving Station boathouse, nearly on a line with the west end of the boathouse and 18 meters from the shore. The station is marked according to note 7,¹ the reference mark being 13.64 meters from the station in azimuth $314^{\circ} 41'$. There is also a pine post 1.95 meters from the station in azimuth $356^{\circ} 15'$.

Mesquite 2 (Brazoria County, I. W., 1912).—On a narrow marsh point submerged at high tide, on the south shore of West Bay, 3 miles north of the entrance to the canal leading to Brazos River. A small bay with a bayou leading out of it is inshore from the station. The station is marked according to note 7,¹ the reference mark being 16.49 meters from the station in azimuth $124^{\circ} 55'$.

Fort Bayou (U. S. E.) (Brazoria County, U. S. E., 1906; 1912).—On the east shore of Mud Island, about 2 miles northwest of San Luis Pass, in front of a small pond and embankment marking a rifle pit used during the Civil War, and 60 meters from the high-water line. A U. S. E. standard station mark set in concrete marks the station. A standard disk reference mark in the top of a 4-inch tile filled with concrete is on top of the remains of the embankment, 13.51 meters from the station in azimuth $139^{\circ} 28'$. The following azimuths are also given: Life-saving station, cupola, $268^{\circ} 49'$; oil tank, $319^{\circ} 44'$.

Mud Island north base (U. S. E.) (Brazoria County, U. S. E., 1906; 1912).—On the north shore of Mud Island, 700 meters southeast of the entrance to the canal leading to the Brazos River and 200 meters back of the grass line at the shore of West Bay. The trunk of a large tree lies 66 meters inshore from the station. The station is marked by two U. S. E. standard station marks, one set in concrete at the surface and the other directly under it. A standard disk reference mark set in the top of a 4-inch tile is 16.48 meters from the station in azimuth $27^{\circ} 20'$.

SUPPLEMENTARY POINTS.

Jackson (U. S. E.) (Galveston County, U. S. E., 1900; 1911).—On the south bank and at the mouth of East Bayou, 46 meters from the south bank of the bayou, and 40 meters from the east bank of the bay. A $1\frac{1}{2}$ -inch galvanized-iron pipe projecting 1 foot from the ground marks the station. There is a pine stake 30.48 meters from the station on range with East Bay Bayou.

Flat (Galveston County, F. W. P., 1882).—The station was marked by a bottle in the top of a concrete post, 3 feet long and 6 inches in diameter. The station can be recovered, if at all, by triangulation only.

¹ See pp. 45-46.

Rollover Tide Gauge (U. S. E.) (Galveston County, U. S. E., 1900).—A box on piling, standing in the middle of the upper end of East Bay, opposite the narrowest portion of Bolivar Peninsula, called the Rollover.

Frozen Point (U. S. E.) (Chambers County, U. S. E., 1900; 1911).—On Frozen Point, 2 meters from the water line. The station is marked by a 2-inch galvanized-iron pipe, which projects 2 feet above the surface. The reference mark is a post 4 inches square, projecting 6 inches above the surface, 15.24 meters from the station, in azimuth $135^{\circ} 36'$.

G (Galveston County; F. W. P., 1882).—On Bolivar Peninsula, about 60 meters from the beach. The underground mark is an inverted bottle, 3 feet below the surface. The center of the mouth marks the center of the station. The surface mark is a pine stake with a spike in the top to mark the center of the station.

Marsh Point (U. S. E.) (Galveston County, U. S. E., 1900; 1911).—On the northeast part of Bolivar Peninsula, on what is known as Marsh Point, 36 meters from the south shore of East Bay. The station is marked by a U. S. E. standard station mark. There is a 1½-inch galvanized-iron pipe 0.427 meter to the west of the station. There are two U. S. E. standard reference marks, each 30.48 meters from the station, one on range with station *Rollover* and the other on range with station *Cox*.

F (Galveston County, F. W. P., 1882).—On the ridge about 40 meters back from the sand beach, 1 mile southwest of Hughes's house. The station is marked by an iron spike in the top of a pine stake, and underground by the figure 7, in the bottom of an inverted square glass bottle, 3 feet below the surface; above this is a flask.

Cox (U. S. E.) (Galveston County, U. S. E., 1900; 1911).—On the southeast shore of East Bay, on the point south of the mouth of Yates Bayou, in the marsh, 30 meters back of the shell ridge, along the shore. The station is marked according to note 7,¹ the reference mark being 15.7 meters from the station in azimuth $306^{\circ} 24'$.

Rip (U. S. E.) (Chambers County, U. S. E., 1900; 1911).—On the north shore of East Bay 50.0 meters from the edge of the water, in a marsh which extends 150 meters north to a high ridge, about 2¼ miles east-northeast of Stevenson Point Beacon, 1024 meters from a lone tree on the north shore of East Bay, on land owned by Mr. Jackson of Double Bayou. The station is marked according to note 7,¹ the reference mark being 15.24 meters from the station on line to station *Rollover*.

E (Galveston County, F. W. P., 1882).—On the second row of sand hills from the Gulf, about 10½ miles from Bolivar Point Lighthouse, and 59 meters from high-water mark. Two glass bottles, one square and one round, were buried 3 feet below the surface. The mouth of the square bottle marks the center of the station. The surface mark is a pine stake with a spike in the top to mark the station.

Long Grove (U. S. E.) (Chambers County, U. S. E., 1900; 1911).—On the north shore of East Bay, about 4 miles east of Smiths Point, on a narrow ridge of prairie land, 178 meters from the edge of the water, and 102 meters from the edge of the bluff bank on land owned by Robert White. The station is marked by a U. S. E. standard station mark. There are two U. S. E. standard reference marks, one on range with *Shaw* and the other on range with *Smiths Point*.

D (Galveston County, F. W. P., 1882).—On Bolivar Peninsula, on one of the second row of sand hills from the Gulf, about 8½ miles from Bolivar Point Lighthouse, and 70 meters from the high-water mark. The station is marked by a spike in the top of a pine stake, and underground by an inverted pint claret bottle, 3 feet below the surface, with a 4-ounce vial immediately above it.

Hannas Reef Tide Gauge (U. S. E.) (Galveston County, U. S. E., 1900; 1911).—This is a box on piles, about ½ mile from the shore of East Bay, just south of the east end of Hannas Reef.

S (U. S. E.) (Galveston County, U. S. E., 1900; 1912).—On Bolivar Peninsula near the mouth of School Bayou, and back of the sand hills, about 5¼ miles northeast of Bolivar Point

¹ See pp. 45-46.

Lighthouse. The station is marked by a 2½-inch solid round iron bar. Alongside the station mark are a piece of railroad rail, projecting 3 feet above the surface of the ground, and a 6 by 8 inch pine post. A pointed cedar post, 6 inches in diameter, stands 23.2 meters almost directly south of the station.

C (Galveston County, F. W. P., 1883).—About 5½ miles northwest of Bolivar Point Lighthouse, ⅓ mile northeast of a one-story frame church, and 120 meters back from the high-water mark of the Gulf. The underground mark is a pyramid, 6 inches on an edge, with the letters "U. S. C. S." cut on its faces, buried 3 feet below the surface and the surface mark is a spike in the top of a pine stub.

Oren (U. S. E.) (Galveston County, U. S. E., 1901).—On Bolivar Peninsula on a low wet marsh, 30 meters from the high water of East Bay, and about 5½ miles northeast from Bolivar Point Lighthouse. The station is marked by a U. S. E. standard station mark.

B (Galveston County, F. W. P., 1882).—Marked underground by an earthenware pyramid 6 inches on each edge, with the letters "U. S. C. S." cut on its faces. The surface mark is a spike in the top of a pine stake. This station can be recovered, if at all, by triangulation only.

A (Galveston County, F. W. P., 1882).—The underground mark is an earthenware pyramid, 6 inches on each edge, with the letters "U. S. C. S." cut into its faces, buried 3 feet below the surface. The surface mark is a spike in the top of a pine stake. This station can be recovered, if at all, by triangulation only.

Dollar Point (U. S. E.) (Galveston County, U. S. E., 1900; 1911).—In the north edge of the timber at Dollar Point, about 10 feet above mean low water, 180 meters north of the old unoccupied Bryan house, 40 meters south of the edge of the bank of a small bay on the north side of the Point, and about 150 meters east of a bayou known as Walfe Creek. The land is covered with trees and heavy underbrush except on the north of the station. The station mark is a U. S. E. standard station mark set flush with the surface of the ground. Two U. S. E. standard reference marks are each 30.48 meters from the station, one in azimuth 11° 15' and the other on range with Half Moon Lighthouse (since destroyed). In 1911, when the station was last visited, the marks were in good condition and a tripod signal was standing.

Galveston Longitude Station (Galveston County, G. R. P., 1895).—Located near the middle of the north side of Ball High School, Galveston. That part of the brick observing pier which was below the ground was left to mark the station.

Miller Point (U. S. E.) (Galveston County, U. S. E., 1900; 1911).—On the extreme point of the bluff at Millers Point between Galveston Bay and Dollar Bay, 17 meters from the Galveston Bay shore. The station is marked by an iron pipe, 1 inch in diameter. The reference mark is the same as described in note 7,¹ and is 30.22 meters from the station in azimuth 323° 51'. The large fence post at the corner of the fence is distant 70 meters in azimuth 321° 24'.

April Fool Point (U. S. E.) (Galveston County, U. S. E., 1900; 1911).—Near the extremity of the marshy peninsula known as April Fool Point, between Galveston and Dickinson Bays, 6 meters from the marsh on the west and 16 meters from the bay shore on the east. The station is marked by a U. S. E. standard station mark set in concrete. The reference mark, the same as described in note 7,¹ is 30.45 meters from the station in azimuth 133° 36' 20''.

Rock Springs (U. S. E.) (Galveston County, U. S. E., 1900; 1911).—Two and one-half miles northwest of Edwards Point, 37 meters from the top of the bluff bank, 50 meters west of Evans Grove, 600 meters east of the wharf at Clifton, and 2.5 meters from a small oak tree in a row recently planted. The station mark is a U. S. E. standard station mark and the reference mark is described in note 7.¹ The following distances and azimuths are given: Reference mark, 27.70 meters, 20° 52'; cement post on the side of the street leading to the wharf 106° 58'; bodock tree with a blaze on the west side, 57 meters, 300° 32'.

Flanders (Galveston County, R. D. C., 1850; 1911).—One mile south of Clear Creek, about 90 meters southeast of the southeast corner of Bradford's fence and grove, on a head of land with a large gully 25 meters to the north and a small gully 50 meters to the south, 10 meters from the top of the bluff, 22 meters from the shell beach, and 17 meters from the arroyo toward

¹ See pp. 45-46.

Bradford's house. The station is marked by a U. S. E. standard station mark, and the reference mark is the same as is described in note 7.¹ The following distances and azimuths are given: Reference mark, 29.48 meters, $37^{\circ} 49'$; cedar stake, reference mark of 1850, 1.53 meters, $299^{\circ} 52'$.

Morris 2 (Harris County, I. W., 1911).—On the west shore of Galveston Bay, 1 mile north of the mouth of Clear Creek, with summer residences along the shore on either side of the station, about 10 meters north of the fence around John Harris's garden, on a line with the front of his house, and 39 meters from a group of four trees that stand inshore from the station. The station is marked according to note 7.¹ The following distances and azimuths are given: Tree, marked with the letter D, 39.4 meters, $98^{\circ} 15'$; reference mark, 21.30 meters, $98^{\circ} 25'$; corner of yard fence, 14.55 meters, $348^{\circ} 29'$; 6 by 8 inch cypress post, 12.25 meters, $350^{\circ} 31'$.

Fisher (U. S. E.) (Chambers County, U. S. E., 1900; 1911).—The station is 3 meters from a rapidly caving bluff bank and is marked by a U. S. E. standard station mark. The reference mark is the same as described in note 7.¹ and is 55.24 meters from the station in azimuth $136^{\circ} 00'$.

Barrows House (U. S. E.) (Chambers County, U. S. E., 1900; 1911).—On the northwest shore of Galveston Bay, about 6 meters back from the edge of a bluff bank, 70 meters south of a fence corner, and 25 meters southwest of a large cut in the bank. The station is marked by a U. S. E. standard station mark. The reference mark described in note 7.¹ is 7.34 meters distant in azimuth $131^{\circ} 36'$. A lone cedar with a triangular blaze is directly in front of the station on the edge of the bank, and a blazed oak is on a fence line 5 meters south of the station.

Browns Beach (U. S. E.) (Chambers County, U. S. E., 1900; 1911).—On a low sandy flat, covered with bushes and grass, 2 meters from the edge of the bluff, 2 miles west of the mouth of the bayou leading out of Cotton Lake. The station is marked by a U. S. E. standard station mark. The reference mark, the same as described in note 7,¹ projects 3 inches above the surface and is 33.36 meters from the station in azimuth $149^{\circ} 05'$.

Canal (U. S. E.) (Harris County, U. S. E., 1900).—The station is marked by an iron pipe driven in a barrel of cement about 1 foot under the ground. This station can be recovered, if at all, by triangulation only.

Allen (U. S. E.) (Harris County, U. S. E., 1900; 1911).—On a bluff bank of the upper part of Galveston Bay on the east side of the entrance to San Jacinto Bay, 4 meters from the edge of the bluff near Wm. Knight's front fence, and about 50 meters south of another fence that runs into the bay. The station is marked by a U. S. E. standard station mark.

Atkinson (U. S. E.) (Harris County, U. S. E., 1900; 1911).—In the upper part of Galveston Bay, on the point on the west side of the entrance to San Jacinto Bay, on a brush-covered mound about 4 feet high. The station is marked by an iron pipe driven into the ground. A copper tack in the top of a pine stake is 30.48 meters from the station on the line to station *Hog*.

Hog (U. S. E.) (Harris County, U. S. E., 1901; 1911).—On the east end of Hog Island, in San Jacinto Bay, on an Indian mound composed of clam shells. The station is marked by a 2-inch iron pipe driven into the ground and projecting 6 inches above the surface. The reference marks are two 3-inch square cedar stakes, 3 feet long, driven 2 feet into the ground, each 30.48 meters from the station, one in range with *Morgan Point* and the other in range with *Atkinson*. There are three hackberry trees each marked with a triangle on the side toward the station. They are 3.66 meters north $27^{\circ} 30'$ west, 6.40 meters north $27^{\circ} 30'$ east, and north $79^{\circ} 00'$ east.

Spillman 1 (U. S. E.) (Harris County, U. S. E., 1900).—On swampy ground at the eastern extremity of Jennings or Spillmans Island, where San Jacinto Bay and River meet, just east of a small channel separating the island from a long sand bar which follows the river toward *Morgan Point* and shows above the water at low tide. The station is marked by an iron pipe driven into the ground. There are two pine stakes, with a copper tack in the top of each, for reference marks, one in azimuth $109^{\circ} 56'$, distant 26.5 meters, and the other on the line to *Spillman II*, distant 21.3 meters.

¹ See pp. 45-46.

Spillman II (U. S. E.) (Harris County, U. S. E., 1900).—On the eastern end of the peninsula on the south side of Jennings or Spillman Island, across San Jacinto Bay from the Texas Military Institute. A large sand flat extends from the point into the bay and there is a small grass island just in front of the station. The station is marked by an iron pipe driven into the ground. For reference marks there are two pine stakes, with a copper tack in the top of each, one distant 28.35 meters, in azimuth $119^{\circ} 29'$, and the other 31.09 meters to the northwest.

Tabb (U. S. E.) (Harris County, U. S. E., 1900).—On Hog Island on the eastern extremity of the marshy projection south of the mouth of Goose Creek, 1.4 feet above low tide. The station is marked by a $1\frac{1}{2}$ -inch iron pipe projecting 0.8 of a foot above the surface. There are two pine stakes, each 2 feet long, projecting 6 inches above the surface, with a copper tack in the top of each, 30.48 meters from the station, in azimuths $279^{\circ} 36'$ and $344^{\circ} 57'$.

Duck (U. S. E.) (Harris County, U. S. E., 1900).—On marsh ground 1.4 feet above sea level a short distance east of the mouth of a bayou, on a point of land which extends out from the southern shore of Black Duck Bay. The station is marked by a $1\frac{1}{2}$ -inch pipe, projecting 0.8 of a foot above the surface. For reference marks there are two pine stakes, with a copper tack in the top of each, one 28.35 meters from the station in azimuth 327° and the other 32.00 meters from the station, in azimuth $57^{\circ} 20'$.

Midway (U. S. E.) (Galveston County, U. S. E., 1900; 1911).—On the north side of the entrance to San Jacinto Bay, on a small hill, 60 meters from the shore line, between the residence on the Smith estate to the west and R. Hoskin's residence to the east and 60 meters east of an old fence line. The station is marked by a solid iron rod, 1 inch in diameter, projecting 1 foot from the ground. There is a cedar stake 3 feet long, driven 2 feet into the ground, 30.48 meters from the station on range with *Morgans Point*.

Daragon (U. S. E.) (Harris County, U. S. E., 1900).—On the south shore of San Jacinto Bay, on a berm, or ledge, at the mouth of a small gully running back into the bank, 1200 meters west of the Texas Military Institute, on land owned by the La Porte Improvement Co., 20 meters south from the edge of the water, 80 meters from the mouth of Small Bayou, and 110 meters from the bridge. The station is marked by an iron pipe driven into the ground. There are two pine stakes with a copper tack in the top of each, one 31.70 meters from the station in azimuth 250° and the other 33.83 meters, in azimuth $192^{\circ} 04'$.

McKee (U. S. E.) (Harris County, U. S. E., 1900).—On the narrow strip of land between the main channel of the San Jacinto River and Black Duck Bay, 30 meters east of the bank of the river, 230 meters west of the bay shore, and 110 meters southwest of the corner of a cultivated field. The station is marked by a $1\frac{1}{2}$ -inch pipe projecting 6 inches above the surface. For reference marks there are two cedar stakes with a copper tack in the top of each, one 36.58 meters distant in azimuth $155^{\circ} 34'$ and the other 30.48 meters distant to the westward, on the line to station *Thompson*.

Grassy Point (U. S. E.) (Harris County, U. S. E., 1900).—At the north end of Spillman or Jennings Island on one of a bunch of marshy islands, surrounded by sand flats which are bare at low tide, and form a part of Jennings Island. Just west of the station, and on the same island with it, there are six willow trees. The station is marked by an iron pipe. For reference marks there are two pine stakes, one on the line to station *Thompson*, distant 21.3 meters; the other in azimuth $340^{\circ} 04'$, distant 24.3 meters.

Small (U. S. E.) (Harris County, U. S. E., 1900).—On the west shore of San Jacinto Bay, on low marshy ground at the foot of a sloping bank wooded with elm and oak, and near a house owned by W. Small. The station is marked by an iron pipe driven into the ground. For reference marks there are two pine stakes, one distant 22.65 meters in azimuth $54^{\circ} 58'$, the other on the line to station *McKee*, distant 57.61 meters.

Strang (U. S. E.) (Harris County, U. S. E., 1900).—On the northwest slope of the hill just below the Dixon place, in the edge of woods composed of white oak and slow gum, and 75 meters north of an artesian well. The station is marked by an iron pipe driven into the ground. Two pine stakes, with a copper tack in the top of each, are 30.48 meters from the station, one in azimuth $91^{\circ} 30'$ and the other to the west on the line to station *McKee*.

Badger (U. S. E.) (Harris County, U. S. E., 1900).—On the north side of Alexander Island, surrounded by oak, gum, and youpon trees; the ground is covered with Johnson grass, and back of the station is a marsh. The station is marked by an iron pipe. There are two pine stakes with a copper tack in the top of each, one 5.2 meters east and the other 8.5 meters in azimuth $205^{\circ} 38'$.

Marsh (U. S. E.) (Harris County, U. S. E., 1900).—On the end of the marshy peninsula, between Crystal Bay and San Jacinto River, on land owned by Q. A. Wooster. The entire peninsula is covered with marsh and high cane, except the small ridge west of the station, which is covered with small locust bushes. The station is marked by a $1\frac{1}{2}$ -inch iron pipe, projecting 0.8 of a foot above the surface. For reference marks there are two cedar stakes, 2 inches in diameter, both to the east-southeast on line to station *Badger*, one distant 15 meters and the other distant 26 meters.

Thompson (U. S. E.) (Harris County, U. S. E., 1900).—On the south shore of San Jacinto Bay, on marshy ground, 45 meters north of a long fence, and near the foot of a small gulch. There is a heavy growth of timber to the west of the station. The station is probably marked by an iron pipe. There are two pine stakes for reference marks, one in azimuth $36^{\circ} 46'$, distant 30.48 meters, the other in azimuth $95^{\circ} 39'$, distant 22.86 meters.

Goat (U. S. E.) (Harris County, U. S. E., 1900).—On low marshy land on the southern shore of an island, the extreme land between Scotts Bay and Crystal Bay. A ridge about 5 feet high and covered with elm trees extends westward from the station along the shore. The station is marked by a 1-inch iron pipe driven into the ground, projecting 0.8 of a foot above the surface. For reference marks there are two cedar stakes, one distant 32.31 meters in azimuth $282^{\circ} 08'$, the other is on the line to station *Wooster* and is distant 30.48 meters. There is a pronged elm tree, 107 meters from the station, north $36^{\circ} 30'$ west.

Barnes (U. S. E.) (Harris County, U. S. E., 1900).—On the north side of Barnes Island, on low marshy ground, 120 meters north from a small lake surrounded by high cane, 300 meters west of a small house. The station is marked by a 2-inch iron pipe driven into the ground. There are two pine stakes with copper tacks in the tops, 30.48 meters from the station, one in azimuth $130^{\circ} 05'$ and the other in azimuth $40^{\circ} 05'$.

Upper Crack (U. S. E.) (Harris County, U. S. E., 1900).—On a marshy peninsula, owned by Q. A. Wooster, 18 meters from the east bank of the San Jacinto River, due north of the small island at the mouth of Upper Crack, on a small ridge covered with small willow and elm trees. The station is marked by a $1\frac{1}{2}$ -inch pipe, projecting 0.6 of a foot above the surface. Two cedar stakes each 3 feet long, driven 2 feet into the ground, are on the line to the northwest toward station *Peggy*, the nearer being 7.62 meters from the station. There is a large willow tree and a cluster of small trees 8 meters from the station south $1^{\circ} 15'$ east, with three blazes on each tree. The same distance from the station south $66^{\circ} 00'$ west is a cluster of willow trees blazed in the same manner.

Wooster (U. S. E.) (Harris County, U. S. E., 1900).—On the west side of Scotts Bay, 45 meters back from the shore line, on the eastern edge of a heavy marsh and south 12° west of Q. A. Wooster's residence. The station is marked by a 2-inch iron pipe, projecting 0.6 of a foot above the ground. For a reference mark there is a cedar stake, 2 inches in diameter, 3 feet long, driven 2 feet into the ground, distant 6.10 meters on the line to the station *Goat*.

Peggy (U. S. E.) (Harris County, U. S. E., 1900).—On the peninsula between Peggys Lake and San Jacinto River, on the bank of the river, 30 meters north of the fence leading across the peninsula and on a bed of sharp sand. The station is marked by an iron pipe driven into the ground. There are two pine stakes, with a copper tack in the top of each, 30.48 meters from the station, one to the northward on the line to station *Crystal* and the other in azimuth $127^{\circ} 37'$.

Crystal (U. S. E.) (Harris County, U. S. E., 1900).—On a small peninsula between San Jacinto River and Crystal Bay, on land owned by J. A. Wooster, 24 meters from the bank of the river and 85 meters from the shore of Crystal Bay. The small neck where the station is

located is known as the "cut-off." The station is marked by a 2-inch iron pipe driven into the ground and projecting 0.8 foot. In azimuth $99^{\circ} 06'$ and 30.48 meters from the station is a 3-inch white oak stake, 3 feet long, driven 2 feet into the ground.

Burnett (U. S. E.) (Harris County, U. S. E., 1900).—On the south shore of Burnett Bay, 27 meters from the water's edge at mean low tide and 228 meters northeast of the end of an old dike which runs north and south. The elevation of the station is 4.1 feet. The station center is marked by a $1\frac{1}{2}$ -inch pipe, projecting 0.8 foot above the surface. Two 3-inch cedar stakes, driven 2 feet into the ground, with a copper tack in the center, are each 30.48 meters from the station, one in azimuth $61^{\circ} 22'$ and the other in azimuth $109^{\circ} 23'$.

Bluff (U. S. E.) (Harris County, U. S. E., 1900).—On the east bank of Burnett Bay, 5.5 meters from the bluff bank, in the extremity of a large clearing, 44 meters due north of a small point, 62.8 meters northeast of the ruins of an old brick kiln and 60 meters northeast of the beginning of the heavy timber line. The station is marked by a 2-inch iron pipe, projecting 6 inches above the surface. A 5-inch cedar stake, 3 feet long, driven 2 feet into the ground, is 30.48 meters from the station in azimuth $87^{\circ} 33'$, and a similar stake but 2 inches in diameter is the same distance from the station in azimuth $62^{\circ} 23'$.

Hog Island (U. S. E.) (Harris County, U. S. E., 1900).—Just north of Lynchburg, on the southern extremity of the large island in the San Jacinto River locally known as Hog Island. The station is probably marked with an iron pipe. Two cedar stakes projecting 1 foot above the ground are distant 26.97 meters and 24.38 meters, respectively, in azimuth $205^{\circ} 50'$ and $179^{\circ} 39'$.

Lost (U. S. E.) (Harris County, U. S. E., 1900).—On the eastern slope of a hill, on the north side of Old or Lost River, 91 meters from the water's edge, in a field owned by J. B. McGee; the land to the north is heavily timbered. The station is marked by a 2-inch iron pipe driven flush with the surface of the ground. For reference marks there are two cedar stakes, 3 inches in diameter and 3 feet long, driven 2 feet into the ground, with a copper tack in the top of each, one distant 30.48 meters in azimuth $176^{\circ} 19'$, the other distant 45.72 meters in azimuth $143^{\circ} 48'$.

Fuller (U. S. E.) (Harris County, U. S. E., 1900).—On the east side of Buffalo Bayou, opposite the mouth of Carpenters Bayou, 150 meters from the water's edge and 45 meters inshore from a clump of large gum trees. The station is elevated 7.3 feet. It is marked by an iron pipe driven into the ground. For reference marks there are two pine stakes, one 30.48 meters from the station, on the line to station *Tory Hill*, the other 22.86 meters in azimuth $352^{\circ} 18'$.

Shoal Point (U. S. E.) (Galveston County, U. S. E., 1900).—The station is marked by a $1\frac{1}{2}$ -inch pipe driven into the ground and projecting 6 or 8 inches above the surface. The station is probably lost.

M (U. S. E.) (Galveston County, U. S. E., 1900; 1912).—On Pelican Island, about 1 mile due west of the eastern extremity of the island, on the north end of a low ridge of hard ground. The station is marked by a U. S. E. standard station mark set 2 feet below the surface, and at the surface by a standard disk station mark set in the top of a 4-inch tile filled with and surrounded by concrete. A standard disk reference mark set in a 4-inch tile is 10.97 meters from the station. The following round of directions is given: Bolivar Point Lighthouse $0^{\circ} 00'$; wireless telegraph mast, $91^{\circ} 04'$; reference mark, $294^{\circ} 58'$. In 1912, when last visited, a 35-foot tripod was standing over the station.

Middle Deer Island (Galveston County, R. D. C., 1850).—On the southwest end of Middle Deer Island, on the highest part of a shell bank. The station is marked by an earthen cone placed 3 feet below the surface. There are three cedar stakes, each 1.83 meters from the station north, south, and east.

Spillman (Galveston County, R. D. C., 1850).—On the west side of West Bay, about 1 mile south of the mouth of Highland Bayou. The station is marked by an earthen cone 3 feet below the surface. The station can be recovered, if at all, by triangulation only.

Caronkaway Island (Galveston County, R. D. C., 1850).—On the northwest side of Karan-kawa Island, 6 meters back from the high-water mark. The station is marked by an earthen cone placed 3 feet below the surface, and can be recovered, if at all, by triangulation only.

Caronkaway Point (Galveston County, R. D. C., 1850).—On the west side of West Bay, 79 meters from the high-water mark. The station is marked by an earthen cone buried 3 feet below the surface. The station can be recovered, if at all, by triangulation only.

Alligator Head (Brazoria County, R. D. C., 1850).—Located 25 meters from the shore of West Bay and 60 meters east of the bayou leading to Halls Lake. The station is marked by an earthen cone buried 3 feet below the surface.

MATAGORDA BAY TO ESPIRITU SANTO BAY.

PRINCIPAL POINTS.

Bastrop (Brazoria County, R. D. C., 1850).—On the north side of the mouth of Bastrop Bayou, on the shore of Bastrop Bay, 8 meters from high water. The station is marked by an earthen cone buried 3 feet below the surface.

Peninsula (Brazoria County, R. D. C., 1850).—The station is marked by an earthen cone placed 3 feet below the surface. The station can be recovered, if at all, by triangulation only.

Cottonwood (Brazoria County, J. S. W., 1853).—Near Bastrop Bayou, about 6 miles from the mouth, on a ridge near two cottonwood trees. The station is marked by a stone cone buried 3 feet below the surface. Three feet north, east, and west from the station are stone posts.

Rattlesnake (Brazoria County, J. S. W., 1852).—The station is marked underground by a stone cone and at the surface with three stone blocks set 3 feet distant to the north, south, and east. The station can be recovered, if at all, by triangulation only.

Oyster Creek (Brazoria County, J. S. W., 1852; 1912).—Eighty-six meters from the east bank of Oyster Creek, about $2\frac{1}{2}$ miles from the Gulf, 220 meters downstream from the first grove of trees on the right, going upstream. The underground mark is an earthen crock set 3 feet below the surface, and over this is a 4-inch square post. Two 4-inch stone posts are each 0.9 meter from the station, to the north and east, respectively.

Velasco (Brazoria County, J. S. W., 1853).—On the eastern side of the mouth of the Brazos River. The station is marked underground by a stone cone. Three stone blocks are each 3 feet from the station to the north, south, and east.

Brazos (Brazoria County, J. S. W., 1852; 1912).—In the prairie, 250 meters from the north bank of the Brazos River, 170 meters from the Houston & Brazos Valley Railroad track, and a short distance north of the round house at Velasco. The third telephone pole stump east of the railroad is 18.08 meters south of the station. The station is marked by an earthenware cone buried 3 feet below the surface of the ground, above which is a 4 by 4 inch scantling, 1 foot long. There are three stone blocks, projecting 4 inches above the ground, each 3 feet distant to the north, south, and east of the station.

Jupiter (Brazoria County, J. S. W., 1852; 1897).—Lost.

Bryan (Brazoria County, J. S. W., 1853).—In the prairie 4 miles from the Gulf and about 5 meters from the bank of Jones Creek. The station is marked by an earthen cone buried 3 feet below the surface. Three feet north, south, and east of the station granite blocks project 4 inches above the surface.

Bernard (Brazoria County, J. S. W., 1853).—This station is marked by an earthen cone buried 3 feet underground. It can be recovered, if at all, by triangulation only.

Cedar Lake (Matagorda County, J. S. W., 1852).—The station is marked by an iron cone buried 3 feet below the surface, with a granite block to the north, south, and east. The station can be recovered, if at all, by triangulation only.

McNeel (Brazoria County, J. S. W., 1852).—Five and one-half miles from the coast and about one-half mile west of the San Bernard River, in the corner of a pasture owned by Law-

rence Decroze, 6 meters from the north side of the pasture, and 110 meters from the house. The station is marked by an earthen cone buried 3 feet below the surface, with a granite block to the north, south, and east, each 3 feet from the station, and projecting 4 inches above the surface.

Rhodes (Matagorda County, J. S. W., 1853).—The station is marked by a cast-iron cone buried 3 feet below the surface. Three feet north, south, and east of the station are granite blocks projecting about 4 inches above the surface.

Cany (Matagorda County, J. S. W., 1852).—The station is marked by an iron cone buried 3 feet below the surface and surrounded by three granite blocks to the north, south, and east. The station can be recovered, if at all, by triangulation only.

Kenner (Matagorda County, J. S. W., 1853; 1883).—On the Kenner sugar plantation 150 meters north of the bend in Cany Creek, and 300 meters south 36° east of the sugar house. The station is marked by a cast-iron cone buried $3\frac{1}{2}$ feet below the surface, and 3 feet to the north, south, and east are marble blocks, projecting 4 inches above the surface.

Mud Island south base (U. S. E.) (Brazoria County, U. S. E., 1906; 1912).—On the east side of Mud Island, 267 meters from the shore, nearly opposite the north end of a marsh island, which lies close inshore in Mud Pass, and on the second from the north of a row of five mounds. The station is marked by two U. S. E. standard station marks, one set in concrete at the surface and the other directly under it. A standard disk reference mark in the top of a 4-inch tile is on range with an oil tank just north of the mouth of the Brazos Canal, 9.91 meters from the station in azimuth $143^\circ 33'$.

San Luis (U. S. E.) (Brazoria County, U. S. E., 1912).—On San Luis Island, midway between the southwest point of the island and the Gulf of Mexico, 17 meters from the south shore, and 82 meters west of a small low island. There is a large grove of small trees across the water to the south. The station is marked by a U. S. E. standard station mark set in concrete. A standard disk reference mark set in the top of a 4-inch tile filled with cement, is 11.88 meters from the station in range with the oil tank near the mouth of the Brazos Canal.

Hartrick (U. S. E.) (Brazoria County, U. S. E., 1906; 1912).—On the mud flat on the northwest shore of Oyster Bay, 1,070 meters west of Christmas Point, 275 meters west of the end of a line of salt cedars, growing along the bluff from the bay shore to a point north of the station. This bluff is 150 meters from the station at the nearest point. The station is marked by a U. S. E. standard station mark set in concrete. In the top of a 4-inch tile, filled with concrete, is a standard disk reference mark, 15.64 meters from the station in azimuth $139^\circ 12'$.

Pass (Brazoria County, I. W., 1912).—Between the Gulf of Mexico and Oyster Bay, 3 miles southwest of San Luis Pass, at the center of a lone sand hill on the west side of a broad sand flat, one-half mile from the Gulf beach and 460 meters from Oyster Bay. A 3-inch iron pipe 4 feet long, driven $3\frac{1}{2}$ feet into the ground, marks the station. A U. S. E. standard reference mark, projecting 2 inches above the ground, is 4.51 meters from the station in azimuth $140^\circ 25'$. One of the wings of the arrow points to the station.

Red Bluff (U. S. E.) (Brazoria County, U. S. E., 1901; 1912).—About 100 meters northwest of the extremity of the point at Red Bluff, and about 50 meters north of the corner of G. M. Harris's fence, 16 meters from a 6-foot bluff on the bay shore, and 8 meters from the line of a row of salt cedars extending inland from the bay shore. The station is marked by an iron rod, 1 inch in diameter, at the center of a length of stove pipe, filled with and set in concrete. The rod projects 3 inches above the top of the concrete. A standard disk reference mark in the top of a length of stove pipe which is set in and filled with concrete, is 14.92 meters from the station in azimuth $139^\circ 04'$.

Shell (Brazoria County, I. W., 1912).—On a shell ridge between the Gulf of Mexico and Oyster Bay, nearly opposite Rattlesnake Point, about one-half mile from the Gulf shore, and one-fourth mile south of a point where the Gulf washes over into the bay. The ridge is covered with mesquite bushes and cactus, and is about 15 feet above sea level. The station is marked according to note 7,¹ the reference mark being 14.77 meters from the station in azimuth $101^\circ 28'$.

¹ See pp. 45-46.

Rattlesnake 2 (Brazoria County, I. W., 1912).—On the Gulf shore 2 miles north of the Brazos Life Saving Station, on top of a sand and shell-ridge, 14 meters from the inshore edge of the driftwood and 95 meters from a small bayou in the marsh back of the station. The station is marked according to note 7,¹ the reference mark being 13.31 meters from the station in azimuth $133^{\circ} 56'$. The following azimuths and distances are given: Life-saving patrol, key post, 39 meters, $52^{\circ} 07'$; lone house, west shore of Oyster Bay, $203^{\circ} 34'$; east gable of fish house, Rattlesnake Point, $217^{\circ} 19'$; guide post, Life-Saving Service, 42 meters, $33^{\circ} 52'$.

Well (U. S. E.) (Brazoria County, U. S. E., 1912).—One and one-fourth miles northeast of the mouth of the Brazos River, and about three-fourths mile southwest of the life-saving station, just west of the site of the Surfside Hotel, and near a large artesian well which has formed two small ponds south of the station. The station is marked by a standard disk station mark, set in a piece of stovepipe, which is filled with and set in concrete. The following distances and azimuths are given: Artesian well, 26.2 meters, $45^{\circ} 35'$; railroad water tank at Velasco, $94^{\circ} 12'$; Hudgins' house, chimney, $132^{\circ} 57'$.

Velasco Hotel Dome (Brazoria County, H. G. O., 1891; 1912).—Lost.

East (Brazoria County, H. G. O., 1891; 1912).—Lost.

West 2 (U. S. E.) (Brazoria County, U. S. E., 1897; 1912).—On the west side of the Brazos River, about 1 mile from the mouth, 315 meters south of the last house on the south side of Quintana. The station is marked by a U. S. E. standard reference mark, used as a station mark.

SUPPLEMENTARY POINTS.

Christmas Point (U. S. E.) (Brazoria County, U. S. E., 1906; 1912).—On Christmas Point, between Oyster and Bastrop Bays, at the junction of the Brazos River and the Bastrop Canal, on hard ground, 250 meters from the point, 19 meters from the bluff bank on the bay shore, and 19 meters from the grass line toward the point. The station is marked by a U. S. E. standard station mark set in concrete. The reference mark is a 4-inch tile filled with concrete, with a standard disk reference mark set in the top, 13.18 meters distant in azimuth $114^{\circ} 36'$. A 2-inch iron pipe projects 4 inches from the ground 14.51 meters from the station in azimuth $100^{\circ} 31'$, and a second pipe projects 3 inches above the ground 14.08 meters from the station in azimuth $103^{\circ} 17'$.

Rattlesnake Point (U. S. E.) (Brazoria County, U. S. E., 1906; 1912).—On the northwest shore of Oyster Bay near the end of Rattlesnake Point, 35 meters north of a fish house with a large pile of oyster shells on the side toward the station. The station is 3 meters from the west bank of the Brazos Canal and 7 meters from the marsh on the bay shore. It is marked by a U. S. E. standard station mark.^o Three meters from the station toward the fish house a 1-inch iron pipe projects 4 inches above the ground.

Tom (Brazoria County, J. S. W., 1852).—On the west shore of the mouth of Oyster Creek. The station is marked by a black bottle buried 3 feet below the surface.

ESPIRITU SANTO BAY TO ARANSAS PASS AND CORPUS CHRISTI BAY.

PRINCIPAL POINTS.

Prairie (Matagorda County, J. S. W., 1852; 1883).—In the open prairie, and 4650 meters north 77° west of the largest house at the canal connecting Cany Creek and Matagorda Bay. The station is marked by a cast-iron cone buried 3 feet below the surface, and 3 feet to the north, south, and east are marble blocks projecting 4 inches above the surface.

Kenner Eccentric (Matagorda County, R. E. H., 1883).—Located 111 meters from station *Kenner*, and almost in prolongation of the line from station *Sanborn* through station *Kenner*. The station is marked by a cedar stub, with a copper tack which has crosslines in the top.

Sanborn (Matagorda County, R. E. H., 1883).—About 1 mile northwest of three houses near the mouth of Cany Creek, on a sand hill, about 75 meters from the high-water mark of the

Gulf, and 365 meters south from a bayou that runs back of the station. The station is marked by a bottle buried $2\frac{1}{2}$ feet below the surface. A drill hole in a block of porphyry weighing about 75 pounds marks the station at the surface.

Brown (Matagorda County, R. E. H., 1883).—On a sand hill near the Gulf beach, about 3 miles east of Smith's grove of cedars, about 1 mile west of Brown's grove, and 55 meters west of a wide flat which extends inland through the line of hills along the coast. The station is marked underground by an inverted beer bottle, $2\frac{1}{2}$ feet below the surface, and at the surface by a cross in a bolt of lead in the top of a barrel of cement.

Sargent (Matagorda County, J. S. W., 1852).—Located 50 meters back from the water's edge. The station is marked by an iron cone buried 3 feet below the surface. Three feet north, south, and east of the station are granite blocks projecting about 4 inches above the surface.

Live Oak (Matagorda County, S. A. G., 1852; 1883).—On a shell bank on the west side of Live Oak Bayou, one fourth mile from the mouth. The station is marked by a wine bottle buried 3 feet below the surface, and three cedar stakes are each 0.91 meter to the north, south, and east.

East Point (Matagorda County, R. E. H., 1883; 1906).—About 8 miles below the upper end of Matagorda Peninsula, on a ridge of moderately high ground which extends almost from the sand hills on the Gulf shore to the marshes along Matagorda Bay. The station is marked by a cross in a bolt of lead, in the top of a marble post, $6\frac{1}{4}$ inches square, 30 inches long, with the letters U. S. on the top and C. G. S. on the sides. The post rests on the subsurface mark, which is a cross in a bolt of lead in the top of one of a layer of bricks set in concrete. Around the post to the level of the ground is a pier of brick, 2 feet square, and over the monument is a cairn of loose stone.

Bath (Matagorda County, J. S. W., 1852; 1855).—The station is marked by a wine bottle buried 3 feet below the surface. It can be recovered, if at all, by triangulation only.

Seven Mile (Matagorda County, S. A. G., 1856; 1906).—On the north side of Matagorda Bay, on the highest part of what is locally known as Hog Island Mott, about 1 mile northeast of Chris. Shipprian's house, 300 yards back from the bay shore. The station is marked according to note 5,¹ with the exception that the reference marks are the vertical iron troughs described in note 6,¹ set one to the north 1.82 meters, one to the east 2.75 meters, and one to the west 1.80 meters from the station.

West Point (Matagorda County, R. E. H., 1883; 1906).—About 12 miles below the upper end of Matagorda Peninsula, on a small hill, 400 meters from the shore of Matagorda Bay, and on the highest ground in this locality. The station is marked by a cross in a bolt of lead in the top of a marble post $6\frac{1}{2}$ inches square and 30 inches long, with the letters U. S. on the top and C. G. S. on the sides. The post rests on the subsurface mark, which is a cross in a bolt of lead in the top of one of a layer of bricks set in concrete. Around the post to the level of the ground is a pier of brick 2 feet square.

Matagorda Peninsula north base (Matagorda County, R. E. H., 1883; 1906).—On Matagorda Peninsula, on a small rise of ground in the marsh, 320 meters from Matagorda Bay, and about 1 mile north of the house of P. Kain. The station is marked by a cross in a bolt of lead in the top of a marble post, inscribed "U. S. C. G. S.", and surrounded by a brick pier 1 foot square, both post and pier resting directly upon the underground mark, which is a cross in a bolt of lead in the top of a layer of brick, 3 feet square, set in cement mortar, 20 inches below the surface. Over the station is a conspicuous cairn of loose stones.

Matagorda Peninsula south base (Matagorda County, R. E. H., 1883).—Lost.

Duncan (Matagorda County, S. A. G., 1856; 1906).—On the south shore of Matagorda Bay, about one-third mile southwest of Cleveland Bayou and 70 meters from the bay shore, on land owned by Chris Shipprian. The station is marked according to note 5,¹ with the exception that the reference marks are described in note 6,¹ and are each 1.83 meters, to the north, east, south, and west, respectively.

¹ See pp. 45-46.

Matagorda (Matagorda County, S. A. G., 1855; 1906).—Lost. The station was marked according to note 6.¹

Gulf Shore (Matagorda County, S. A. G., 1855).—The station is marked according to note 6.¹

Mad Island (Matagorda County, S. A. G., 1855).—The station is marked according to note 6.¹

Shell Island (Matagorda County, S. A. G., 1855; 1911).—Lost.

Three Mounds (Matagorda County, S. A. G., 1856).—This station is marked according to note 6.¹

Lake (Matagorda County, S. A. G., 1856).—This station is marked according to note 6.¹

High Mound (Matagorda County, S. A. G., 1857).—This station is marked according to note 6.¹

Palacios (Matagorda County, S. A. G., 1857).—This station is marked according to note 6.¹

Well Point (Matagorda County, S. A. G., 1856; 1906).—About 2 kilometers west of the extremity of Well Point. The station is marked by a bottle buried 3 feet below the surface, and at the surface by a spike in a mass of concrete, the top of which is inscribed "C. G. S., 1855-1906." There is an iron reference mark 1.82 meters from the station, and a concrete post, 10 inches square and 2 feet long, 13.39 meters from the station.

Shell Reef Point (Matagorda County, S. A. G., 1859).—The station is marked according to note 6.¹

Turtle Bay (Matagorda County, S. A. G., 1856).—This station is marked according to note 6.¹

Osgood (Matagorda County, S. A. G., 1856).—This station is marked according to note 6.¹

La Salle (Calhoun County, S. A. G., 1857).—This station is marked according to note 6.¹

Sand Point 1857 (Calhoun County, S. A. G., 1857).—This station is marked according to note 6.¹

Indianola (Calhoun County, S. A. G., 1857).—This station is marked according to note 6.¹

Sheldon House (Calhoun County, S. A. G., 1857).—This station is probably marked according to note 6.¹

Gallinipper (Calhoun County, S. A. G., 1857).—This station is marked according to note 6.¹

Lavaca (Calhoun County, S. A. G., 1857; 1868).—On the west side of Lavaca Bay, about 1 mile north of Port Lavaca, and about 15 feet above mean sea level. The station is marked according to note 6.¹

Garcitas (Jackson County, S. A. G., 1857; 1868).—The station is marked according to note 6.¹

Bay View (Matagorda County, W. B. F., 1906).—The station is the center of the cupola of the Bay View Hotel in Matagorda. This building was the courthouse until the county seat was moved to Bay City.

Spring (Matagorda County, W. B. F., 1906).—On the bay shore of Matagorda Peninsula about $1\frac{1}{4}$ miles to the eastward of Tiger Island, abreast of the head of Spring Lake Bayou, 10 meters back from the shore line, and 200 meters east of the wire fence dividing the Breman and Culver properties. The station is marked according to note 5,¹ one reference mark being 10.14 meters from the station in azimuth $287^{\circ} 57'$, and the other 10.06 meters in azimuth $26^{\circ} 07'$.

Mad Island 2 (Matagorda County, W. B. F., 1906).—On the north shore of Matagorda Bay, on what is known as Shell Island Mott, on the prolongation of a line running longitudinally through Shell Island Reef. The mott at this point is a shell bank with an elevation of some 12 feet and is covered with bushes and small trees. The station is about 25 meters back from the high-water line and 75 meters from the north end of the mott, on the highest ground. It is marked according to note 5,¹ one reference mark being 9.935 meters from the station in azimuth $81^{\circ} 44'$, and the other 8.995 meters in azimuth $175^{\circ} 50'$.

Three Mounds 2 (Matagorda County, W. B. F., 1906).—On the south side of Matagorda Peninsula, on the highest of a group of three sand hills, about one-half mile east of the old Duffy

¹See pp. 45-46.

house, 1 mile west of Philips Mott, and 300 meters from the Gulf high water line. A small bayou makes in from the Bay shore about opposite to or north from the station. The station is marked according to note 5,¹ with the exception that there are no reference marks.

Lake 2 (Matagorda County, W. B. F., 1906).—On the north shore of Matagorda Bay, about $2\frac{1}{2}$ miles northeast of Palacios Point, 500 meters northeast of a little sand point, 700 meters southwest of a small wooded mott, on hard shell ground, 27 meters from the high-water line, and close to a path that runs along the shore. The station is marked according to note 5,¹ one reference mark being 13.750 meters from the station in azimuth $93^{\circ} 23'$, and the other 15.825 meters in azimuth $177^{\circ} 07'$.

High Mound 2 (Matagorda County, W. B. F., 1906).—On the Gulf Shore of Matagorda Peninsula, about 6 miles below Philips Mott, on a round, grass-covered, sand hill, the highest in the vicinity and locally known as High Mound. The station is marked according to note 5,¹ with the exception that there are no reference marks.

Well Point 2 (Matagorda County, W. B. F., 1906).—On Well Point, on the northern shore of Matagorda Bay, 150 meters west of the extremity of the point, 75 meters from the north bluff, and 45 meters from the south bluff. The station is marked according to note 5,¹ one reference mark being 12.989 meters from the station in azimuth $176^{\circ} 22'$, and the other 13.635 meters in azimuth $84^{\circ} 38'$.

Osgood 2 (Matagorda County, W. B. F., 1906).—On the Bay Shore of Matagorda Peninsula, on what is known as Morgans Point, 300 meters southwest of Cherry Bayou, 400 meters from Cherry's house, back about 120 meters from the shore line. Between the station and the shore and distant from the station 67 meters are the gravestones of the Morgan family. The station is marked according to note 5,¹ one reference mark being 14.037 meters from the station in azimuth $354^{\circ} 26'$, and the other 13.127 meters in azimuth $84^{\circ} 37'$.

Sand Point 1906 (Calhoun County, W. B. F., 1906).—On Sand Point on the north side of the entrance of Lavaca Bay from Matagorda Bay, 1 mile from the western extremity of the point, 60 meters back from the shore line, 75 meters north of a clump of bushes, and 100 meters from the clump close to the water's edge. The station is $2\frac{1}{2}$ feet above ordinary high water, but at times it is entirely submerged. It is marked according to note 5,¹ with the exception that there are no reference marks.

La Salle 2 (Calhoun County, W. B. F., 1906).—On the southwest shore of Matagorda Bay, about $1\frac{1}{2}$ miles southeast of Powderhorn Bayou sometimes called Indianola Bayou, 175 meters east of the first row of cedars east of the bayou and 58 meters back from the 10-foot bluff at the shore line. The station is on a slight rise of ground about 13 feet above high water, and is marked according to note 5,¹ one reference mark being 14.296 meters from the station in azimuth $359^{\circ} 53'$, and the other 15.328 meters in azimuth $90^{\circ} 39'$.

Big Bayou (Calhoun County, W. B. F., 1906; 1911).—On the northern end of Bayucos Island, on the point of marsh on the east side of the entrance to Big Bayou, about 2 miles west of Saluria Bayou, 60 meters from the shore line, and 12 meters north from the only clump of bushes on the point. The station is marked according to note 5,¹ with the exception that there are three reference marks instead of two, the first 14.900 meters distant in azimuth $182^{\circ} 23'$, the second 12.281 meters in azimuth $272^{\circ} 23'$, and the third 11.600 meters in azimuth $92^{\circ} 23'$.

Espiritu Santo 2 (Calhoun County, W. B. F., 1906).—On Dewberry Island, 1 mile southwest of the northeast end of the island, 50 meters northwest from the high-water mark, 15 meters east of a clump of bushes, on ground about 2 feet higher than the surrounding marsh. The station is marked according to note 5,¹ one reference mark being 11.805 meters from the station in azimuth $135^{\circ} 29'$, and the other 14.205 meters in azimuth $225^{\circ} 29'$.

Hill (Calhoun County, W. B. F., 1906).—On one of the highest sand hills on the Gulf shore of Matagorda Island, about $1\frac{1}{2}$ miles west of Matagorda Lighthouse. The station is marked according to note 5,¹ with the exception that there are no reference marks.

Eleven Mile Point (Matagorda County, S. A. G., 1856).—This station is marked according to note 6.¹

¹ See pp. 45-46.

Three Mile Point (Matagorda County, S. A. G., 1855).—This station is marked according to note 6.¹

Espiritu Santo (Calhoun County, S. A. G., 1857; 1911).—The station is 1.34 meters from the station *Espiritu Santo Eccentric* in azimuth $0^{\circ} 53'$, and is marked by a bottle embedded in a core of concrete, set 3 feet below the surface.

Rahal (Calhoun County, S. A. G., 1857; 1859).—This station is marked according to note 6.¹

Grass Island (Calhoun County, S. A. G., 1859; 1911).—Lost. The station was marked according to note 6.¹

Panther Point (Calhoun County, S. A. G., 1859). Lost. The station was marked according to note 6.¹

Shell Island (Calhoun County, S. A. G., 1859).—This station is marked according to note 6.¹

Mosquito Point (Calhoun County, S. A. G., 1859; 1911).—This station is 25.51 meters from *Mosquito Point 2* in azimuth $302^{\circ} 46'$. The subsurface mark is a bottle embedded in a concrete core 3 feet below the surface. The surface mark is an iron spike in the center of a cast-iron ring lettered U. S. Coast Survey, embedded in a core of concrete and projecting about 2 inches above the general level of the ground.

Sand Mounds (Aransas County, S. A. G., 1859; 1911).—Lost. This station was marked according to note 6.¹

Cedar Bayou (Calhoun County, S. A. G., 1859; 1911).—Lost.

St. Charles (Aransas County, S. A. G., 1859).—This station is marked according to note 6.²

*Little*s (Aransas County, S. A. G., 1859; 1911).—Lost. This station was marked according to note 6.¹

Big Mound (Aransas County, S. A. G., 1859; 1911).—Lost.

Ballou House 1859 (Aransas County, S. A. G., 1859).—This station is on the same tower as the station *Ballou House 1911*, but the exact point is not known.

Copano House (Refugio County, S. A. G., 1859; 1911).—Lost.

Shell Bank (Aransas County, S. A. G., 1859; 1911).—Lost.

Espiritu Santo Eccentric (Calhoun County, J. C. G., 1911).—One-half mile northeast from the southwest end of Dewberry Island, on the northwesterly portion of the highest knoll and 4 feet above high water. The station is marked according to note 1.¹ Reference mark number one is the same as the mark described in note 6.¹ It is set in a core of concrete projecting 4 inches above the general level of the ground, 9.18 meters from the station in azimuth $348^{\circ} 36'$. Two other reference marks similar to the first are each 1.22 meters from the station in azimuths $91^{\circ} 07'$ and $271^{\circ} 23'$, respectively. There is also a standard disk reference mark embedded in a concrete core $1\frac{1}{2}$ feet in diameter set flush with the surface on the highest part of the knoll, 15.55 meters from the station in azimuth $294^{\circ} 21'$.

Long (Calhoun County, J. C. G., 1911).—On the highest point of ground on Long Island, $2\frac{1}{4}$ miles northeast of Steamboat Pass, and 10 meters back from the edge of the embankment. The station is marked according to note 2.¹ Reference mark number one is distant 6.32 meters from the station in azimuth $171^{\circ} 46'$ and number two is distant 14.99 meters in azimuth $71^{\circ} 50'$.

Cactus (Calhoun County, J. C. G., 1911).—On the north shore of Matagorda Island, opposite the eastern shore of Pringes Lake, about 10 meters west of the scrub bushes growing near the shore. These bushes are the first to be found growing near the shore line west of Matagorda Light. The station is 15 meters back from high water of Espiritu Santo Bay and 11 meters from the high water of Pringes Lake. The station is marked according to note 2,¹ the reference marks being distant 7.88 meters and 13.42 meters in azimuths $306^{\circ} 11'$ and $98^{\circ} 00'$, respectively.

Contee (Calhoun County, J. C. G., 1911).—On a low bank, 7 meters back from high water, on the north shore of Matagorda Island, one-half mile west of the west entrance of Pringes Lake, at a point where the shore line changes from a general northeast and southwest trend to an east and west direction. The station is marked according to note 2,¹ the reference marks being distant 4.32 meters and 11.38 meters in azimuth $6^{\circ} 32'$ and $98^{\circ} 28'$, respectively.

¹ See pp. 45-46.

Steam (Calhoun County, J. C. G., 1911).—At the western end of Espiritu Santo Bay, on the northeastern portion of the island on the southeast side of Steamboat Pass, 75 meters south of the lone and conspicuous group of salt cedars growing on the northeast shore of the island and 24 meters back from the edge of the embankment. The station is marked according to note 2.¹ Reference mark number one is 9.79 meters distant in azimuth $127^{\circ} 25'$ and number two is 19.09 meters in azimuth $35^{\circ} 34'$.

Nest (Calhoun County, J. C. G., 1911).—On the highest knoll near the east end of the second islet, counting from the westward, lying west of the main portion of Grass Island. The knoll is covered with brush and cactus, is 6 feet above high water, and is the highest ground within a radius of 2 miles. The station is marked according to note 2.¹ Reference mark number one is 5.09 meters distant in azimuth $244^{\circ} 36'$ and number two 5.19 meters in azimuth $175^{\circ} 02'$.

Greek (Calhoun County, J. C. G., 1911).—On the northern shore of Matagorda Island $5\frac{1}{2}$ miles northeast of Panther Point. The station is on the south shore of the southernmost cove in the locality, on raised ground 12 meters back from high water, on a range determined by the little marsh islet near the mouth of the cove and the end of the low marshy point northwest of the islet. The station is marked according to note 2.¹ Reference mark number one is 7.59 meters distant in azimuth $353^{\circ} 14'$ and number two 18.325 meters in azimuth $242^{\circ} 51'$.

Heron (Calhoun County, J. C. G., 1911).—On Shell Island locally known as Big Bird Island, lying in San Antonio Bay about midway between Grass Island and False Live Oak Point. The station is on the highest part of the island, about 2 meters north of the prickly pear growth, and is marked according to note 2.¹ Reference mark number one is about 2 meters east of the prickly pear growth, 9.06 meters from the station in azimuth $317^{\circ} 27'$, and number two is at the approximate center of the prickly pear growth, 6.13 meters from the station in azimuth $18^{\circ} 29'$.

Pan (Calhoun County, J. C. G., 1911).—On the extremity of Panther Point, on the south side of San Antonio Bay, 4 meters back from high water. The station is marked according to note 2.¹ Reference mark number one is distant 4.31 meters in azimuth $323^{\circ} 47'$ and number two is distant 7.665 meters in azimuth $28^{\circ} 53'$.

Mosquito Point 2 (Calhoun County, J. C. G., 1911).—On Mosquito Point on the east shore of San Antonio Bay, 75 meters back from the extremity of the point, and approximately at the center of the peninsula. The station is marked according to note 2,¹ reference mark number one being 16.365 meters distant in azimuth $351^{\circ} 53'$ and number two 19.40 meters in azimuth $235^{\circ} 52'$. In addition there are, a cast-iron mark, the same as is described in note 6,¹ 28.00 meters from the station in azimuth $304^{\circ} 55'$, and a one-half inch square rod, projecting 6 inches above the surface, 0.53 meters from the station in azimuth $342^{\circ} 39'$.

Dagger (Aransas County, J. C. G., 1911).—On the western side of San Antonio Bay, 2 miles south of Webb Point, on the low point known locally as Dagger Point by reason of the cluster of "Spanish dagger" growing there, on the highest part of the shell ridge at the extremity of the point and 7 meters back from high water. The station is marked according to note 2,¹ the reference marks being distant, respectively, 8.55 meters in azimuth $15^{\circ} 07'$ and 5.73 meters in azimuth $167^{\circ} 26'$.

Webb (Aransas County, J. C. G., 1911).—On the western shore of San Antonio Bay on the easternmost portion of Webb's Point, on top of a grassy sand knoll, 5 meters back from high water. A grassy mound with an elevation of 15 feet, entirely free of all shrubbery, lies directly back of the station. The station is marked according to note 2,¹ with the exception that reference mark number one is omitted. The reference mark corresponding to number two is distant 12.45 meters in azimuth $175^{\circ} 19'$ and is 1 meter west of a lone group of prickly ash growing about 6 meters back from the high-water mark.

Swan (Calhoun County, J. C. G., 1911).—On the point locally known as Swan Point, on the eastern shore of San Antonio Bay, $1\frac{1}{2}$ miles south from Seadrift, 56 meters back from the outer extremity of the high ground on the point, and 10 meters from the edge of the south bank. The

¹See pp. 45-46.

station is marked according to note 2.¹ Reference mark number one is on a slightly raised knoll, 125 meters back from the end of the point, distant 66.325 meters in azimuth 266° 05', and number two is distant 29.47 meters in azimuth 264° 14'.

Sharp (Refugio County, J. C. G., 1911).—On the point locally known as Sharps Point, on the west side of the entrance to Hynes Bay, on the top of the bank about 5 meters south of a lone prominent group of five hackberry trees, growing about 20 meters back from the edge of the bank. The station is marked according to note 2,¹ reference mark number one being distant 22.06 meters in azimuth 55° 30' and number two approximately equidistant from the three northernmost hackberry trees, distant 10.555 meters in azimuth 147° 31'.

Terry (Calhoun County, J. C. G., 1911).—On the rounding point 1 mile west from Seadrift, and 2 miles south of the village of Long Mott, on the top of the bank 15 meters back from the edge of the slope and 120 meters northwest of the first line fence north of the cemetery. It is marked according to note 1.¹ The reference mark is a bottle embedded in a concrete core 40 inches below the surface, and as a surface mark a standard disk reference mark is set in a 20-inch core of concrete projecting 4 inches above the ground.

Marsh (Refugio County, J. C. G., 1911).—On the southwest point of the low marshy peninsula on the eastern side of Hynes Bay and 5 meters back from high water. The station is marked by a standard disk station mark set in a core of concrete 18 inches in diameter and 2 feet deep. A standard disk reference mark embedded in a core of concrete 18 inches in diameter and 2 feet deep, set with the top projecting 4 inches above the marsh, is 8.79 meters from the station in azimuth 195° 26'. The other reference mark, a 4 by 4 inch post at the center of a conical mound of dirt, 2½ feet high and 3 feet in diameter at the base, is 11.40 meters from the station in azimuth 288° 31'.

Nipper (Refugio County, J. C. G., 1911).—On the east shore of Hynes Bay, 1½ miles northward of the entrance and 14 meters back from the shore line. The station is marked by a standard disk station mark embedded in a concrete core 15 inches in diameter and 2 feet deep, set flush with the surface. A standard disk reference mark embedded in a core of concrete 18 inches in diameter, 2 feet deep, projecting 4 inches above the surface, is 14.055 meters distant in azimuth 188° 21'. The other reference mark is a 4 by 4 inch post at the center of a conical dirt mound, 2½ feet high and 3 feet in diameter at the base, distant 27.29 meters from the station in azimuth 259° 46'.

Austin (Refugio County, J. C. G., 1911).—On the west shore of Hynes Bay, 2¼ miles from Sharps Point and about 500 meters northward from Mr. Austin's ranch house, the first and most conspicuous house on the west shore of the bay when approaching from the south. The station is on the top of the bank, 5 meters from the edge of the slope, and about 15 meters from high-water mark. It is marked by a standard disk station mark embedded in a core of concrete 1½ feet in diameter and 2½ feet long. The reference mark, a standard disk embedded in a core of concrete, with a bottle, also embedded in concrete about 30 inches below the surface, as an underground mark, is 27.08 meters from the station in azimuth 47° 23'. It is directly under the telephone line that parallels the shore and about 45 meters from high-water mark.

Duck.—(Refugio County, J. C. G., 1911).—On the eastern shore and about three-fourths of a mile from the head of Hynes Bay. A small marshy point projecting about 120 meters into the bay interrupts the general northwest trend of the shore line in this locality. The station is on low marshy ground directly back of the point, 60 meters north from the shore line, and practically on the range determined by the general trend of the shore line to the southward. The station is marked by a standard disk station mark set in a core of concrete 1½ feet in diameter and 2½ feet deep, buried flush with the ground. A standard disk reference mark set in a core of concrete 2 feet in diameter and projecting 3 inches above the general surface of the ground is distant 21.6 meters from the station in azimuth 202° 19'. A second reference mark is a 4 by 4 inch post at the center of a conical dirt mound 2½ feet high and 3½ feet in diameter at the base, distant 20.275 meters in azimuth 299° 53'.

¹ See pp. 45-46.

Crescent (Refugio County, J. C. G., 1911).—One and one-fourth miles south of the head of Hynes Bay, on the west shore, 10 meters back from the edge of the slope at the point where the nearest windmill is in azimuth $24^{\circ} 14'$. The station is marked according to note 1.¹ The reference mark, a bottle embedded in a core of concrete buried $2\frac{1}{2}$ feet below the surface, and a standard disk reference mark also embedded in concrete for the surface mark is 24.88 meters distant from the station in azimuth $45^{\circ} 10'$.

Oil (Refugio County, J. C. G., 1911).—On the western shore of the channel leading to the Guadalupe River, $1\frac{1}{4}$ miles southwest of Long Mott village, 15 meters back from the shore line. The station is marked by a standard disk station mark embedded in a core of concrete 15 inches in diameter, 2 feet deep, and set flush with the surface. A standard disk reference mark embedded in a core of concrete 18 inches in diameter, projecting 3 inches above the surface of the ground, is distant 19.07 meters in azimuth $353^{\circ} 09'$. The other reference mark, a 4 by 4 inch post at the center of a conical dirt mound, 3 feet high and 4 feet in diameter at the base, is distant 12.66 meters in azimuth $281^{\circ} 03'$.

Range Beacon (Calhoun County, J. C. G., 1911).—The station is on the east shore of the channel leading to the Guadalupe River and is the front beacon of the range for the dredged channel between beacons Nos. 1 and 6. The beacon is a tripod built of 6 by 6 inch beams and is anchored to cedar posts, surmounted by a triangular lattice cage, about 30 feet above the ground and the whole structure painted white. The position of the beacon was originally marked by a 2-inch iron pipe driven into the marsh. This was left undisturbed, but the ground was removed from the top, and a concrete core encasing it and bearing a standard disk station mark now marks the station.

False (Aransas County, J. C. G., 1911).—On the southern extremity of False Live Oak Point, about 10 meters back from high water. The station is marked according to note 2,¹ reference mark number one being 15.14 meters distant in azimuth $59^{\circ} 41'$ and number two 8.41 meters in azimuth $122^{\circ} 09'$.

Snake (Calhoun County, J. C. G., 1911).—On the north side of Matagorda Island, $4\frac{1}{2}$ miles southwest of Panther Point, five-eighths mile back from the shore line, on a grassy sand ridge free from shrubbery, 125 meters west of a small tortuous bayou leading from San Antonio Bay and in range with Panther Point and a lone clump of shrubbery about a mile to the east of the bayou. On the southeast side of the ridge is a thick growth of mesquite brush and on the west side a scattered growth. The station is marked according to note 2.¹ Reference mark number one is 21.11 meters distant in azimuth $216^{\circ} 30'$ and number two is distant 23.88 meters in azimuth $81^{\circ} 46'$.

Ayres (Aransas County, J. C. G., 1911).—On the southeastern end of Ayres Island, on that point nearest to the dredged channel, on the top of the highest part of the shell bank directly adjacent to the point and about 7 feet above high water. The station is marked according to note 2,¹ the reference marks being distant 3.16 meters and 18.82 meters in azimuth $145^{\circ} 44'$ and $213^{\circ} 04'$, respectively.

Bray (Calhoun County, J. C. G., 1911).—The station is on the southern shore of Brays Cove, Mesquite Bay, on the northern arm of the slightly raised ridge of ground that runs north-eastward from the southeast corner of the cove, and 10 meters back from high-water mark. The station is marked according to note 2,¹ the reference marks being distant 19.81 meters and 12.75 meters in azimuths $227^{\circ} 37'$ and $175^{\circ} 08'$, respectively.

Gaston (Aransas County, J. C. G., 1911).—On the point of the mainland 1 mile westward from the third chain of islands, on the highest part of the shell bank and about 20 meters from high water. It is marked according to note 2,¹ reference mark number one being 7.75 meter distant in azimuth $277^{\circ} 16'$ and number two 10.73 meters in azimuth $48^{\circ} 06'$.

Cedar (Calhoun County, J. C. G., 1911).—On the western end of Matagorda Island 1 mile south from the northern entrance to Cedar Bayou. It is on a sand dune about 240 meters back from the bayou, abreast of a lone and conspicuous row of salt cedars about 37 meters long and running approximately east and west. There is no other shrubbery on Matagorda

¹ See pp. 45-46.

Island within one-fourth mile on either side and no other group of similar cedars on the bayou. The station is marked by a standard disk station mark embedded in a core of concrete $1\frac{1}{2}$ feet in diameter and 3 feet deep buried flush with the surface. A standard disk reference mark is set in a core of concrete 2 feet in diameter projecting 6 inches above the general level of the ground; the underground mark is a bottle embedded in concrete 3 feet below the surface. The reference mark is 193 meters from the station in azimuth $70^{\circ} 49'$, in the north edge of the cedars about 10 meters west of the east end of the row.

Dun (Aransas County, J. C. G., 1911).—On the southeastern extremity of the low point of mainland lying one-half mile west by north off Dunhams Island, and 8 meters back from high water. The station is marked according to note 2,¹ reference mark number one being 59.18 meters distant from the station in azimuth $192^{\circ} 06'$ and number two 18.27 meters in azimuth $187^{\circ} 44'$.

Joe (Aransas County, J. C. G., 1911).—On the northern side of St. Josephs Island, $1\frac{1}{2}$ miles back from the beach, on a small tract of high firm ground, 75 meters from the eastern end of the island and 40 meters back from the northern side. The station is marked according to note 2,¹ reference mark number one being distant 15.29 meters from the station in azimuth $257^{\circ} 17'$ and number two 14.67 meters in azimuth $353^{\circ} 25'$.

Center (Aransas County, J. C. G., 1911).—The station is a 4 by 4 inch post secured to the small tripod beacon, marking the southeast end of Half Moon Reef, Aransas Bay. The tripod is surmounted by a cylindrical slatted daymark, about 20 feet above high water. The legs of the structure are anchored in three 2-inch iron pipes driven into the reef. The beacon is painted red.

Car (Aransas County, J. C. G., 1911).—On the northern side of St. Josephs Island, 0.9 mile back from the beach, on the most northwestern point of firm ground in this locality that is continuous with the mainland and is never submerged by extreme high water. The station is marked according to note 1.¹ The reference mark is on the northern side of a lone mesquite bush, the only bush within a one-fourth mile radius. The underground mark is a bottle embedded in concrete buried 3 feet below the surface. A standard disk reference mark is set in a core of concrete 2 feet in diameter and projecting 3 inches above the ground. It is 7.525 meters from the station in azimuth $341^{\circ} 14'$.

Mile (Aransas County, J. C. G., 1911).—On the top of the shell ridge, on the western shore of Aransas Bay, 150 meters from the extremity of the point, 25 meters north of the end of the ridge. The station is marked according to note 2.¹ Reference mark number one is on the center of the main shell ridge, 11.87 meters from the station in azimuth $193^{\circ} 53'$, and number two is on the spur making out toward Rockport, 23.35 meters from the station in azimuth $58^{\circ} 43'$.

Ballou House (Aransas County, J. C. G., 1911).—This is the first house southeast from Lamar Church. It is a two-story masonry building with a lookout on top of the main roof. The station is the center of the lookout as determined by the intersection of the diagonals drawn through the centers of the four corner posts. The house is at present owned and occupied by Mr. Taylor.

Oak (Aransas County, J. C. G., 1911).—The station is on the highest point of the highest sand hill $1\frac{1}{2}$ miles north of Fulton, on the west shore of Aransas Bay, locally known as "Lookout Hill." The station is marked according to note 2.¹ Reference mark number one is approximately 8 feet lower than the station mark, on the southeast slope of the hill, 2 meters northwest from a small live oak, distant 14.11 meters from the station in azimuth $319^{\circ} 52'$. Reference mark number two is on the west slope of the hill, 10 feet below the crest, projecting 3 inches above the sand, distant 21.97 meters in azimuth $80^{\circ} 59'$.

Decker (Aransas County, J. C. G., 1911).—On the lookout of the old lone frame building on the northwest side of Fish Point. The station is marked by a spike, surrounded by smaller nails driven into the floor of the lookout. The reference marks are the same as are described in note 2,¹ number one being 0.6 meter east of the east corner of the chicken house and 20.75 meters, horizontal distance, from the station in azimuth $140^{\circ} 31'$. Number two is 1 meter

¹ See pp. 45-46.

east of a large live oak tree, 9.4 meters south of the west corner of the house, and 21.98 meters, horizontal distance, from the station in azimuth $64^{\circ} 34'$. The distance between the reference marks is 26.31 meters. The angle at reference mark number one between number two and the station is $54^{\circ} 08' 00''$ and the angle at number two between number one and the station is $49^{\circ} 55' 12''$.

Rat (Refugio County, J. C. G., 1911).—On the north shore of Copano Bay, $4\frac{1}{4}$ miles northeast from the Copano Village Ruins, on top of the bank 9 meters back from the edge of the slope. The station is marked according to note 2.¹ Reference mark number one is 15 meters back from the edge of the embankment, distant 20.725 meters in azimuth $233^{\circ} 15'$, and number two is distant 23.29 meters in azimuth $152^{\circ} 08'$.

End (Refugio County, J. C. G., 1911).—On the north shore of Copano Bay on the west side of the entrance to Rattlesnake Creek. The station is about 100 meters westward from the extremity of the high ground and 20 meters back from the bank of the bay side. The station is marked according to note 2.¹ Reference mark number one is 19.36 meters from the station in azimuth $162^{\circ} 30'$, and number two 31.33 meters in azimuth $90^{\circ} 36'$.

Cop (Refugio County, J. C. G., 1911).—On the north shore of Copano Bay about 70 meters westward from the westernmost ruins of the village of Copano and about 120 meters from the shell spit that makes out from the shore line one-eighth mile west of the ruins, 4 meters back from the shore line. The station is marked according to note 2.¹ Reference mark number one is 7 meters back from the edge of the embankment and 4 meters south of the east edge of a cluster of salt cedars, the only visible ones west of the ruins. The mark is 32.365 meters distant from the station in azimuth $215^{\circ} 29'$. Number two projects 3 inches above the general surface of the ground and is distant 27.60 meters from the station in azimuth $145^{\circ} 46'$.

Hans (Aransas County, J. C. G., 1911).—On the southern shore of Copano Bay, 4 miles southwest of Fish Point. There are three distinct shell ridges paralleling the shore line, with strips of marsh intervening. The station is on the lowest ridge directly adjacent to the shore line and is 6 meters back from high water. The station is marked according to note 2.¹ Reference mark number one is on the shell ridge about 7 meters from high water, 21.61 meters from the station in azimuth $65^{\circ} 30'$, and number two is on the northern slope of the second shell ridge, 27.99 meters from the station in azimuth $344^{\circ} 29'$.

Miss (Refugio County, J. C. G., 1911).—On the north shore of Copano Bay, three-fourths mile southwest of the entrance to Mission Bay and about 80 meters north of a low shell point, 12 meters back from high water, and about 2 meters north of the northern wheel rut of the shell road paralleling the beach. The station is marked according to note 2,¹ the reference marks being 10.395 meters and 19.195 meters distant in azimuths $129^{\circ} 05'$ and $160^{\circ} 28'$, respectively. The arrow on the disk of the second reference mark points about halfway between the first reference mark and the station.

Port (Aransas County, J. C. G., 1911).—On the southern shore of Copano Bay, 85 meters back from the western extremity of the point on the east side of the entrance to Puerto Bay, 10 meters south from the shore line on a slightly raised shell ridge. The station is marked according to note 2.¹ Reference mark number one is distant 48.54 meters in azimuth $275^{\circ} 33'$ and number two 83.91 meters in azimuth $268^{\circ} 40'$.

Mary (Refugio County, J. C. G., 1911).—On the north shore of Copano Bay, one-fourth mile south of the large and conspicuous Bayside Hotel, on top of a 12-foot bank, 14 meters back from the edge of the slope. The station is marked according to note 2.¹ Reference mark number one is 3 meters east of the southeast corner of the white picket fence that surrounds the eastern one of two graves, and 34.625 meters from the station in azimuth $55^{\circ} 30'$, while number two is 27.71 meters from the station in azimuth $122^{\circ} 08'$.

Star (San Patricio County, J. C. G., 1911).—On the southwest shore of Copano Bay, on the high ground on the point at the west side of the entrance to Puerto Bay, 50 meters west of the extremity of the point, and 20 meters back from the edge of the bank on the Copano Bay side.

¹ See pp. 45-46.

The station is marked according to note 2.¹ Reference mark number one is 19.60 meters distant in azimuth $94^{\circ} 19'$, and number two 43.33 meters in azimuth $96^{\circ} 18'$.

Rock (Aransas County, J. C. G., 1911).—On the shell bank on the north shore of Copano Bay, about 230 meters northeast of the cove that is $1\frac{1}{2}$ miles southwest of Rockport. The station is 11 meters back from the road that parallels the beach and is marked according to note 2,¹ with the exception that the subsurface mark is 40 inches below the surface instead of 30 inches. Reference mark number one is distant 7.66 meters in azimuth $208^{\circ} 02'$, and number two 8.55 meters in azimuth $143^{\circ} 01'$.

Mud (Aransas County, J. C. G., 1911).—On the north shore of Mud Island, $\frac{1}{2}$ mile from the east end, on the top of a shell bank and 27 meters back from high water. The station is marked according to note 2.¹ Reference mark number one is 23.29 meters from the station in azimuth $3^{\circ} 08'$ and number two is 36.31 meters in azimuth $73^{\circ} 21'$.

Ridge (Nueces County, P. A. W., 1899; 1912).—On the northeast side of Harbor Island, on an embankment 6 feet high which was built for a proposed railroad, 6 meters from the south end of the embankment, and 22 meters from the bay shore. The station is marked by a 3-inch iron pipe, 7 feet long, with a flange at the bottom 7 inches in diameter. The top and bottom are set in cement and the pipe is filled with the same material. The reference mark described in note 7 is 12.18 meters from the station in azimuth $268^{\circ} 26'$.

Blind (Aransas County, I. W., 1912).—On St. Josephs Island, 34 meters from the shore of Aransas Bay, $3\frac{1}{4}$ miles from Aransas Pass, opposite the day beacon on the south end of the middle ground, which marks the beginning of Blind Passage. The station is marked according to note 7.¹

Lone Tree Knoll (Aransas County, P. A. W., 1899).—The station is marked by a 3-inch iron pipe 7 feet long, with a flange 7 inches in diameter at the bottom, filled with cement and set in the same material at both the top and bottom, the top projecting 8 inches above the surface. This station can be recovered, if at all, by triangulation only.

Entrance (Nueces County, P. A. W., 1899).—At the northeastern end of Mustang Island on the low sandy point at the entrance to Aransas Pass. The station is marked by a 3-inch iron pipe projecting 4 feet above the ground. In 1909 the United States Engineers re-marked the station, probably preserving it exactly.

Lost (Nueces County, P. A. W., 1899).—On a shifting sand dune, on Mustang Island, $3\frac{1}{4}$ miles west of Aransas Pass. The station was marked by a piece of 3-inch iron pipe 7 feet long, filled with concrete and set vertically in the sand, with a mixture of concrete at the top and bottom. The locality was visited in 1912, at different times by two officers of the Survey, and the station was searched for without the use of instruments and was not found. If the station still exists, it is probably covered with sand and can only be recovered by triangulation.

Cant Island (Calhoun County, S. A. G., 1857).—The station is marked according to note 6.¹

Bar (Calhoun County, J. C. G., 1911).—The station is 130 meters (paced) southwest from the low marshy northeast end of the main portion of Long Island. The station is marked by a standard disk station mark set in a mass of cement 15 inches in diameter and 2 feet deep. The reference mark, a 4 by 4 inch post in the center of a conical dirt mound $2\frac{1}{2}$ feet high and 3 feet in diameter at the base, is 24.45 meters north $54^{\circ} 45'$ west (magnetic).

Steamboat Pass (Calhoun County, S. A. G., 1857).—This station is marked according to note 6.¹

Rogers (Nueces County, H. D. K., 1905).—Located one-fourth mile south of Rogers railway station on the Texas Mexican Railway; 15.79 meters east of the board fence which is on the east line of the Driscoll ranch; 8.3 meters east of the center of the road leading south from Rogers; 3 miles by wagon road or railroad east of Robstown, the junction point of the Mexican National and the St. Louis, Brownsville & Mexico Railways. The station was marked according to note 3¹, the reference mark being 8.3 meters east of the center of the road, 15.67 meters east of the Driscoll ranch line fence, and 25.76 meters from the station in azimuth

¹ See pp. 45-46.

179° 21' 21". The following azimuths are from the triangulation station: Southwest corner of section house, distant one-fourth mile, 130° 40' 32"; Rogers stock pens, north post of chute, 175° 33' 25"; windmill at railway crossing, distant 2½ miles, 264° 21' 21"; windmill, distant 1½ miles, 275° 34' 20"; windmill, distant ¼ mile, 329° 59' 20".

Kaleta (San Patricio County, H. D. K., 1905).—About 2 miles east of Kaleta post office, about 5 miles east of Sharpsburg, and 4 miles east of Angelita, a station on the St. Louis, Brownsville & Mexico Railway; in the middle of a small cleared space on a prominent brush-covered ridge in a pasture owned by Turner Bros. It is one-half mile northeast of the Kaleta and Portland wagon road, one-half mile east of Turner Bros.' windmill, and 200 yards northeast of an old road leading from windmill to eastward along the top of the ridge. C. V. Turner can direct one to the station, which was marked according to note 3,¹ the reference mark being 27.34 meters from the station in azimuth 175° 11' 09". The following azimuths are from the triangulation station: Sharpsburg schoolhouse belfry, distant 5 miles, 99° 51' 10"; Angelita railway station, east gable, distant 4 miles, 103° 02' 10"; chimney of Turner Bros.' house, distant three-fourths mile, 144° 48' 03"; chimney of R. E. Turner's house, distant one-half mile, 169° 27' 46"; "Ratana" windmill, distant 3 miles, 225° 51' 45".

Portland (San Patricio County, H. D. K., 1905).—About 1 mile northwest of Portland in a cultivated field belonging to Robert Arnold, who lives in Portland. The station is 100 paces east-northeast from the edge of the bluff above Nueces Bay, 7.11 meters west of fence on west side of Portland and Kaleta wagon road, and 49.83 meters southeast from the southwest corner of a small blue house with a red roof, owned by Mr. Arnold and occupied by a Mexican tenant. The station was marked according to note 3,¹ the reference mark being just inside the fence corner, where the fence between the house lot and cultivated field joins the road fence and 39.97 meters from the station in azimuth 190° 32' 23". The following azimuths are from the triangulation station: East gable of farmhouse, distant one-fourth mile, 127° 43' 06"; southwest corner of R. Arnold's tenant house, distant 49.83 meters, 157° 36' 01"; chimney of San Antonio & Aransas Pass Railway station at Portland, 299° 39' 51".

Corpus (Nueces County, H. D. K., 1905; 1911).—On lot 1, block 33, of the central wharf and warehouse addition to Corpus Christi, about seven-eighths mile southwest of the post office, one-half mile west of the Mexican National Railway Station, 88.5 meters north of the northwest corner fence post of the Hebrew burying ground, and 43.02 meters south of the south rail of the Texas Mexican Railway main track, measured at right angles to the track. This lot is surrounded by a fence and the station is 10.87 meters west of the east fence of the lot, 26.12 meters south of the north fence, and 12.97 meters north of the south fence. The station is marked according to note 3,¹ the reference mark being 20.32 meters from the station in azimuth 2° 31' 37". Since this station was established many new houses, oil tanks, and large buildings have been erected, making it impracticable to use the station without building an observing tower.

McGloins Bluff (San Patricio County, S. A. G., 1860; 1912).—About 4 miles south of Ingleside, on McGloins Bluff, on the northeast shore of Corpus Christi Bay, on a small sandhill near the extreme western end of the bluff, overlooking Ingleside Cove, on land owned by J. G. Hatch estate, and about one-half mile south of the old Hatch residence. It is well protected by a dense growth of live oak brush. The station is marked by a standard disk station mark set in a cylinder of concrete 8 inches in diameter and 2 feet deep, buried so that the top is 2½ feet beneath the surface. Over the top of this is a 6-inch layer of sand, above which is a second standard disk station mark, embedded in a mass of concrete 2 feet deep and 2 feet in diameter, set flush with the surface of the ground. The reference marks are two iron posts, triangular in shape, their tops marked U. S. C. S., set one north and one west, 1.84 meters from the station. There is also a reference mark 19.20 meters distant from the station, supposed to be a standard disk reference mark. The following azimuths are given from the triangulation station: Watch tower at Gregory, 147° 45' 14"; southwest gable of farmhouse, distant 1 mile, 171° 11' 00"; chimney on ell of a large 2½-story house near Ingleside Hotel, 178° 02' 06"; chimney on James Stearn's house, distant one-half mile, 179° 46' 21".

¹ See pp. 45-46.

Flour Bluff (Nueces County, S. A. G., 1860; 1876).—On Flour Bluff on the southern side of Corpus Christi Bay. The recovery of this station in 1876 was certain but in 1905 the station was searched for and no trace of it could be found.

Thompsons (Nueces County, R. E. H., 1876).—On Mustang Island. In 1905 this station was searched for and it was determined that the sand hill on which it was located had been blown away.

Grants (Nueces County, R. E. H., 1877; 1905).—On a prominent sand hill about 2 miles from the south end of Mustang Island, about 150 yards from the outside beach of the island and about $1\frac{1}{2}$ miles northwest from Mr. Grant's house. In 1877 the station was reported as being marked according to note 9,¹ the reference stubs being 5 feet from the station. In 1905 the station was apparently recovered, but the subsurface mark was a bottle and the stubs were gone. The station was not reoccupied and the recovery is uncertain.

Chappa (Nueces County, R. E. H., 1877; 1905).—Near the outside beach of Padre Island, about $2\frac{1}{2}$ miles east-southeast from Chappa's house, on the shore of Laguna Madre. The station was marked according to note 9,¹ the reference stubs being 4 feet from the center. In 1905 no trace of this station could be found, and it can be recovered, if at all, only by triangulation.

Peat Island (Nueces County, R. E. H., 1877; 1882).—On the main land, about 150 yards from the shore of the Laguna Madre and about $1\frac{1}{2}$ miles below Peat Island. The station was marked according to note 9,¹ the reference stubs being 6 feet from the center.

Dagger Island (San Patricio County, S. A. G., 1860).—This station is marked according to note 6.¹

Mustang Island (Nueces County, S. A. G., 1860).—This station is marked according to note 6.¹

Shamrock (Nueces County, P. M. T., 1912).—On the western shore of the peninsula at the southern end of Shamrock Island, on the east side of Corpus Christi Bay, about 430 meters from the high water mark at the south end of the point, 475 meters from F. Oppikofer's barn on Shamrock Point, on a ridge of shells about 5 feet above high water and 18 meters from the high-water line of Corpus Christi Bay. The station is marked according to note 4.¹ The reference mark is 14.55 meters from the station in azimuth $164^{\circ} 59' 04''$. There is a small mulberry tree 19.82 meters distant in azimuth $236^{\circ} 49'$, and a "Spanish dagger," 6 feet high, is 35.25 meters in azimuth $15^{\circ} 27'$.

Mustang (Nueces County, H. D. K., 1905; 1912).—On the inside shore of Mustang Island, about 6 miles north of the south end of the island, and 2 miles northwest of Grant's ranch house; $1\frac{1}{2}$ miles north of anchorage behind the "bulkhead," and about 2 miles from the south end of a long narrow tongue separated from the main body of Mustang Island by a shallow slough about 3 miles long. The station is 15 meters from the high-water mark of the bay shore, 40 meters from the high-water mark of the shore of the slough, and 330 meters north of an old fence. The station was marked according to note 3,¹ the reference mark being 12 meters from the high-water mark of the bay shore, 18 meters from the high-water mark of the shore of the slough, and 29.213 meters from the station, in azimuth $196^{\circ} 07' 05''$. The following azimuths are from the triangulation station: Northeast gable of sheep barn of Grant's ranch, distant 2 miles, $11^{\circ} 47' 43''$; north gable of Grant's ranch house, $12^{\circ} 09' 27''$; middle ground stake, Bulkhead Anchorage, $49^{\circ} 30' 55''$; chimney of farmhouse three-fourths mile south of north base, $65^{\circ} 57' 31''$. When last visited in 1912 the station and reference marks were found to be in good condition.

Oso (Nueces County, P. M. T., 1912).—At the edge of the Corpus Christi-Flour Bluff road, on the south side of Corpus Christi Bay, about 4.4 miles west of Flour Bluff, 350 meters west of the bridge over the Oso Creek, and 153 paces east-northeast of a lone Spanish dagger. The station is 19.3 meters from the 10-foot loam and clay bank at the storm water line, and is about the middle of this strip of high ground, which is about 250 meters long, and is unoccupied and bare except for a few low bushes. The station is marked according to note 4,¹ with the exception that the underground station mark is a 16-penny spike set in the cylinder of concrete in place

¹ See pp. 45-46.

of the standard disk station mark, and the top of the concrete for the reference mark has a "bell" on it about 12 inches in diameter. The reference mark is about 15 meters from the bank and 48.58 meters from the station, in azimuth $112^{\circ} 21' 22''$. The arrow on the reference mark points about 15° or 20° south of the station.

Laguna Madre north base (Nueces County, R. E. H., 1882; 1912).—About $2\frac{1}{2}$ miles south of Flour Bluff and about 250 meters back from the west shore of the Laguna Madre, in a cleared field, formerly in cultivation but now in pasture belonging to William Hoffman (or to William Turcotte), living in Corpus Christi. The station was marked in 1883 as follows: A pit 7 feet square was excavated to a depth of 2 feet; in the center of the pit an irregular stone about 14 inches square and 10 inches thick was set. A hole was drilled in the top of this stone and filled with lead, and the point marked thereon with crosslines. Resting on this stone stands a piece of white marble, $2\frac{1}{2}$ feet long and 6 inches square, with the letters U. S. on its south face, C. & G. on its east face, and SUR and VEY on its north and west faces, respectively, the letters being near the top and deeply cut. In the top of the marble post was drilled a hole 1 inch in diameter and 3 inches deep; this hole was filled with lead and the center marked thereon by crosslines, which in 1905 had become erased. The post stands 1 inch above the surface of the ground. Around this post were laid symmetrically, first two layers of brick each 5 feet square, then two layers each 3 feet square, then one layer 2 feet square, and finally one layer $1\frac{1}{2}$ feet square. Sand and loose rock was then filled in, the whole forming a compact mass. The bricks used were a concrete of lime and shells, and were 12 by 6 by 4 inches in size. The stone used for the underground mark and for filling in around the station was a conglomerate of small shells found in the vicinity of Baffins Bay. A reference mark, similar to that described in note 3,¹ was set 13.99 meters from the station, in azimuth $135^{\circ} 21'$. It bears the letters U. S. R. M., 1905. The following azimuths are from the triangulation station: North gable of Grant's ranch house on Mustang Island, $272^{\circ} 14' 40''$; east end of ridge of two-story farmhouse, distant 2 miles, $35^{\circ} 32' 09''$; windmill, distant $1\frac{1}{2}$ miles, $206^{\circ} 07' 38''$. Observations were made on a pier constructed of wooden posts, situated 10.03 meters due east of the triangulation station.

Demit (Nueces County, P. M. T., 1912).—On Demit Island, just abreast of Flour Bluff Point, about one-fourth mile east of Welburn's house, on the highest mound in the vicinity, 156 paces from the west shore, 215 paces from the north, and 218 paces from the south shore. The station is marked according to note 4.¹ The reference mark is 11 meters from a small inlet, on ground covered with grass and prickly pear, 31.95 meters from the station, in azimuth $283^{\circ} 11' 22'$. The following azimuths are also given: East gable Welburn's house, $96^{\circ} 50' 52''$; most northerly windmill, Flour Bluff, $101^{\circ} 19' 52''$.

Grants 2 (Nueces County, P. M. T., 1912).—About 2 miles northeast of Corpus Christi Pass and 100 meters back from the Gulf beach, on the most conspicuous hill in the locality, 2 meters from the highest point. For a subsurface mark there is a 40-penny nail set in a cylinder of concrete 7 inches in diameter and 2 feet deep, 2 feet below the surface. Above this is another 40-penny nail in a second cylinder of concrete, 20 inches in diameter and 18 inches deep, 6 inches below the surface. The reference mark is a nail set in a cylinder of concrete 7 inches in diameter and $2\frac{1}{2}$ feet deep, with the top 3 feet below the surface, 12.86 meters from the station. There is a small frame house on the inner beach of Mustang Island, about 500 meters south 37° east.

Padre (Nueces County, H. D. K., 1905).—On Padre Island, about 1 mile south of Corpus Christi Pass and about 250 meters from the western or inside shore of the island, on the top of the highest sand hill in the vicinity. This part of the island is covered with shifting sand, and the station site being but little protected by brush the station will not be long recoverable. One month after the station mark had been set, it was found covered with 8 inches of sand. The station was marked according to note 3,¹ the reference mark being 8 inches in diameter (instead of 12) and 97.19 meters from the station, in azimuth $141^{\circ} 06' 05''$. The reference mark is fairly well protected by brush. The following azimuths are from the triangulation station: Chimney of old Thompson house near south base, $97^{\circ} 18' 08''$; windmill, 2 miles north of north base, $160^{\circ} 34' 44''$; north gable of Grant's ranch house, on Mustang Island, $216^{\circ} 39' 36''$.

¹ See pp. 45-46.

Laguna Madre south base (Nueces County, R. E. H., 1882; 1912).—About $5\frac{1}{2}$ miles south-southwest from Flour Bluff and one-half mile north-northeast from Brighton post office; about 100 meters back from the shore line in an opening in a live-oak motte; about 100 meters north-northeast from the old Thompson house, and 5.2 meters north of a fence which is the north line of the Thompson property. The land on which the station stands is owned by the Texas Land & Cattle Co., and is now leased to William Code for pasture; it is called in the Nueces County records "Flour Bluff and Encinal Farm and Garden Tracts," and has public roads 40 feet wide projected every mile from north to south; the station is located on the road (projected) along the north side of the Thompson place. In 1882 the station was marked as follows: A pit 7 feet square was excavated to a depth of 2 feet; in the center of this, with its upper surface flush with the bottom of the pit, an irregular stone about 14 inches square and 10 inches thick was set; a hole was drilled in the top of this stone and filled with lead, and the center of the station marked thereon by crosslines. Resting on this stone stands a piece of white marble $2\frac{1}{2}$ feet in length and 6 inches square, with the letters U. S.—C. & G.—SUR—VEY, deeply cut thereon near the top, one group on each face. Around this post were laid symmetrically first two layers of brick, each 5 feet square, then one layer 4 feet square, then one layer $2\frac{1}{2}$ feet square, and finally two layers, each $1\frac{1}{2}$ feet square. Over this were placed sand and layers of loose rock, making a compact mass of the whole. The marble block has a hole about 1 inch in diameter and 3 inches deep, drilled in its top; this hole was filled with lead and the center of the station marked thereon by crosslines. The bricks used were concrete of lime and shells, and were 12 by 6 by 4 inches in size. The stone used for the subsurface mark and for filling in around the station was a conglomerate of small shells found in the vicinity of Baffins Bay. In 1912 the dirt was removed from the post until the top layer of bricks was uncovered. The bricks were found broken and considerably disintegrated. Concrete was filled among them and up even to the letters on the post. The date, January 30, 1912, was inscribed in the cement. A reference mark, such as is described in note 3,¹ was set 31.8 meters from the station, in azimuth $309^{\circ} 06' 25''$. The reference mark bears the letters U. S. R. M., 1905, and an arrow pointing to the station. The following azimuths are from the triangulation station: Chimney of old Thompson house, distant 100 meters, $29^{\circ} 33' 42''$; south gable of William Code's house, distant three-fourths of a mile, $185^{\circ} 09' 33''$.

Island (Nueces County, P. M. T., 1912).—On Peat Island, about 4 miles south of Flour Bluff, on a lone ridge about 1 foot above the general level, and between the second and third clumps of cactus from the east end of the island. The station is 75 meters from the shore to the east, 105 meters from the shore to the north, and 35 meters northwest of a pond. The station was marked according to note 4,¹ with the exception that there is no reference mark. Leading from the station to the north, south, east, and west are trenches about 10 feet long, $1\frac{1}{2}$ feet deep, and 2 feet wide.

Sandhill (Nueces County, P. M. T., 1912).—On the east side of Padre Island, 5.7 miles south of Corpus Christi Pass, about 1 mile above the north end of North Bird Island, and about 300 meters from the Gulf beach, on the northern and smaller of the two largest and most conspicuous sand hills in this locality. A shoal from North Bird Island runs over close to the Padre Island shore at a point directly opposite from the station. The station is marked according to note 4,¹ with the exception that the underground station mark and the reference mark are 20-penny nails instead of standard disk marks, and the top of the concrete at the reference mark bears the inscription "U. S. C. & G. S., Feb. 13, 1912." The reference mark is 26.45 meters from the station in azimuth $36^{\circ} 11' 37''$. The following azimuths are given: Windmill, Barnes' house, $127^{\circ} 32' 17''$; southwest corner of corral, about 1 mile distant, $173^{\circ} 10' 11''$; Spanish dagger on the Laguna beach, about $1\frac{1}{2}$ miles distant, $46^{\circ} 22' 21''$.

Pass (Nueces County, P. M. T., 1912).—On Padre Island, about one-half mile south of the entrance to Corpus Christi Pass, about 60 meters from high water of the Gulf, and on the second high sand hill south of the Pass. The station is marked according to note 4,¹ with the exception that there is no reference mark and the center marks at the station are 40-penny nails set in the

place of the standard station mark, and inscribed in the concrete surface are the letters "U. S. C. & G. S., Feb. 14, 1912." There are four stakes to which the guy wires were fastened, each about 10 meters from the station to the northeast, northwest, southeast, and southwest, respectively. The following azimuths are from the station: Corner of the old wire fence distant 66.9 meters, $108^{\circ} 11'$; Brighton schoolhouse, east gable, $137^{\circ} 43'$; south gable of house at Corpus Christi Pass, $187^{\circ} 36'$.

Hardpan (Nueces County, P. M. T., 1912).—On the western shore of Laguna Madre about 65 meters from the beach, $3\frac{1}{4}$ miles below Peat Island, about 1 mile from the old Barnes house, and about 600 meters north of a pond just back of a rounding point, which is marked by a fence coming out on it. The station is on black sandy ground about 10 feet above sea level and about 350 meters north of a prominent live-oak mott. The station is marked according to note 4,¹ with the exception that the center of the reference mark is a 40-penny nail instead of a standard disk reference mark. The reference mark is 20.84 meters from the station in azimuth $211^{\circ} 54' 17''$. Four pits $1\frac{1}{2}$ feet deep, $2\frac{1}{2}$ feet wide, and 10 feet long were dug, two in line parallel to the beach and two in line normal to it, the station being at the intersection of the two lines. About 4 feet beyond these, sawed stakes $2\frac{1}{2}$ feet long project 6 inches from the ground. The following azimuths are given: Windmill at Barnes' house, $177^{\circ} 36' 39''$; gable, Barnes' house, $177^{\circ} 40' 32''$.

Puzzle (Nueces County, P. M. T., 1912).—On the mainland 2.2 miles southwest of Peat Island, about 1 mile northeast of the abandoned Barnes' house with the windmill alongside, about 300 meters southerly from the first opening in the beach below the Peat Island channel, 28 paces back from the beach and 3 feet above the ordinary stage of the Laguna. Parallel to the beach and about 7 meters from the station is a salty pool 8 meters or 10 meters long, and south of it are two other similar pools. Beginning 6 feet from the station four trenches were dug, 2 feet wide, $1\frac{1}{2}$ feet deep, and 12 feet long, two in line parallel, and two in line normal to the beach. At the outer end of each trench is a mound of shells $2\frac{1}{2}$ feet high and 4 feet in diameter at the base, and beyond each of these a hard pine stake 3 feet long set $2\frac{1}{2}$ feet into the ground. The station is marked underground by a 20-penny nail projecting from a cylinder of shell concrete, 18 inches in diameter and $2\frac{1}{2}$ feet deep, set $1\frac{1}{2}$ feet below the surface. The surface mark is a nail in a similar cylinder of concrete. Between the two marks is a 3-inch layer of shells.

SUPPLEMENTARY POINTS.

Matagorda longitude station (Matagorda County, C. V. H., 1911).—The station is situated about 80 meters N. 60° E. (magnetic) from the old Bay View Hotel, on which is the triangulation station called *Bay View*. It is about 200 meters S. 20° W. (magnetic) from the railroad station, in a vacant square belonging to the town. A concrete pier 18 inches by 24 inches, with a foundation 2 feet below the ground, has a brass disk similar to the standard disk triangulation station mark, but inscribed astronomical station, set in the center of the notch in the pier. The observatory which was built around the pier was left standing.

Station A (*U. S. Fish Com.*) (Matagorda County, W. B. F., 1906).—On the bay shore of Matagorda Peninsula just south of Raymond Landing Shoals, 10 meters back from the shore. The station is marked according to note 5,¹ with the exception that there are no reference marks.

Dog Island (Matagorda County, S. A. G., 1855).—This station is marked according to note 6.¹

Station B (*U. S. Fish Com.*) (Matagorda County, W. B. F., 1906).—On the south side of Greek Island at Tiger Island Pass, on the shell ridge just back from the cedars. The station is marked by a bottle buried 30 inches below the surface, and at the surface by a spike in a cylinder of concrete 2 feet deep and 30 inches in diameter, inscribed "C. G. S., 1906."

Station D (*U. S. Fish Com.*) (Matagorda County, W. B. F., 1906).—On the mainland shore of Matagorda Bay, 50 meters south of Mad Island Bayou, and 40 meters back from the shore line. Thirty meters to the south of the station a mesquite mott begins and extends down the shore. The station is marked underground by a bottle 30 inches below the surface,

¹ See pp. 45-46.

and at the surface by a spike in a cylinder of concrete 2 feet deep and 30 inches in diameter, inscribed "C. G. S., 1906."

Mad Island West (Matagorda County, S. A. G., 1856).—The station is marked according to note 6.¹

Station C (*U. S. Fish Com.*) (Matagorda County, W. B. F., 1906).—On the bay shore of Matagorda Peninsula, about one-third mile below the mouth of Philips Bayou on the point to the north of the next small bayou. The station is 12 meters from the west shore, 10 meters from the north shore, and 15 inches above high-water mark, and is marked according to note 5,¹ with the exception that there are no reference marks.

Greens Line (Matagorda County, S. A. G., 1856).—This station is marked according to note 6.¹

Four Mile Mott (*U. S. Fish Com.*) (Matagorda County, W. B. F., 1906).—On the mainland shore of Matagorda Bay, about 4 miles east of Palacios Point, 6 meters back from the shore line, and 3 meters northeast of the southern end of the first row of cedars above Palacios Point. The station is marked according to note 5,¹ with the exception that there are no reference marks.

Halfmoon Reef (Matagorda County, S. A. G., 1857).—This station is marked according to note 6.¹

Palacios Point (*U. S. Fish Com.*) (Matagorda County, W. B. F., 1906).—Near the end of Palacios Point on the southeast side, 25 meters back from the Matagorda Bay shore and 50 meters northeast of the shore of a small bight. Six meters north of the station is the only clump of bushes within one-half mile. The station is marked according to note 5,¹ with the exception that there are no reference marks.

Tarantula (Matagorda County, S. A. G., 1856).—This station is marked according to note 6.¹

Mott (Matagorda County, S. A. G., 1856).—This station is marked according to note 6.¹

Wolf Point (Calhoun County, S. A. G., 1857).—This station is marked according to note 6.¹

Alligator Head Mott (Calhoun County, S. A. G., 1857).—The station was marked according to note 6.¹

Alligator Point (Calhoun County, S. A. G., 1857).—The station was marked according to note 6.¹


Decros Point (Matagorda County, W. B. F., 1906).—One and one-half miles from the extremity of Decros Point, on the highest sand hill near the Gulf shore, and abreast of the point that is half way between the two rows of cedars that extend from the Bay shore one-third of the way across to the Gulf shore. The station is marked according to note 5,¹ with the exception that there are no reference marks.

Saluria (Calhoun County, S. A. G., 1857).—This station is marked according to note 6.¹


NOTES REGARDING THE SKETCHES.

On the following sketches are shown the location of all the points whose positions are given in this publication, so that the names of all the stations in any locality may be secured simply by the inspection of a sketch, and then from the index their positions may be readily found in the table of positions. A line of the main scheme is shown as a full line when observed over in both directions, and is broken at one end when it was not observed over from the station at that end of the line. The stations which were occupied are shown by a triangle and the unoccupied stations by a circle. The measured bases are indicated by a heavy line. In several localities the new scheme of triangulation covers the same ground as the old work. On sketches in such areas the old work is shown in red and the new in black in order to avoid any confusion that might otherwise have arisen. In case an old and new station plot at the same point, a black triangle or circle is shown with both names, and when an old and new line coincide on the sketch, the black line only is shown.


On the first of the sketches is shown the general location in the United States of the whole triangulation. The second is an index map for the sketches which show the triangulation in detail.




INDEX MAP SHOWING GENERAL LOCATION OF THE TRIANGULATION.




INDEX MAP SHOWING THE LIMITS OF EACH OF THE FOLLOWING SKETCHES.




TRIANGULATION, LAKE SABINE AND NECHES RIVER.



TRIANGULATION, SABINE PASS TO SALT BAYOU.




TRIANGULATION, SALT BAYOU TO EAST BAY.




THE MORRIS PETERS CO., WASHINGTON, D. C.

TRIANGULATION, EAST BAY TO GALVESTON BAY.




THE NORRIS PETERS CO., WASHINGTON, D. C.


TRIANGULATION, GALVESTON ENTRANCE TO WEST BAY.



TRIANGULATION. GALVESTON BAY.




TRIANGULATION, SAN JACINTO RIVER.




THE NORRIS PETERS CO., WASHINGTON, D. C.

TRIANGULATION, WEST BAY.




THE HOBBS PETER CO., WASHINGTON, D. C.

TRIANGULATION, WEST BAY TO BRAZOS RIVER.




TRIANGULATION, BRAZOS RIVER TO MATAGORDA BAY.

40899-13-7




THE HORRIS PETERS CO., WASHINGTON, D. C.


TRIANGULATION, MATAGORDA BAY.




TRIANGULATION, MATAGORDA BAY AND LAVACA BAY TO ESPIRITU SANTO BAY:




TRIANGULATION, ESPIRITU SANTO BAY AND SAN ANTONIO BAY.



TRIANGULATION, ARANSAS BAY AND COPANO BAY.



TRIANGULATION, ARKANSAS BAY TO CORPUS CHRISTI BAY.



TRIANGULATION, CORPUS CHRISTI BAY.

INDEX.

Station	Position	Description	Sketch	Station	Position	Description	Sketch
	Page	Page	Number		Page	Page	Number
A.....	17	58	8	Beacon No. 3, Espiritu Santo Bay.....	36		16
Allen (U. S. E.).....	19	59	11	Beacon No. 4, Espiritu Santo Bay.....	36		16
Alligator Head.....	24	63	12	Beacon No. 5, Espiritu Santo Bay.....	36		16
Alligator Head Mott.....	31	81	16	Beacon No. 6, Espiritu Santo Bay.....	36		16
Alligator Point.....	31	81	16	Beacon No. 7, Espiritu Santo Bay.....	36		16
Alta Vista Hotel, south spire.....	43		20	Beacon No. 8, Espiritu Santo Bay.....	36		17
Anahuac.....	15	54	10	Beacon No. 9, Espiritu Santo Bay.....	36		17
April Fool Point (U. S. E.).....	17	58	10	Beacon No. 10, Espiritu Santo Bay.....	36		17
Aransas Bay:				Beacon No. 11, Espiritu Santo Bay.....	36		17
Beacon A.....	42		19	Beacon No. 12, Espiritu Santo Bay.....	36		17
Beacon C.....	42		19	Beacon No. 13, Espiritu Santo Bay.....	36		17
Beacon No. 25.....	40		18	Beacon No. 14, Espiritu Santo Bay.....	36		17
Beacon No. 26.....	40		18	Beacon No. 15, Mesquite Bay.....	38		18
Beacon No. 27.....	40		18	Beacon No. 16, Mesquite Bay.....	38		18
Beacon No. 28.....	40		18	Beacon No. 17, Mesquite Bay.....	39		18
Beacon No. 29.....	40		18	Beacon No. 18, Mesquite Bay.....	39		18
Beacon No. 30.....	40		18	Beacon No. 19, Mesquite Bay.....	39		18
Beacon No. 31.....	40		18	Beacon No. 21, Mesquite Bay.....	39		18
Beacon No. 32.....	40		18	Beacon No. 22, Mesquite Bay.....	39		18
Aransas Lighthouse.....	35		19	Beacon No. 23, Mesquite Bay.....	39		18
Aransas Lighthouse (old).....	32		19	Beacon No. 24, Mesquite Bay.....	39		18
Atkinson (U. S. E.).....	19	59	11	Beacon No. 1, Oyster Bay Canal (U.S.E.).....	26		13
Austh.....	33	71	17	Beacon No. 2, Oyster Bay Canal (U.S.E.).....	26		13
Ayres.....	33	72	18	Beacon No. 3, Oyster Bay Canal (U.S.E.).....	26		13
				Beacon No. 4, Oyster Bay Canal (U.S.E.).....	26		13
B.....	17	58	8	Beacon No. 5, Oyster Bay Canal (U.S.E.).....	26		13
Back Range, Port Bolivar.....	21		9	Beacon No. 6, Oyster Bay Canal (U.S.E.).....	26		13
Back Range (tall pole).....	31		16	Beacon No. 7, Oyster Bay Canal (U.S.E.).....	26		13
Badger (U. S. E.).....	19	61	11	Beacon No. 1, San Antonio Bay.....	37		17
Ball High School, center globe (U. S. E.).....	22		9	Beacon No. 2, San Antonio Bay.....	37		17
Ballou House, 1859.....	32	69	18	Beacon No. 3, San Antonio Bay.....	38		17
Ballou House, 1911.....	33	73	18	Beacon No. 4, San Antonio Bay.....	38		17
Baptist Church spire, Sabine Pass.....	12		6	Beacon No. 5, San Antonio Bay.....	38		17
Baptist College, cupola.....	30		15	Beacon No. 6, San Antonio Bay.....	38		17
Bar.....	36	75	16	Beacon No. 7, San Antonio Bay.....	38		17
Barn.....	29		15	Beacon No. 8, San Antonio Bay.....	38		17
Barnes (U. S. E.).....	20	61	11	Beacon No. 4, Texas City.....	21		9
Barnes' house, south gable.....	43		20	Beaumont (U.S.E.).....	10	49	5
Barrows' house (U. S. E.).....	18	59	10	Bernard.....	25	63	14
Bastrop.....	25	63	13	Big Bayou.....	29	68	16
Bath.....	27	66	14, 15	Big Hill.....	11	50	7
Battlefield (U. S. E.).....	15	55	11	Big Mound.....	32	69	18
Bayside Hotel, center of lookout.....	41		18	Black Point.....	14	52	12
Bay View.....	28	67	15	Black Point house, chimney.....	32		18
Bay View College:				Blind.....	34	75	19
Dormitory, chimney.....	43		20	Bluff (U.S.E.).....	20	62	11
Recitation hall, belfry.....	43		20	Boat house at life-saving station.....	31		16
Beach Hotel, chimney (U. S. E.).....	23		9	Boat house at lighthouse wharf.....	31		16
Beacon A.....	42		19	Bolivar Point.....	14	52	8, 9
Beacon C.....	42		19	Bolivar Point lighthouse (U.S.E.).....	15		9
Beacon No. 25, Aransas Bay.....	40		18	Brant barn.....	30		16
Beacon No. 26, Aransas Bay.....	40		18	Brant house.....	30		16
Beacon No. 27, Aransas Bay.....	40		18	Bray.....	33	72	18
Beacon No. 28, Aransas Bay.....	40		18	Brazos.....	25	63	13, 14
Beacon No. 29, Aransas Bay.....	40		18	Brazos Canal Beacon.....	24		12
Beacon No. 30, Aransas Bay.....	40		18	Brazos Canal Inner Beacon.....	24		12
Beacon No. 31, Aransas Bay.....	40		18	Brazos Canal Outer Beacon.....	24		12
Beacon No. 32, Aransas Bay.....	40		18	Brazos River lighthouse.....	25		13
Beacon No. 2, Espiritu Santo Bay.....	36		16	Brazos Valley R. R. water tower.....	23		9

Station	Position	Description	Sketch	Station	Position	Description	Sketch
	Page	Page	Number		Page	Page	Number
Brewery chimney (U.S.E.)	23		9	Cross	11	50	7
Brighton Post Office, north gable	44		20	Crystal (U. S. E.)	20	61	11
Brighton Schoolhouse, east gable	42		20	Customhouse, flagstaff (U. S. E.)	23		9
Brouard's house, cupola	12	51	6	Cut A, front range beacon	21		9
Brown	27	66	14	Cut A, rear range beacon	21		9
Browns Beach (U.S.E.)	18	50	10	Cut B, front beacon, outer range	21		9
Bruce's, C. D., windmill	31		15	Cut B, rear beacon, outer range	21		9
Bryan	25	63	14	Cut-off (U. S. E.)	10		5
Burnett (U.S.E.)	20	62	11	D.	17	57	8
C.	17	58	8	Dagger	33	70	17
Cactus	32	69	16	Dagger Island	35	77	18
Canal (U.S.E.)	19	59	11	Daragon (U. S. E.)	19	60	11
Cant Island	35	75	16	Davis (U. S. E.)	15	54	11
Cany	25	64	14	Day Beacon:			
Car	33	73	18, 19	Galveston Channel	22		9
Carankway	30		16	Port Bolivar Roads	21		9
Carlos Beacon	39		15	Dean's oil well No. 7	29		15
Caronkaway Island	24	63	12	Decker	34	73	18
Caronkaway Point	24	63	12	Decros house, chimney	31		16
Case (U.S.E.)	15	55	9	Decros Point	31	81	16
Casimir house	30		9	Demit	35	78	20
Cathedral, north spire	14		9	Dickinson (U. S. E.)	17		10
Catholic Church, Corpus Christi	43		20	Dickinson Beacon No. 1	18		10
Cedar	33	72	18	Dickinson Beacon No. 5	18		10
Cedar Bayou	32	69	18	Docks (U. S. E.)	10	47	5
Cedar Lake	25	63	14	Doctor Jones	24		12
Cedar Point (U. S. E.)	15	53	10, 11	Doctor Smith (U. S. E.)	15	54	11
Center	33	73	18	Doctor Spohn's house, Corpus Christi	43		20
Center chimney	42		19	Dog Island	29	80	15
Channel beacon, Sabine Pass	12		6	Dollar Point	14	53	8, 9
Channel light:				Dollar Point (U. S. E.)	17	58	8, 9, 10
Morgan Point	19		11	Dollar Point shoal beacon	17		8, 10
No. 1, Galveston Bay	17		8, 9	Dormitory, Bay View College	43		20
No. 2, Galveston Bay	17		10	Double Bayou (U. S. E.)	15	53	10
No. 3, Galveston Bay	17		8, 10	Double Bayou, No. 2 light	18		10
Chappa	35	77	20	Drawbridge	26		13
Cherry's house, east chimney	30		15, 16	Duck	33	71	17
Chimney, Island house	42		18, 19	Duck (U. S. E.)	19	60	11
Chimney on house	39		18	Duffy's house, east gable	30		15
Chocolate Bayou	14	52	12	Dun	33	73	18
Chocolafe Bayou Canal inner beacon	24		12	Dunbar's house	30		16
Chocolate Bayou Canal outer beacon	24		12	Duncan	27	66	15
Christmas Point (U. S. E.)	26	65	13	E.	16	57	8
Church spire	26		13	East Bank Light	22		9
Colored church, Corpus Christi	43		20	East	26	65	13
Contee	32	69	16, 17	East base, Galveston Island	14	52	12
Cop	34	74	18	East Bay Bayou	12	51	8
Copano House	32	69	18	East chimney, Copano ruins	41		18
Copano Ruins, east chimney	41		18	Easterly gable	42		18, 19
Corpus	34	76	20	East Jetty beacon, Sabine Pass	12		6
Corpus Christi:				East Point	27	66	14, 15
Catholic Church spire	43		20	East Range	31		16
Colored church spire	43		20	Edwards Point (U. S. E.)	14	53	10
Dr. Spohn's house, cupola	43		20	Electric power house, chimney (U. S. E.)	22		9
Entrance Beacon	34		19	Elevator A, chimney	13		5
King Memorial Episcopal Church	43		20	Elevator A, south cistern (U. S. E.)	22		9
Lighthouse	43		20	Elevator B, flagstaff (U. S. E.)	22		9
Standpipe	43		20	Elevator tower, Texas City	20		9
Cotton mill, chimney	23		9	Eleven Mile Point	29	68	15
Cottonwood	25	63	7	End	34	74	18
County line	11	50	13	Entrance	34	75	19
Courthouse, spire	41		18	Entrance beacon	34		19
Cox (U. S. E.)	16	57	8	Entrance Range front beacon	12		6
Cren (U. S. E.)	17	58	8				
Crescent	33	72	17				

Station	Position	Description	Sketch	Station	Position	Description	Sketch
	Page	Page	Number		Page	Page	Number
Entrance Range rear beacon.....	12		6	Galveston Bay:			
Episcopal Church, Kings Mem., Corpus Christi.....	43		20	Channel Light No. 1.....	17		8,9
Episcopal Church spire, Matagorda.....	29		15	Channel Light No. 2.....	17		10
Epworth League, pavilion.....	43		20	Channel Light No. 3.....	17		8,10
Espiritu Santo.....	32	69	16,17	Galveston Channel day beacon.....	22		9
Espiritu Santo 2.....	29	68	16	Galveston Dike, west end light.....	23		9
Espiritu Santo:				Galveston Island:			
Northerly gable.....	37		17	East base.....	14	52	12
Railroad water tank.....	38		16	West base.....	14	52	12
Espiritu Santo Bay:				Gap.....	11		7
Beacon No. 2.....	36		16	Garrison (U. S. E.).....	10	47	5
Beacon No. 3.....	36		16	Gaston.....	33	72	18
Beacon No. 4.....	36		16	Gilbert.....	11	50	7
Beacon No. 5.....	36		16	Goat (U. S. E.).....	19	61	11
Beacon No. 6.....	36		16	Gracitas.....	28	67	16
Beacon No. 7.....	36		16	Grants.....	35	77	20
Beacon No. 8.....	36		17	Grants 2.....	35	78	20
Beacon No. 9.....	36		17	Grass Island.....	32	69	17
Beacon No. 10.....	36		17	Grassy Point (U. S. E.).....	19	60	11
Beacon No. 11.....	36		17	Greek.....	32	70	17
Beacon No. 12.....	36		17	Greens Line.....	30	81	15
Beacon No. 13.....	36		17	Grigsby (U. S. E.).....	10	48	5
Beacon No. 14.....	36		17	Grimes house.....	30		15
Espiritu Santo eucentric.....	32	69	16,17	Gulf Bayou.....	10	47	6
F.....	16	57	8	Gulf Bayou 2.....	10	49	6
False.....	33	72	17,18	Gulf Shore.....	28	67	15
Fence.....	11	50	6	Gum.....	11	49	6
Fence.....	16		12,13	Halfmoon Reef.....	30	81	15
Fiber's house.....	30		16	Halfmoon Reef light house.....	30		15
Fisher (U. S. E.).....	18	59	10	Halfmoon Shoal beacon.....	20		9
Fisher Reef beacon.....	18		10	Hall (U. S. E.).....	16	56	12
Fish house, east gable.....	26		13	Halls Bayou.....	14	52	12
Flanders.....	18	58	10	Hampshire.....	11	50	7,8
Flat.....	11	56	8	Hannas Reef tide gauge (U. S. E.).....	17	57	8
Flour Bluff.....	35	77	20	Hans.....	34	74	18
Floyd (U. S. E.).....	10	48	5	Hardpan.....	35	80	20
Fort.....	11	49	6	Hartrieb (U. S. E.).....	25	64	13
Fort Bayou (U. S. E.).....	16	56	12,13	Hause's house, east chimney.....	31		16
Fort Point lighthouse (U. S. E.).....	15		9	Hause's windmill, north.....	31		16
Four E (U. S. E.).....	14	53	8,9	Hause's windmill, south.....	31		16
Four Mile Mott.....	30	81	15	Hawkins' house.....	29		14
Frekeld House.....	30		16	Heron.....	32	70	17
Front beacon, inner range.....	13		6	High Island Hotel (U. S. E.).....	16		8
Front light, Texas City range.....	20		9	Highland 2.....	11	50	7,8
Front range:				Highland Bayou.....	14	52	9
1.....	39		18	High Mound.....	28	67	15
3.....	39		18	High Mound 2.....	28	68	15
A.....	39		18	Hill.....	29	68	16
Front range beacon, Steamboat Pass.....	37		17	Hill's windmill.....	31		16
Front range beacon:				Hitchcock Reef light.....	22		9
Cut A.....	21		9	Hog (U. S. E.).....	19	59	11
Cut B, outer range.....	21		9	Hog Island (U. S. E.).....	20	62	11
D.....	40		18	Hospital, Sealy, center of dome (U. S. E.).....	22		9
Entrance.....	12		6	Hotel cupola.....	42		19
G.....	39		18	Hotel cupola.....	41		18
Port Bolivar.....	21		9	Hotel, High Island (U. S. E.).....	16		8
Frozen Point (U. S. E.).....	16	57	8	House chimney.....	30		15
Fuller (U. S. E.).....	20	62	11	House on jetty, cupola.....	27		13
Fulton Mansion.....	40		18	House, red roof, center.....	42		20
G.....	16	57	8	House, south end of Lavaca.....	30		16
Gallinipper.....	28	67	16	Houston Channel light No. 2.....	19		11
Galveston:				Ice factory, stack.....	42		19
Longitude station.....	22	58	9	Indianola.....	28	67	16
North base (U. S. E.).....	14	53	8,9,10	Inner beacon, Chocolate Bayou.....	24		12
South base (U. S. E.).....	14	53	9	Inner range front beacon.....	13		6
Wireless mast.....	22		9	Inner range rear beacon.....	13		6

Station	Position	Description	Sketch	Station	Position	Description	Sketch
	Page	Page	Number		Page	Page	Number
Island.....	35	79	20	Matagorda—Continued.			
Island house, chimney.....	42		18, 19	Longitude Station.....	29	80	15
Jackson (U. S. E.).....	16	56	8	Methodist Church spire.....	29		15
Jennings (U. S. E.).....	15	54	11	Pavilion, flagstaff.....	29		15
Jetty Light, Sabine Pass (U. S. E.).....	12		6	Matagorda Peninsula:			
Joe.....	33	73	18	North base.....	27	66	15
Johnson 2.....	11	49	6	South base.....	27	66	15
Johnson Bayou (U. S. E.).....	10	47	5	McFadden (U. S. E.).....	10		5
Jupiter.....	25	63	13, 14	McGloins Bluff.....	34	76	19, 20
Kaleta.....	34	76	20	McHarry's barn, cupola.....	44		20
Kane's house, north gable.....	29		15	McKee (U. S. E.).....	19	60	11
Kansas City Southern R. R. station.....	13		5	McNeel.....	25	63	14
Keith.....	10	49	6	Medical College, flagstaff (U. S. E.).....	22		9
Keith (U. S. E.).....	10	47	5, 6	Mesquite 2.....	16	56	12
Kenner.....	25	64	14	Mesquite Bay beacon:			
Kenner Eccentric.....	27	65	14	No. 15.....	38		18
Kline's Lookout.....	42		10	No. 16.....	38		18
Lad.....	11	50	7	No. 17.....	39		18
Laguna Madre:				No. 18.....	39		18
North base.....	34	78	20	No. 19.....	39		18
South base.....	35	79	20	No. 21.....	39		18
Lake.....	28	67	15	No. 22.....	39		18
Lake 2.....	28	68	15	No. 23.....	39		18
Lamar Church, cross.....	41		18	No. 24.....	39		18
La Salle.....	28	67	16	Mesquite Knoll (U. S. E.).....	15	54	11
La Salle 2.....	29	68	16	Methodist Church, Sabine Pass.....	12		6
Lavaca.....	28	67	16	Methodist Church spire, Matagorda.....	29		15
Lawrence Cove (U. S. E.).....	15	54	10	Mexican house, center.....	42		20
Life.....	16	56	12	Middle Deer Island.....	23	62	9
Life-saving station, Sabine Pass.....	13		6	Midway.....	12	51	8
Life-saving station, cupola.....	31		16	Midway 2.....	11	51	8
Life-saving station, flagstaff.....	26		13	Midway (U. S. E.).....	19	60	11
Light No. 1, Galveston Bay Channel.....	17		8, 9	Mile.....	33	73	18
Light No. 2, Galveston Bay Channel.....	17		10	Miller Point (U. S. E.).....	17	58	10
Light No. 3, Galveston Bay Channel.....	17		8, 10	Miss.....	34	74	18
Light No. 2, Houston Channel.....	19		11	Morgan Point (U. S. E.).....	15	54	11
Light No. 1a, Texas City.....	21		9	Morgan Point channel light.....	19		11
Light No. 3, Texas City.....	21		9	Morris 2.....	18	59	10
Light No. 3a, Texas City.....	21		9	Mort (U. S. E.).....	15	55	9
Light No. 5, Texas City.....	20		9	Mortar.....	12	51	6
Littles.....	32	69	18, 19	Mosquito Point.....	32	69	17
Live Oak.....	27	66	14, 15	Mosquito Point 2.....	33	70	17
Lone house.....	26		13	Mott.....	30	81	15
Lone Tree Knoll.....	34	75	19	Mud.....	34	75	18, 19
Long.....	32	69	16, 17	Mud Bayou.....	9	47	6
Long Grove (U. S. E.).....	17	57	8	Mud Flat.....	12	51	6
Lost.....	34	75	19	Mud Island:			
Lost (U. S. E.).....	20	62	11	North base (U. S. E.).....	16	56	12, 13
Louisiana (U. S. E.).....	9	46	6	South base (U. S. E.).....	25	64	13
Louisiana Point.....	10	47	6	Murrays Shoal beacon.....	42		19
M (U. S. E.).....	22	62	9	Mustang.....	34	77	20
Mad Island.....	28	67	15	Mustang Bayou.....	14	52	12
Mad Island 2.....	28	67	15	Mustang Island.....	35	77	19
Mad Island West.....	30	81	15	National Bank, cupola.....	41		18
Market Vane, Eleventh St. (U. S. E.).....	22		9	Neches (U. S. E.).....	10	48	5
Marsh.....	33	71	17	Nederland (U. S. E.).....	10	48	5
Marsh (U. S. E.).....	19	61	11	Nest.....	32	70	17
Marsh Point (U. S. E.).....	16	57	8	Niggerville.....	10	47	6
Mary.....	34	74	18	Nipper.....	33	71	17
Matagorda.....	27	67	15	Nobles' house.....	30		16
Matagorda 2.....	29		15	North.....	12		6
Matagorda:				North base:			
Episcopal Church spire.....	29		15	Galveston (U. S. E.).....	14	53	8, 9, 10
Lighthouse.....	29		16	Laguna Madre.....	34	78	20
				Matagorda Peninsula.....	27	66	15
				Mud Island (U. S. E.).....	16	56	12, 13
				Northeast base, Sabine Pass.....	9	47	6

Station	Position	Description	Sketch	Station	Position	Description	Sketch
	Page	Page	Number		Page	Page	Number
Sabine Pass—Continued.				South base:			
East jetty beacon	12		6	Galveston (U. S. E.).....	14	53	9
Jetty light (U. S. E.).....	12		6	Laguna Madre.....	35	79	20
Life-saving station flagstaff.....	13		6	Matagorda Peninsula.....	27	66	15
Lighthouse.....	9		6	Mud Island (U. S. E.).....	25	64	13
Methodist Church, spire.....	12		6	Southerly chimney.....	42		19
Northeast base.....	9	47	6	Southern Pacific elevator.....	23		9
Southwest base.....	9	47	6	Southwest base, Sabine Pass.....	9	47	6
Sun Co. pumping station, stack.....	12		6	Spillman.....	23	62	9
St. Charles.....	32	69	18	Spillman I (U. S. E.).....	19	59	11
St. Patrick Church, spire (U. S. E.).....	23		9	Spillman II (U. S. E.).....	19	60	11
Salt.....	11	50	6,7	Spindle Top (U. S. E.).....	10	48	5
Saluria.....	31	81	16	Spring.....	28	67	15
Saluria lighthouse.....	31		16	Spur (U. S. E.).....	10	48	5
San Antonio Bay beacon:				Standpipe (U. S. E.).....	23		9
No. 1.....	37		17	Standpipe, Corpus Christi.....	43		20
No. 2.....	37		17	Star.....	34	74	13
No. 3.....	38		17	Station A, U. S. Fish Commission.....	29	80	15
No. 4.....	38		17	Station B, U. S. Fish Commission.....	29	80	15
No. 5.....	38		17	Station C, U. S. Fish Commission.....	30	81	15
No. 6.....	38		17	Station D, U. S. Fish Commission.....	30	80	15
No. 7.....	38		17	Station F, U. S. Fish Commission.....	30		15
No. 8.....	38		17	Steam.....	32	70	17
San Antonio, northerly gable.....	27		17	Steamboat Pass.....	37	75	17
Sanborn.....	37	65	14	Stevenson.....	14	52	8
Sand.....	12	51	8	Stevenson Point (U. S. E.).....	14	53	8
Sandhill.....	35	79	20	Strang (U. S. E.).....	19	60	11
Sand Mounds.....	32	60	17,18	Sulphur mill smokestack.....	27		14
Sand Point 1857.....	28	67	16	Sun (U. S. E.).....	10	48	5
Sand Point 1906.....	29	68	16	Sun Co. pumping station, stack.....	12		6
San Luis Life Saving Station, cupola.....	24		12	Surfside Hotel dome.....	26		13
San Luis (U. S. E.).....	25	64	13	Swan.....	33	70	17
Santa Anna (U. S. E.).....	15	54	11	Tabb (U. S. E.).....	19	60	11
Sargent.....	27	66	14	Tarantula.....	30	81	15
Scaffold.....	11	49	6,7	Tarpon Inn, flagstaff.....	42		19
School cupola.....	41		18	Terry.....	33	71	17
Sea Brook U. S. F. beacon:				Texas (U. S. E.).....	9		6
No. 1.....	18		10	Texas City:			
No. 3.....	18		10	Beacon No. 4.....	21		9
No. 5.....	18		10	Channel light No. 1a.....	21		9
Sealy Hospital, center of dome.....	22		9	Channel light No. 3.....	21		9
Second Turn beacon.....	22		9	Channel light No. 3a.....	21		9
Seven Mile.....	27	66	15	Elevator tower.....	20		9
Shamrock.....	35	77	19,20	Light No. 5.....	20		9
Shamrock Island barn, southwest gable.....	44		19,20	Oil refinery, chimney.....	21		9
Sharp.....	33	71	17	Range, front light.....	20		9
Shaw.....	12	51	8	Range, rear light.....	20		9
Shaw (U. S. E.).....	14	52	8	Warehouse, water tower.....	21		9
Shed on the end of wharf, northeast gable.....	42		20	Water tower.....	20		9
Sheldon house.....	28	67	16	Texas Point.....	10	47	6
Shell.....	25	64	13	Thayer (U. S. E.).....	15	55	11
Shell Bank.....	32	69	18,19	Thompson.....	35	77	19,20
Shell Island.....	28	67	17	Thompson (U. S. E.).....	19	61	11
Shell Island.....	32	69	15	Three Mile Point.....	29	69	15
Shell Reef Point.....	28	67	15	Three Mounds.....	28	67	15
Shippryan's house.....	29		15	Three Mounds, 2.....	28	67	15
Shoal Point (U. S. E.).....	20	62	9	Tide gauge:			
Small (U. S. E.).....	19	60	11	Hannas reef.....	17	57	8
Smith (U. S. E.).....	10		5	Rollover.....	16	57	8
Smith Point.....	14	52	8	Tom.....	26	65	13
Smith Point (U. S. E.).....	14	53	8,10	Tory Hill (U. S. E.).....	15	55	11
Snake.....	33	72	17,18	Tremont Hotel, flagstaff (U. S. E.).....	23		9
Snake, 1912.....	16	56	12	Trinity River light:			
South.....	12		6	A.....	18		10
				B.....	19		10

Station	Position	Description	Sketch	Station	Position	Description	Sketch
	<i>Page</i>	<i>Page</i>	<i>Number</i>		<i>Page</i>	<i>Page</i>	<i>Number</i>
Trinity Tide Gauge (U. S. E.)	18		10	Windmill:			
Trueman	11	50	7	2	37		17
Turtle Bay	28	67	15	A	42		20
U. S. Fish Commission station:				Austin	38		17
A	20	80	15	Barnes	43		20
B	29	80	15	C	41		18
C	30	81	15	C 1	41		18
D	30	80	15	C 2	41		18
F	30		15	C 3	41		18
Upper Crack (U. S. E.)	20	61	11	Crescent	38		17
Velasco	25	63	13	D	42		20
Velasco Hotel, dome	26	65	13	E 1	37		17
Virginia Point	14	52	9	E 2	37		17
Warehouse:				E 3	37		17
Water tower, Texas City	21		9	E 4	37		17, 18
West gable	27		13	E 5	37		17, 18
Water tank, near Laguna Madre north base	43		20	First	40		18
Water tower:				H 2	38		17
Docks	13		5	H 3	38		17
Port Arthur	13		5	H 4	38		17
Texas City warehouse	21		9	H 5	38		17
White, red tank	13		5	H 6	38		17
Watkins' house, west chimney	20		15	H 7	38		17
W. B. 3 (U. S. E.)	15	55	9, 12	H 8	38		17
W. B. 4 (U. S. E.)	16	55	9, 12	H 9	37		17
W. B. 6 (U. S. E.)	16	55	12	H 10	37		17
Weather Bureau, signal tower	41		18	H 11	37		16
Weather Service:				M 1	40		18
Display tower	42		19	M 2	40		18
Display tower	27		13	M 3	40		18
Tower	22		0	M 4	39		18
Webb	33	70	17	M 5	39		18
Welburn's house	42		20	M 6	39		18
Well Point	28	67	15, 16	McGloins Bluff	42		20
Well Point 2	28	68	15, 16	Mission	41		18
Well (U. S. E.)	25	65	13	Mud	40		18
West	12		6	Near barn	42		20
West 2 (U. S. E.)	26	65	13	Near green-roofed house	42		20
West Base, Galveston Island	14	52	12	No. 1	43		20
West Bay Point	15	55	9	No. 2	44		20
West Bay U. S. E. beacon:				No. 2	36		16
No. 5	23		9, 12	No. 3	36		16
No. 7	23		9, 12	No. 4	36		16
No. 8	23		9, 12	No. 5	37		16
No. 9	23		9, 12	No. 6	37		16
No. 10	23		12	P	41		18
No. 12	23		12	P 1	41		18
No. 13	24		12	P 2	41		18
No. 14	24		12	P 3	41		18
No. 15	24		12	Red	38		17
No. 16	24		12	Ritters	43		20
No. 17	24		12	Second	40		18
No. 18	24		12	Sharp's	38		17
No. 19	24		12	Third	40		18
West End	14	52	12, 13	W. & A	40		18
West End light, Galveston dike	23		9	Windsor Hotel, flagstaff	13		6
West Point	27	66	15	Wireless mast, Galveston	22		9
White house, east chimney	27		13	Wireless mast, Port Arthur	13		5
White water tower, red tank	13		5	Wireless tower, Port Arthur	13		5
Wiggins 2	15	54	10	Wolcott	11	50	7
Wilkinson house	31		16	Wolcott 2	11	50	7
Windmill	40		19	Wolf Point	30	81	16
				Wooster (U. S. E.)	20	61	11
				Y (U. S. E.)	16	56	12